

## QUESTIONNAIRE FOR CHILDREN UNDER FIVE

2018 Kyrgyzstan MICS



96

UNDER-FIVE CHILD INFORMATION PANEL			UF		
UF1. Cluster number:	UF2. House	chold number:			
UF3. Child's name and line number:	UF4. Mothe	er's / Caretaker's name	and line number:		
NAME	NAME				
UF5. Interviewer's name and number:		visor's name and numbe			
NAME	NAME				
UF7. Day / Month / Year of interview:	UF8. Record		HOURS : MINUTES		
// <u>2 0 1 8</u>			:		
Check respondent's age in HL6 in LIST OF HOUSEHOLD M. If age 15-17, verify that adult consent for interview is obtained needed and not obtained, the interview must not commence to least 15 years old.	d (HH33 or HI	H39) or not necessary (I	HL20=90). If consent is		
<b>UF9</b> . Check completed questionnaires in this household: Have another member of your team interviewed this respondent fo questionnaire?	•	YES, INTERVIEWER ALREADY NO, FIRST INTERVI			
UF10A. Hello, my name is (your name). We are from the National Statistical Committee. We are conducting a survey about the situation of children, families and households. I would like to talk to you about (child's name from UF3)'s health and well-being. This interview will take about 20 minutes. All the information we obtain will remain strictly confidential and anonymous. If you wish not to answer a question or wish to stop the interview, please let me know. May I start now?		<b>UF10B.</b> Now I would like to talk to you about ( <i>child's name from UF3</i> )'s health and wellbeing in more detail. This interview will take about 20 minutes. Again, all the information we obtain will remain strictly confidential and anonymous. If you wish not to answer a question or wish to stop the interview, please let me know. May I start now?			
YES			BACKGROUND Module		
NO / NOT ASKED	2	2 <i>⇒UF17</i>			
UF17. Result of interview for children under 5  Codes refer to mother/caretaker.  Discuss any result not completed with Supervisor.	NOT AT HO REFUSED PARTLY CO INCAPACIT (specify) _	OME OMPLETED			
			06		

OTHER (specify)\_

UNDER-FIVE'S BACKGROUND  UB0. Before I begin the interview, could you please bring (name)'s Birth Certificate and Vaccination Card, or any other document from state or private medical entity where (name)'s vaccinations are registered? We will need to refer to those documents.		UB
UB1. On what day, month and year was (name) born?  Probe: What is (his/her) birthday?  If the mother/caretaker knows the exact date of birth, also record the day; otherwise, record '98' for day.  Month and year must be recorded.  UB2. How old is (name)?  Probe: How old was (name) at (his/her) last birthday?	DATE OF BIRTH DAY	
Record age in completed years.  Record '0' if less than 1 year.  If responses to UB1 and UB2 are inconsistent, probe further and correct.		
UB3. Check UB2: Child's age?  UB4. Check the respondent's line number (UF4) and the respondent to the HOUSEHOLD QUESTIONNAIRE (HH47):	AGE 0, 1, OR 2	1 <i>⇒</i> End  2 <i>⇒</i> UB6
UB5. Check ED10 in the EDUCATION MODULE in the HOUSEHOLD QUESTIONNAIRE: Is the child attending ECE in the current school year?	YES, ED10=0	$1 \Rightarrow UB8B$ $2 \Rightarrow End$
<b>UB6</b> . Has ( <i>name</i> ) ever attended any early childhood education programme a private or public kindergarten, including community-based kindergartens?	YES	2 <i>⇔ End</i>
<b>UB7</b> . At any time since September 2018, did (he/she) attend ( <i>programmes mentioned in UB6</i> )?	YES	$1 \Rightarrow UB8A$ $2 \Rightarrow End$
<ul> <li>UB8A. Does (he/she) currently attend (<i>programmes mentioned in UB6</i>)?</li> <li>UB8B. You have mentioned that (<i>name</i>) has attended an early childhood education programme this school year. Does (he/she) currently attend this programme?</li> </ul>	YES	

BIRTH REGISTRATION		BR
<b>BR1</b> . Does ( <i>name</i> ) have a birth certificate?	YES, SEEN1	
	YES, NOT SEEN2	2 <i>⇒End</i>
If yes, ask:	NO3	
May I see it?		
	DK8	
<b>BR2</b> . Has ( <i>name</i> )'s birth been registered with the civil	YES1	1 <i>⇒End</i>
registration authorities in ZAGS or the local self-	NO2	
governance office?		
	DK8	
<b>BR3</b> . Do you know how to register ( <i>name</i> )'s birth?	YES1	
	NO2	

EARLY CHILDHOOD DEVELOPMENT		EC
<b>EC1</b> . How many children's books or picture books do you have for ( <i>name</i> ), including electronic books?	NONE	
	NUMBER OF CHILDREN'S BOOKS <u>0</u>	
	TEN OR MORE BOOKS10	
<b>EC2</b> . I am interested in learning about the things that ( <i>name</i> ) plays with when (he/she) is at home.		
Does (he/she) play with:	Y N DK	
[A] Homemade toys, such as dolls, cars, or other toys made at home?	HOMEMADE TOYS1 2 8	
[B] Toys from a shop or manufactured toys?	TOYS FROM A SHOP 1 2 8	
[C] Household objects, such as bowls or pots, or	HOUSEHOLD OBJECTS	
objects found outside, such as sticks, rocks, animal shells or leaves?	OR OUTSIDE OBJECTS1 2 8	
EC3. Sometimes adults taking care of children have to		
leave the house to go shopping, wash clothes, or for other reasons and have to leave young children.		
On how many days in the past week was ( <i>name</i> ):		
[A] Left alone for more than an hour?	NUMBER OF DAYS LEFT ALONE FOR	
	MORE THAN AN HOUR	
[B] Left in the care of another child, that is,	NUMBER OF DAYS LEFT WITH	
someone less than 10 years old, for more	ANOTHER CHILD FOR MORE	
than an hour?	THAN AN HOUR	
If 'None' record '0'. If 'Don't know' record '8'.		
EC4. Check UB2: Child's age?	AGE 0 OR 11	1 <i>⇒End</i>
	AGE 2, 3 OR 42	

EC5. In the past 3 days, did you or any household						
member age 15 or over engage in any of the following						
activities with (name):						
If 'Yes', ask:						
Who engaged in this activity with ( <i>name</i> )?						
A foster/step mother or father living in the household						
who engaged with the child should be coded as						
mother or father.						
Decoud all that apply						
Record all that apply.						
'No one' cannot be recorded if any household member		MOTHER	E A CHIED	OTHER	NO ONE	
age 15 and above engaged in activity with child.		MOTHER	FATHER	OTHER	NO ONE	
[A] Read books or looked at picture	READ BOOKS	A	В	X	Y	
books with (name)?						
[B] Told stories to (name)?	TOLD STORIES	A	В	X	Y	
[B] Told stolles to (name).	TOLD STORES	7.1	Б	71	1	
[C] Sang songs to or with (name),	SANG SONGS	Α	В	X	Y	
including lullabies?	SANG SONGS	A	Б	Λ	1	
	TOOK OF THE STORE		D	*7	* 7	
[D] Took ( <i>name</i> ) outside the home?	TOOK OUTSIDE	A	В	X	Y	
FT DI 1 11 ( )				**	**	
[E] Played with ( <i>name</i> )?	PLAYED WITH	A	В	X	Y	
[F] Named, counted, or drew things						
for or with (name)?	NAMED	A	В	X	Y	
	AGE 2				1	1 <i>⇒End</i>
EC5G. Check UB2: Child's age?	AGE 3 OR 4					1 <b>∀E</b> na
	AGE 5 OK 4	•••••	•••••	•••••	2	
<b>EC6</b> . I would like to ask you some questions about the						
health and development of ( <i>name</i> ). Children do not all						
develop and learn at the same rate. For example, some						
walk earlier than others. These questions are related to						
several aspects of ( <i>name</i> )'s development.						
	YES					
Can ( <i>name</i> ) identify or name at least ten letters of the	NO				2	
alphabet?	D.77				0	
	DK	•••••		•••••	8	
EC7. Can (name) read at least four simple, popular	YES					
words?	NO	•••••			2	
	DK	·····			8	
EC8. Does (name) know the name and recognize the	YES	·····	<del></del>		1	
symbol of all numbers from 1 to 10?	NO				2	
	DK				8	
EC9. Can ( <i>name</i> ) pick up a small object with two	YES	•••••			1	
fingers, like a stick or a rock from the ground?	NO					
<u> </u>						
	DK				8	

EC10. Is (name) sometimes too sick to play?	YES	
	DK8	
<b>EC11</b> . Does ( <i>name</i> ) follow simple directions on how to do something correctly?	YES	
	DK8	
<b>EC12</b> . When given something to do, is ( <i>name</i> ) able to do it independently?	YES	
	DK8	
EC13. Does (name) get along well with other children?	YES	
	DK8	
<b>EC14</b> . Does ( <i>name</i> ) kick, bite, or hit other children or adults?	YES	
	DK8	
EC15. Does (name) get distracted easily?	YES	
	DK8	

CHILD DISCIPLINE		UCD
UCD1. Check UB2: Child's age?	AGE 0	1 <i>⇒End</i>
Ö	AGE 1, 2, 3 OR 42	
UCD2. Adults use certain ways to teach children the right behavior or to address a behavior problem. I will read various methods that are used. Please tell me if you or any other adult in your household has used this method with (name) in the past month.	WEG NO	
[A] Took away privileges, forbade something ( <i>name</i> ) liked or did not allow (him/her) to leave the house.	YES NO TOOK AWAY PRIVILEGES1 2	
[B] Explained why ( <i>name</i> )'s behavior was wrong.	EXPLAINED WRONG BEHAVIOR1 2	
[C] Shook (him/her).	SHOOK HIM/HER 1 2	
[D] Shouted, yelled at or screamed at (him/her).	SHOUTED, YELLED, SCREAMED1 2	
[E] Gave (him/her) something else to do.	GAVE SOMETHING ELSE TO DO1 2	
[F] Spanked, hit or slapped (him/her) on the bottom with bare hand.	SPANKED, HIT, SLAPPED ON BOTTOM WITH BARE HAND	
[G] Hit (him/her) on the bottom or elsewhere on the body with something like a belt, hairbrush, stick or other hard object.	HIT WITH BELT, HAIRBRUSH, STICK OR OTHER HARD OBJECT1 2	
[H] Called (him/her) dumb, lazy or another name like that.	CALLED DUMB, LAZY OR ANOTHER NAME1 2	
[I] Hit or slapped (him/her) on the face, head or ears.	HIT / SLAPPED ON THE FACE, HEAD OR EARS1 2	
[J] Hit or slapped (him/her) on the hand, arm, or leg.	HIT / SLAPPED ON HAND, ARM OR LEG1 2	
[K] Beat (him/her) up, that is hit (him/her) over and over as hard as one could.	BEAT UP, HIT OVER AND OVER AS HARD AS ONE COULD1 2	
UCD3. Check UF4: Is this respondent the mother or caretaker of any other children under age 5 or a child age 5-14 selected for the questionnaire for children age 5-17?	YES	2 <i>⇔UCD5</i>
UCD4. Check UF4: Has this respondent already responded to the following question (UCD5 or FCD5) for another child?	YES	1 ⇔End
UCD5. Do you believe that in order to bring up, raise, or educate a child properly, the child needs to be physically punished?	YES	
	DK / NO OPINION8	

CHILD FUNCTIONING		UCF
UCF1. Check UB2: Child's age?	AGE 0 OR 11	1 <i>⇒End</i>
	AGE 2, 3 OR 4	
UCF2. I would like to ask you some questions	YES	
about difficulties ( <i>name</i> ) may have.	NO2	
Does (name) wear glasses?		
UCF3. Does (name) use a hearing aid?	YES1	
	NO2	
UCF4. Does ( <i>name</i> ) use any equipment or receive	YES	
assistance for walking?	NO	
<b>UCF5</b> . In the following questions, I will ask you to answer by selecting one of four possible answers.		
For each question, would you say that ( <i>name</i> )		
has: 1) no difficulty, 2) some difficulty, 3) a lot of		
difficulty, or 4) that (he/she) cannot at all.		
Repeat the categories during the individual		
questions whenever the respondent does not use		
an answer category:		
Remember the four possible answers: Would you		
-		
say that ( <i>name</i> ) has: 1) no difficulty, 2) some		
difficulty, 3) a lot of difficulty, or 4) that (he/she)		
cannot at all?		
UCF6. Check UCF2: Child wears glasses?	YES, UCF2=1 1	1 <i>⇒UCF7A</i>
	NO, UCF2=22	2 <i>⇒UCF7B</i>
UCF7A. When wearing (his/her) glasses, does	NO DIFFICULTY1	
( <i>name</i> ) have difficulty seeing?	SOME DIFFICULTY2	
	A LOT OF DIFFICULTY3	
UCF7B. Does ( <i>name</i> ) have difficulty seeing?		
	A LOT OF DIFFICULTY	1 DUCEOA
UCF7B. Does (name) have difficulty seeing? UCF8. Check UCF3: Child uses a hearing aid?	A LOT OF DIFFICULTY	1 ⇒ UCF9A
UCF8. Check UCF3: Child uses a hearing aid?	A LOT OF DIFFICULTY	1 ⇒UCF9A 2 ⇒UCF9B
UCF8. Check UCF3: Child uses a hearing aid? UCF9A. When using (his/her) hearing aid(s), does	A LOT OF DIFFICULTY 3 CANNOT SEE AT ALL 4 YES, UCF3=1 1 NO, UCF3=2 2	
UCF9A. When using (his/her) hearing aid(s), does (name) have difficulty hearing sounds like	A LOT OF DIFFICULTY 3 CANNOT SEE AT ALL 4  YES, UCF3=1 1 NO, UCF3=2 2  NO DIFFICULTY 1	
UCF8. Check UCF3: Child uses a hearing aid? UCF9A. When using (his/her) hearing aid(s), does	A LOT OF DIFFICULTY 3 CANNOT SEE AT ALL 4 YES, UCF3=1 1 NO, UCF3=2 2  NO DIFFICULTY 1 SOME DIFFICULTY 2	
UCF9A. When using (his/her) hearing aid(s), does (name) have difficulty hearing sounds like peoples' voices or music?	A LOT OF DIFFICULTY 3 CANNOT SEE AT ALL 4  YES, UCF3=1 1 NO, UCF3=2 2  NO DIFFICULTY 1 SOME DIFFICULTY 2 A LOT OF DIFFICULTY 3	
UCF9A. When using (his/her) hearing aid(s), does (name) have difficulty hearing sounds like peoples' voices or music?  UCF9B. Does (name) have difficulty hearing	A LOT OF DIFFICULTY 3 CANNOT SEE AT ALL 4 YES, UCF3=1 1 NO, UCF3=2 2  NO DIFFICULTY 1 SOME DIFFICULTY 2	
UCF9A. When using (his/her) hearing aid(s), does (name) have difficulty hearing sounds like peoples' voices or music?	A LOT OF DIFFICULTY 3 CANNOT SEE AT ALL 4  YES, UCF3=1 1 NO, UCF3=2 2  NO DIFFICULTY 1 SOME DIFFICULTY 2 A LOT OF DIFFICULTY 3	
UCF9A. When using (his/her) hearing aid(s), does (name) have difficulty hearing sounds like peoples' voices or music?  UCF9B. Does (name) have difficulty hearing	A LOT OF DIFFICULTY 3 CANNOT SEE AT ALL 4  YES, UCF3=1 1 NO, UCF3=2 2  NO DIFFICULTY 1 SOME DIFFICULTY 2 A LOT OF DIFFICULTY 3	
UCF9A. When using (his/her) hearing aid(s), does (name) have difficulty hearing sounds like peoples' voices or music?  UCF9B. Does (name) have difficulty hearing sounds like peoples' voices or music?	A LOT OF DIFFICULTY 3 CANNOT SEE AT ALL 4  YES, UCF3=1 1 NO, UCF3=2 2  NO DIFFICULTY 1 SOME DIFFICULTY 2 A LOT OF DIFFICULTY 3 CANNOT HEAR AT ALL 4	2 <i>⇔UCF9B</i>
UCF9A. When using (his/her) hearing aid(s), does (name) have difficulty hearing sounds like peoples' voices or music?  UCF9B. Does (name) have difficulty hearing sounds like peoples' voices or music?  UCF10. Check UCF4: Child uses equipment or receives assistance for walking?	A LOT OF DIFFICULTY 3 CANNOT SEE AT ALL 4  YES, UCF3=1 1 NO, UCF3=2 2  NO DIFFICULTY 1 SOME DIFFICULTY 2 A LOT OF DIFFICULTY 3 CANNOT HEAR AT ALL 4  YES, UCF4=1 1 NO, UCF4=2 2	2 <i>⇒UCF9B</i> 1 <i>⇒UCF11</i>
UCF9A. When using (his/her) hearing aid(s), does (name) have difficulty hearing sounds like peoples' voices or music?  UCF9B. Does (name) have difficulty hearing sounds like peoples' voices or music?  UCF10. Check UCF4: Child uses equipment or receives assistance for walking?  UCF11. Without (his/her) equipment or assistance,	A LOT OF DIFFICULTY 3 CANNOT SEE AT ALL 4  YES, UCF3=1 1 NO, UCF3=2 2  NO DIFFICULTY 1 SOME DIFFICULTY 2 A LOT OF DIFFICULTY 3 CANNOT HEAR AT ALL 4  YES, UCF4=1 1 NO, UCF4=2 2  SOME DIFFICULTY 2 SOME DIFFICULTY 2 SOME DIFFICULTY 2 SOME DIFFICULTY 2 SOME DIFFICULTY 2	2 <i>⇒UCF9B</i> 1 <i>⇒UCF11</i>
UCF9A. When using (his/her) hearing aid(s), does (name) have difficulty hearing sounds like peoples' voices or music?  UCF9B. Does (name) have difficulty hearing sounds like peoples' voices or music?  UCF10. Check UCF4: Child uses equipment or receives assistance for walking?	A LOT OF DIFFICULTY 3 CANNOT SEE AT ALL 4  YES, UCF3=1 1 NO, UCF3=2 2  NO DIFFICULTY 1 SOME DIFFICULTY 2 A LOT OF DIFFICULTY 3 CANNOT HEAR AT ALL 4  YES, UCF4=1 1 NO, UCF4=2 2 SOME DIFFICULTY 2 A LOT OF DIFFICULTY 3  SOME DIFFICULTY 3	2 <i>⇒UCF9B</i> 1 <i>⇒UCF11</i>
UCF9A. When using (his/her) hearing aid(s), does (name) have difficulty hearing sounds like peoples' voices or music?  UCF9B. Does (name) have difficulty hearing sounds like peoples' voices or music?  UCF10. Check UCF4: Child uses equipment or receives assistance for walking?  UCF11. Without (his/her) equipment or assistance, does (name) have difficulty walking?	A LOT OF DIFFICULTY 3 CANNOT SEE AT ALL 4  YES, UCF3=1 1 NO, UCF3=2 2  NO DIFFICULTY 1 SOME DIFFICULTY 2 A LOT OF DIFFICULTY 3 CANNOT HEAR AT ALL 4  YES, UCF4=1 1 NO, UCF4=2 2 SOME DIFFICULTY 2 A LOT OF DIFFICULTY 3 CANNOT WALK AT ALL 4	2 ⇒ UCF9B  1 ⇒ UCF11 2 ⇒ UCF13
UCF9A. When using (his/her) hearing aid(s), does (name) have difficulty hearing sounds like peoples' voices or music?  UCF9B. Does (name) have difficulty hearing sounds like peoples' voices or music?  UCF10. Check UCF4: Child uses equipment or receives assistance for walking?  UCF11. Without (his/her) equipment or assistance, does (name) have difficulty walking?  UCF12. With (his/her) equipment or assistance,	A LOT OF DIFFICULTY 3 CANNOT SEE AT ALL 4  YES, UCF3=1 1 NO, UCF3=2 2  NO DIFFICULTY 1 SOME DIFFICULTY 2 A LOT OF DIFFICULTY 3 CANNOT HEAR AT ALL 4  YES, UCF4=1 1 NO, UCF4=2 2 SOME DIFFICULTY 2 A LOT OF DIFFICULTY 3 CANNOT WALK AT ALL 4  NO DIFFICULTY 1	2 \$\rightarrow UCF9B\$  1\$\rightarrow UCF11\$ 2\$\rightarrow UCF14\$
UCF9A. When using (his/her) hearing aid(s), does (name) have difficulty hearing sounds like peoples' voices or music?  UCF9B. Does (name) have difficulty hearing sounds like peoples' voices or music?  UCF10. Check UCF4: Child uses equipment or receives assistance for walking?  UCF11. Without (his/her) equipment or assistance, does (name) have difficulty walking?	A LOT OF DIFFICULTY 3 CANNOT SEE AT ALL 4  YES, UCF3=1 1 NO, UCF3=2 2  NO DIFFICULTY 1 SOME DIFFICULTY 2 A LOT OF DIFFICULTY 3 CANNOT HEAR AT ALL 4  YES, UCF4=1 1 NO, UCF4=2 2 SOME DIFFICULTY 2 A LOT OF DIFFICULTY 3 CANNOT WALK AT ALL 4  NO DIFFICULTY 3 CONNOT WALK AT ALL 4	2 ⇒ UCF9B  1 ⇒ UCF11 2 ⇒ UCF13  1 ⇒ UCF14 2 ⇒ UCF14
UCF9A. When using (his/her) hearing aid(s), does (name) have difficulty hearing sounds like peoples' voices or music?  UCF9B. Does (name) have difficulty hearing sounds like peoples' voices or music?  UCF10. Check UCF4: Child uses equipment or receives assistance for walking?  UCF11. Without (his/her) equipment or assistance, does (name) have difficulty walking?  UCF12. With (his/her) equipment or assistance,	A LOT OF DIFFICULTY 3 CANNOT SEE AT ALL 4  YES, UCF3=1 1 NO, UCF3=2 2  NO DIFFICULTY 1 SOME DIFFICULTY 2 A LOT OF DIFFICULTY 3 CANNOT HEAR AT ALL 4  YES, UCF4=1 1 NO, UCF4=2 2 SOME DIFFICULTY 2 A LOT OF DIFFICULTY 3 CANNOT WALK AT ALL 4  NO DIFFICULTY 1	2 \$\rightarrow UCF9B\$  1\$\rightarrow UCF11\$ 2\$\rightarrow UCF14\$

UCF13. Compared with children of the same age,	NO DIFFICULTY1
does ( <i>name</i> ) have difficulty walking?	SOME DIFFICULTY2
	A LOT OF DIFFICULTY3
	CANNOT WALK AT ALL4
UCE14 Command with skildren of the same age	NO DIFFICULTY1
UCF14. Compared with children of the same age,	SOME DIFFICULTY
does ( <i>name</i> ) have difficulty picking up small	A LOT OF DIFFICULTY
objects with (his/her) hand?	CANNOT PICK UP AT ALL4
<b>UCF15</b> . Does ( <i>name</i> ) have difficulty understanding	NO DIFFICULTY1
you?	SOME DIFFICULTY2
	A LOT OF DIFFICULTY3
	CANNOT UNDERSTAND AT ALL4
UCF16. When (name) speaks, do you have	NO DIFFICULTY1
difficulty understanding (him/her)?	SOME DIFFICULTY2
	A LOT OF DIFFICULTY3
	CANNOT BE UNDERSTOOD AT ALL4
UCF17. Compared with children of the same age,	NO DIFFICULTY1
does ( <i>name</i> ) have difficulty learning things?	SOME DIFFICULTY2
	A LOT OF DIFFICULTY3
	CANNOT LEARN THINGS AT ALL4
UCF18. Compared with children of the same age,	NO DIFFICULTY1
does ( <i>name</i> ) have difficulty playing?	SOME DIFFICULTY2
	A LOT OF DIFFICULTY3
	CANNOT PLAY AT ALL4
UCF19. The next question has five different	
options for answers. I am going to read these to	
you after the question.	
Compared with children of the same age, how	NOT AT ALL1
much does ( <i>name</i> ) kick, bite or hit other children	LESS2
or adults?	THE SAME 3
	MORE4
Would you say: not at all, less, the same, more or a lot more?	A LOT MORE5
!	

		DD
BREASTFEEDING AND DIETARY INTAKE		BD
BD1. Check UB2: Child's age?	AGE 0, 1, OR 2	2 <i>⇒End</i>
<b>BD2</b> . Has ( <i>name</i> ) ever been breastfed?	YES	2 <i>⇔BD3A</i>
	DK8	8 <i>⇔BD3A</i>
<b>BD3</b> . Is ( <i>name</i> ) still being breastfed?	YES	
	DK8	
BD3A. Check UB2: Child's age?	AGE 0 OR 1	2 <i>⇒End</i>
<b>BD4A</b> . Yesterday, during the day or night, did ( <i>name</i> ) drink anything from a bottle or cup with a nipple, spout, or reusable straw?	YES	2 <i>⇔BD</i> 5
	DK8	8 <i>⇔BD5</i>
<b>BD4</b> . Specifically, did (he/she) <u>drink anything from a bottle with a nipple</u> ?	YES	
	DK8	
BD5. Did ( <i>name</i> ) <u>drink Oral Rehydration Salt solution</u> (ORS) yesterday, during the day or night?	YES	
	DK8	
BD6. Did ( <i>name</i> ) <u>drink or eat vitamin or mineral</u> <u>supplements or any medicines</u> yesterday, during the day or night?	YES	
	DK8	

BD7. Now I would like to ask you about all other liquids that ( <i>name</i> ) may have had yesterday during the day or the night.  Please include liquids consumed outside of your home.				
Did ( <i>name</i> ) drink ( <i>name of item</i> ) yesterday during the day or the night:		YES	NO	DK
[A] Plain water?	PLAIN WATER	1	2	8
[B] Juice or juice drinks?	JUICE OR JUICE DRINKS	1	2	8
[C] Shorpo, clear broth or clear soup?	CLEAR BROTH	1	2	8
[D] Infant formula (manufactured)?	INFANT FORMULA	1	2 \\dots BD7[E]	8 \\ BD7[E]
[D1] How many times did ( <i>name</i> ) drink infant formula?  If 7 or more times, record '7'.  If unknown, record '8'.	NUMBER OF TIMES DRANK INFANT FORMULA			
[E] Milk from animals, such as fresh, tinned, or powdered milk (also included liquid kefir, ayran, biolact, yogurt, kymyz)?	MILK	1	2 \( \text{\Delta} \) BD7[X]	8 ☆ BD7[X]
[E1] How many times did ( <i>name</i> ) drink milk?  If 7 or more times, record '7'.  If unknown, record '8'.	NUMBER OF TIMES DRANK MILK			
[X] Any other liquids?	OTHER LIQUIDS	1	2 か BD8	8 ☆ BD8
[X1] Record all other liquids mentioned.	(Specify)			

- **BD8**. Now I would like to ask you about <u>everything</u> that (*name*) are yesterday during the day or the night. Please include foods consumed outside of your home.
- Think about when (*name*) woke up yesterday. Did (he/she) eat anything at that time? *If 'Yes' ask:* Please tell me everything (*name*) at at that time. *Probe:* Anything else? *Record answers using the food groups below.*
- What did (name) do after that? Did (he/she) eat anything at that time?

  Repeat this string of questions, recording in the food groups, until the respondent tells you that the child went to sleep until the next morning.

unin	the next morning.				
the a	ach food group not mentioned after completing above ask: to make sure, did (name) eat (food group items) erday during the day or the night		YES	NO	DK
[A]	Yogurt made from animal milk?  Note that liquid/drinking yogurt should be captured in BD7[E] or BD7[X], depending on milk content.	YOGURT	1	2 \( \Delta \) BD8[B]	8 ₪ BD8[B]
[A1]	How many times did (name) eat yogurt?  If 7 or more times, record '7'.  If unknown, record '8'.	NUMBER OF TIMES ATE YOGURT			
[B]	Any commercially fortified baby food?	FORTIFIED BABY FOOD	1	2	8
[C]	Bread, rice, noodles, porridge, bulamak or other foods made from grains?	FOODS MADE FROM GRAINS	1	2	8
[D]	Pumpkin, carrots, squash, or sweet potatoes that are yellow or orange inside?	PUMPKIN, CARROTS, SQUASH, ETC.	1	2	8
[E]	White potatoes, turnip or any other foods made from roots?	FOODS MADE FROM ROOTS	1	2	8
[F]	Any dark green, leafy vegetables, such as Chinese cabbage or spinach, parsley?	DARK GREEN, LEAFY VEGETABLES	1	2	8
[G]	Dried apricots and ripe persimmon?	DRIED APRICOTS, PERSIMMON	1	2	8
[H]	Any other fruits and vegetables such as apples, pears, peaches, bananas, grapes, raspberry, strawberry, watermelon, beets, cabbage, cucumbers or tomato?	OTHER FRUIT AND VEGETABLES	1	2	8
[I]	Liver, kidney, heart or other organ meats?	ORGAN MEATS	1	2	8
[J]	Any other meat, such as beef, pork, lamb, goat, chicken, duck or sausages made from these meats?	OTHER MEATS	1	2	8
[K]	Eggs?	EGGS	1	2	8
[L]	Fresh or dried fish?	FRESH OR DRIED FISH	1	2	8
[M]	Beans, peas, lentils or nuts, including any foods made from these?	FOODS MADE FROM BEANS, PEAS, NUTS, ETC.	1	2	8
[N]	Cheese or other food made from animal milk?	CHEESE OR OTHER FOOD MADE FROM MILK	1	2	8
[X]	Other solid, semi-solid, or soft food?	OTHER SOLID, SEMI-SOLID, OR SOFT FOOD	1	2 ₪ BD9	8 公 BD9
[X1]	Record all other solid, semi-solid, or soft food that do not fit food groups above.	(Specify)			

<b>BD9</b> . How many times did ( <i>name</i> ) eat any solid, semisolid or soft foods yesterday during the day or night?	NUMBER OF TIMES	
If BD8[A] is 'Yes', ensure that the response here includes the number of times recorded for yogurt in BD8[A1].	DK8	
If 7 or more times, record '7'.		

IMMUNISATION										IM
IM1. Check UB2: Child's age?				2 2						
		AGE	3 OR 4.		•••••	•••••	•••••	• • • • • • • • • • • • • • • • • • • •	2	2 <i>⇒End</i>
IM2. Do you have a Vaccination Cardocument from state or private med where vaccinations are registered f	dical entity	YES, DOO YES, DOO NO, H	HAS O CUMEN HAS C CUMEN HAS NO	NLY C. NLY O' NT ARD(S) NT CARD	THER AND (	 OTHEF	 R  THER		2	1 <i>⇔IM</i> 5 3 <i>⇔IM</i> 5
<b>IM3</b> . Did you ever have a Vaccination other document from state or private entity where vaccinations were region ( <i>name</i> )?	te medical									
IM4. Check IM2:		HAS	NO CA	OTHER RDS AI	ND NO	OTHE	R			
				NT AVA						2 <i>⇒IM10A</i>
IM5. May I see the card(s) (and/or) of document?	other	YES, YES, OTI NO C	ONLY CARD( HER DO ARDS	CARD( OTHER (S) AND OCUME AND R DOCU	R DOCU D ENT SE	JMENT	Γ SEEN		3	4 <i>⇒</i> IM10A
IM6.		1,0	OTTIE	тросс	71/1151 (1	BEET				1 711111011
<ul><li>(a) Copy dates for each vaccination documents.</li><li>(b) Write '44' in day column if documents that vaccination was given but no design.</li></ul>	uments show	<b>D</b> A	D.	ATE O		UNISA	TION YE			
	mie recornen.									
BCG	BCG					2	0	1		
BCG HepB (at birth)						2	0	1		
	BCG									
HepB (at birth)	BCG HepB0					2	0	1		
HepB (at birth) Polio (OPV) (at birth)	BCG HepB0 OPV0					2	0	1		
HepB (at birth) Polio (OPV) (at birth) Polio (OPV) 1	BCG HepB0 OPV0 OPV1					2 2	0 0	1 1 1		
HepB (at birth)  Polio (OPV) (at birth)  Polio (OPV) 1  Polio (OPV) 2	BCG HepB0 OPV0 OPV1 OPV2					2 2 2	0 0 0 0	1 1 1 1		
HepB (at birth)  Polio (OPV) (at birth)  Polio (OPV) 1  Polio (OPV) 2  Polio (OPV) 3	BCG HepB0 OPV0 OPV1 OPV2 OPV3					2 2 2 2	0 0 0 0 0	1 1 1 1 1		
HepB (at birth)  Polio (OPV) (at birth)  Polio (OPV) 1  Polio (OPV) 2  Polio (OPV) 3  Pentavalent (DPTHibHepB) 1	BCG HepB0 OPV0 OPV1 OPV2 OPV3 Penta1					2 2 2 2 2 2	0 0 0 0 0 0	1 1 1 1 1		
HepB (at birth)  Polio (OPV) (at birth)  Polio (OPV) 1  Polio (OPV) 2  Polio (OPV) 3  Pentavalent (DPTHibHepB) 1  Pentavalent (DPTHibHepB) 2	BCG HepB0 OPV0 OPV1 OPV2 OPV3 Penta1 Penta2					2 2 2 2 2 2 2 2	0 0 0 0 0 0 0	1 1 1 1 1 1		
HepB (at birth)  Polio (OPV) (at birth)  Polio (OPV) 1  Polio (OPV) 2  Polio (OPV) 3  Pentavalent (DPTHibHepB) 1  Pentavalent (DPTHibHepB) 2  Pentavalent (DPTHibHepB) 3	BCG HepB0 OPV0 OPV1 OPV2 OPV3 Penta1 Penta2 Penta3					2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0	1 1 1 1 1 1 1		
HepB (at birth)  Polio (OPV) (at birth)  Polio (OPV) 1  Polio (OPV) 2  Polio (OPV) 3  Pentavalent (DPTHibHepB) 1  Pentavalent (DPTHibHepB) 2  Pentavalent (DPTHibHepB) 3  Pneumococcal (Conjugate) 1	BCG HepB0 OPV0 OPV1 OPV2 OPV3 Penta1 Penta2 Penta3 PCV1					2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1		

IM7. Check IM6: Are all vaccines (BCG to MMR1) recorded?	YES 1 NO 2	1 <i>⇒End</i>
<b>IM8</b> . Did ( <i>name</i> ) participate in any of the following campaigns, national immunisation days:	Y N DK	
[A] EUROPEAN IMMUNIZATION WEEK, APRIL 2016	EUROPEAN IMMUNIZATION WEEK 2016 1 2 8	
[B] EUROPEAN IMMUNIZATION WEEK, APRIL 2017	EUROPEAN IMMUNIZATION WEEK 2017 1 2 8	
[C] EUROPEAN IMMUNIZATION WEEK, APRIL 2018	EUROPEAN IMMUNIZATION WEEK 2018 1 2 8	
IM9. In addition to what is recorded on the document(s) you have shown me, did (name) receive any other vaccinations including vaccinations received during the campaigns, immunisation days just mentioned?	YES 1 NO 2 DK 8	2 <i>⇔End</i> 8 <i>⇔End</i>
IM10. Go back to IM6 and probe for these vaccinations.		
Record '66' in the corresponding day column for each vaccine received.  For vaccinations <u>not</u> received record '00'.  When <u>finished</u> , go to End of module.		⇔End
IM10A. What is the main reason that you have no Vaccination Card or any other document from state or private medical entity where vaccinations were registered for (name)?	CARD IS STORED IN POLICLINIC	
<b>IM11</b> . Has ( <i>name</i> ) ever received any vaccinations to prevent (him/her) from getting diseases, including vaccinations received in a campaign, immunisation day?	YES 1 NO 2 DK 8	
<b>IM12</b> . Did ( <i>name</i> ) participate in any of the following campaigns, national immunisation days	W M DW	
[A] EUROPEAN IMMUNIZATION WEEK, APRIL 2016	Y N DK EUROPEAN IMMUNIZATION WEEK 2016	
[B] EUROPEAN IMMUNIZATION WEEK, APRIL 2017	EUROPEAN IMMUNIZATION WEEK 2017	
[C] EUROPEAN IMMUNIZATION WEEK, APRIL 2018	EUROPEAN IMMUNIZATION WEEK 20181 2 8	
IM13. Check IM11 and IM12:	ALL NO OR DK	1 <i>⇒End</i>

<b>IM14</b> . Has ( <i>name</i> ) ever received a BCG vaccination against tuberculosis – that is, an injection in the left arm or shoulder that usually causes a scar?	YES	
IM15. Did ( <i>name</i> ) receive a Hepatitis B vaccination – that is an injection on the outside of the thigh to prevent Hepatitis B disease – within the first 24 hours after birth?	YES, WITHIN 24 HOURS       1         YES, BUT NOT WITHIN 24 HOURS       2         NO       3         DK       8	
IM16. Has ( <i>name</i> ) ever received any vaccination drops in the mouth to protect (him/her) from polio?	YES	2 <i>⇒IM</i> 20
Probe by indicating that the drops are usually given at the same time as injections to prevent other diseases.	DK8	8 <i>⇔IM20</i>
IM17. Were the first polio drops received in the first two weeks after birth?	YES 1 NO 2	
IM18. How many times were the polio drops received?	DK	
IM20. Has ( <i>name</i> ) ever received a Pentavalent vaccination – that is, an injection in the right thigh to prevent (him/her) from getting tetanus, whooping cough, diphtheria, Hepatitis B disease, and Haemophilus influenzae type b?	YES	2 <i>⇒IM</i> 22 8 <i>⇒IM</i> 22
Probe by indicating that Pentavalent vaccination is sometimes given at the same time as the polio drops.		
<b>IM21</b> . How many times was the Pentavalent vaccine received?	NUMBER OF TIMES	
IM22. Has ( <i>name</i> ) ever received a Pneumococcal Conjugate vaccination – that is, an injection in the left thigh to prevent (him/her) from getting pneumococcal disease, including ear infections and meningitis caused by pneumococcus?	YES 1  NO	2 <i>⇒IM</i> 26 8 <i>⇒IM</i> 26
Probe by indicating that Pneumococcal Conjugate vaccination is sometimes given at the same time as the Pentavalent vaccination.		
IM23. How many times was the Pneumococcal vaccine received?	NUMBER OF TIMES	
IM26. Has ( <i>name</i> ) ever received a MMR1 vaccine  – that is, a shot in the left arm at the age of 12  months or older - to prevent (him/her) from getting measles, mumps and rubella?	YES 1 NO 2 DK 8	2 <i>⇒End</i> 8 <i>⇒End</i>
IM26A. How many times was the MMR1 vaccine received?	NUMBER OF TIMES	
IM28. Issue a QUESTIONNAIRE FORM FOR VACC Complete the Information Panel on that Questionna	INATION RECORDS AT HEALTH FACILITY for this chiire	ld.

CARE OF ILLNESS		CA
<b>CA1.</b> In the last two weeks, has ( <i>name</i> ) had diarrhoea?	YES1	
	NO2	2 <i>⇒CA14</i>
	DK8	8 <i>⇔CA14</i>
CA2. Check BD3: Is child still breastfeeding?	YES OR BLANK, BD3=1 OR BLANK1	1 <i>⇒CA3A</i>
	NO OR DK, BD3=2 OR 82	2 <i>⇔CA3B</i>
CA3A. I would like to know how much (name) was		
given to drink during the diarrhoea. This includes	MUCH LESS 1	
breastmilk, Oral Rehydration Salt solution (ORS) and	SOMEWHAT LESS2	
other liquids given with medicine.	ABOUT THE SAME3	
1	MORE4	
During the time ( <i>name</i> ) had diarrhoea, was (he/she)	NOTHING TO DRINK5	
given less than usual to drink, about the same amount,	NOTHING TO DRIVE	
or more than usual?	DK8	
or more than usual?	DK8	
If 'less', probe:		
Was (he/she) given much less than usual to drink, or		
somewhat less?		
33.113 (1.114) 13.33		
<b>CA3B</b> . I would like to know how much ( <i>name</i> ) was		
given to drink during the diarrhoea. This includes Oral		
Rehydration Salt solution (ORS) and other liquids		
given with medicine.		
č		
During the time ( <i>name</i> ) had diarrhoea, was (he/she)		
given less than usual to drink, about the same amount,		
or more than usual?		
If 'less', probe:		
Was (he/she) given much less than usual to drink, or		
somewhat less?		
<b>CA4</b> . During the time ( <i>name</i> ) had diarrhoea, was	MUCH LESS	
(he/she) given less than usual to eat, about the same	SOMEWHAT LESS2	
amount, more than usual, or nothing to eat?	ABOUT THE SAME3	
and the same section of th	MORE4	
If 'less', probe:	STOPPED FOOD5	
Was (he/she) given much less than usual to eat or	NEVER GAVE FOOD7	
somewhat less?	THE VER GAVE FOOD	
some what iess:	DK8	
CAS Did was and as and its same as a fine of		
<b>CA5</b> . Did you seek any advice or treatment for the	YES	2 4917
diarrhoea from any source?	NO2	2 <i>⇔CA7</i>
	DK8	Q ( ) C A 7
	Δν8	8 <i>⇔CA7</i>

GOVERNMENT HOSPITAL	CA6. Where did you seek advice or treatment?	PUBLIC MEDICAL SECTOR	
FAMILY GROUP PRACTITIONERS   FELDSHER ACCOUCHER POINT   C   C   MOBILE / OUTREACH CLINIC   E   E   E   E   E   E   E   E   E	Prohe: Anywhere else?		
FELDSHER ACCOUCHER POINT	1700e. Anywhere cise:		
OTHER PUBLIC MEDICAL (specify) H    Hamble to identify each type of provider.   H    Hamble to determine if public or private sector, write the name of the place and then temporarily record   W' until you learn the appropriate category for the response.   PRIVATE MEDICAL SECTOR   PRIVATE HOSPITAL / CLINIC   1   PRIVATE PHYSICIAN   J   PRIVATE PHYSICIAN   J   PRIVATE PHYSICIAN   M   OTHER PRIVATE MEDICAL (specify)   O	Record all providers mentioned, but do not prompt		
Probe to identify each type of provider.   (specify)	with any suggestions.	MOBILE / OUTREACH CLINICE	
PRIVATE MEDICAL SECTOR   PRIVATE HOSPITAL / CLINIC   I PRIVATE PHYSICIAN   J PRIVATE PHYSICIAN   M OTHER PRIVATE MEDICAL (specify)   O DK PUBLIC OR PRIVATE MEDICAL (specify)   O DK PUBLIC OR PRIVATE MEDICAL   OTHER PRIVATE MEDICAL   O		OTHER PUBLIC MEDICAL	
## PRIVATE HOSPITAL / CLINIC	Probe to identify each type of provider.	(specify)H	
W' until you learn the appropriate category for the response.         PRIVATE PHARMACY         K           MOBILE CLINIC         M           OTHER PRIVATE MEDICAL         M           (Name of place)         DK PUBLIC OR PRIVATE MEDICAL           (specify)         O           DK PUBLIC OR PRIVATE         W           OTHER SOURCE         RELATIVE / FRIEND         P           RELATIVE / FRIEND         P           SHOP / MARKET / STREET         Q           TRADITIONAL PRACTITIONER         R           OTHER (specify)         X    CA7. During the time (name) had diarrhoea, was (he/she) given:  Y N DK  FLUID FROM ORS PACKET  Y N DK  FLUID FROM ORS PACKET  1 2 8	If unable to determine if public or private sector, write	PRIVATE MEDICAL SECTOR	
PRIVATE PHARMACY   K   MOBILE CLINIC   M   OTHER PRIVATE MEDICAL   (specify)   O   O   O   O   O   O   O   O   O	the name of the place and then temporarily record	PRIVATE HOSPITAL / CLINICI	
MOBILE CLINIC	'W' until you learn the appropriate category for the	PRIVATE PHYSICIANJ	
OTHER PRIVATE MEDICAL (specify) O  DK PUBLIC OR PRIVATE WW  OTHER SOURCE RELATIVE / FRIEND P SHOP / MARKET / STREET Q Q TRADITIONAL PRACTITIONER R  OTHER (specify) X  CA7. During the time (name) had diarrhoea, was (he/she) given:  Y N DK  [A] A fluid made from a special packet called Regidron?  [B] A pre-packaged ORS fluid called Resomal?  [C] Zinc tablets or syrup?  ZINC TABLETS OR SYRUP 1 2 8  [C] Zinc water?  RICE WATER 1 2 8  [E] Kefir, Airan?  YES, YES IN CA7[A] OR CA7[B] 1 2 8  CA8. Check CA7[A] and CA7[B]: Was child given any ORS?  NO, 'NO' OR 'DK'	response.	PRIVATE PHARMACYK	
(Specify)			
DK PUBLIC OR PRIVATE			
DK PUBLIC OR PRIVATE		(specify)O	
RELATIVE / FRIEND   P   SHOP / MARKET / STREET   Q   TRADITIONAL PRACTITIONER   R	(Name of place)	DK PUBLIC OR PRIVATE W	
RELATIVE / FRIEND   P   SHOP / MARKET / STREET   Q   TRADITIONAL PRACTITIONER   R			
SHOP / MARKET / STREET			
TRADITIONAL PRACTITIONER			
CA7. During the time (name) had diarrhoea, was (he/she) given:       Y N DK         [A] A fluid made from a special packet called Regidron?       FLUID FROM ORS PACKET		_	
CA7. During the time (name) had diarrhoea, was (he/she) given:       Y N DK         [A] A fluid made from a special packet called Regidron?       FLUID FROM ORS PACKET		TRADITIONAL PRACTITIONERR	
(he/she) given:       Y N DK         [A] A fluid made from a special packet called Regidron?       FLUID FROM ORS PACKET		OTHER (specify) X	
Y N DK	<b>CA7</b> . During the time ( <i>name</i> ) had diarrhoea, was		
[A] A fluid made from a special packet called Regidron?       FLUID FROM ORS PACKET	(he/she) given:		
Regidron?       PRE-PACKAGED ORS FLUID		Y N DK	
Regidron?       PRE-PACKAGED ORS FLUID	[A] A fluid made from a special packet called	FLUID FROM ORS PACKET 1 2 8	
[C] Zinc tablets or syrup?  ZINC TABLETS OR SYRUP			
[C] Zinc tablets or syrup?  ZINC TABLETS OR SYRUP			
[D] Rice water?  [E] Kefir, Airan?  [E] Kefir, Airan.  [E] Kefir, Aira	[B] A pre-packaged ORS fluid called Resomal?	PRE-PACKAGED ORS FLUID 1 2 8	
[E] Kefir, Airan?  KEFIR	[C] Zinc tablets or syrup?	ZINC TABLETS OR SYRUP 1 2 8	
[E] Kefir, Airan?  KEFIR			
CA8. Check CA7[A] and CA7[B]: Was child given any ORS?  YES, YES IN CA7[A] OR CA7[B]	[D] Rice water?	RICE WATER 1 2 8	
CA8. Check CA7[A] and CA7[B]: Was child given any ORS?  YES, YES IN CA7[A] OR CA7[B]	[E] Kefir, Airan?	KEFIR 1 2 8	
ORS? NO, 'NO' OR 'DK'			
ORS? NO, 'NO' OR 'DK'			
NO, 'NO' OR 'DK'		YES, YES IN CA7[A] OR CA7[B]	
	<del></del>	NO, 'NO' OR 'DK'	
IN BOTH CA/[A] AND CA/[D]		IN BOTH CA7[A] AND CA7[B]2	2 <i>⇔CA10</i>

<b>CA9</b> . Where did you get the ( <i>ORS mentioned in CA7[A]</i>	PUBLIC MEDICAL SECTOR	
and/or CA7[B])?	GOVERNMENT HOSPITAL A	
	FAMILY MEDICINE CENTREB	
Probe to identify the type of source.	FAMILY GROUP PRACTITIONERS/	
	FELDSHER ACCOUCHER POINTC	
If 'Already had at home', probe to learn if the source	MOBILE / OUTREACH CLINICE	
is known.	OTHER PUBLIC MEDICAL	
	(specify) H	
If unable to determine whether public or private, write		
the name of the place and then temporarily record	PRIVATE MEDICAL SECTOR	
'W' until you learn the appropriate category for the	PRIVATE HOSPITAL / CLINICI	
response.	PRIVATE PHYSICIANJ	
	PRIVATE PHARMACYK	
	MOBILE CLINICM	
	OTHER PRIVATE MEDICAL	
(Name of place)	(specify)O	
	DK PUBLIC OR PRIVATE W	
	OTHER SOURCE	
	RELATIVE / FRIENDP	
	SHOP / MARKET / STREETQ	
	TRADITIONAL PRACTITIONERR	
	OTHER (specify) X	
	DK / DON'T REMEMBERZ	
CA10. Check CA7[C]: Was child given any zinc?	YES, CA7[C]=11	
	NO, CA7[C] ≠12	2 <i>⇒CA12</i>
CA11. Where did you get the zinc?	PUBLIC MEDICAL SECTOR	2 <i>⇒</i> CA12
		2 <i>⇔CA12</i>
	PUBLIC MEDICAL SECTOR	2 <i>⇔CA12</i>
CA11. Where did you get the zinc?	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL A	2 <i>⇔</i> CA12
CA11. Where did you get the zinc?	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇔CA12</i>
CA11. Where did you get the zinc?  Probe to identify the type of source.	PUBLIC MEDICAL SECTOR  GOVERNMENT HOSPITAL	2 <i>⇔</i> CA12
CA11. Where did you get the zinc?  Probe to identify the type of source.  If 'Already had at home', probe to learn if the source	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇔</i> CA12
CA11. Where did you get the zinc?  Probe to identify the type of source.  If 'Already had at home', probe to learn if the source	PUBLIC MEDICAL SECTOR  GOVERNMENT HOSPITAL	2 <i>⇔</i> CA12
CA11. Where did you get the zinc?  Probe to identify the type of source.  If 'Already had at home', probe to learn if the source is known.  If unable to determine whether public or private, write the name of the place and then temporarily record	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇔</i> CA12
CA11. Where did you get the zinc?  Probe to identify the type of source.  If 'Already had at home', probe to learn if the source is known.  If unable to determine whether public or private, write	PUBLIC MEDICAL SECTOR  GOVERNMENT HOSPITAL	2 <i>⇔</i> CA12
CA11. Where did you get the zinc?  Probe to identify the type of source.  If 'Already had at home', probe to learn if the source is known.  If unable to determine whether public or private, write the name of the place and then temporarily record	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇔</i> CA12
CA11. Where did you get the zinc?  Probe to identify the type of source.  If 'Already had at home', probe to learn if the source is known.  If unable to determine whether public or private, write the name of the place and then temporarily record 'W' until you learn the appropriate category for the	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇔</i> CA12
CA11. Where did you get the zinc?  Probe to identify the type of source.  If 'Already had at home', probe to learn if the source is known.  If unable to determine whether public or private, write the name of the place and then temporarily record 'W' until you learn the appropriate category for the	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇔</i> CA12
CA11. Where did you get the zinc?  Probe to identify the type of source.  If 'Already had at home', probe to learn if the source is known.  If unable to determine whether public or private, write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇔</i> CA12
CA11. Where did you get the zinc?  Probe to identify the type of source.  If 'Already had at home', probe to learn if the source is known.  If unable to determine whether public or private, write the name of the place and then temporarily record 'W' until you learn the appropriate category for the	PUBLIC MEDICAL SECTOR  GOVERNMENT HOSPITAL	2⇔CA12
CA11. Where did you get the zinc?  Probe to identify the type of source.  If 'Already had at home', probe to learn if the source is known.  If unable to determine whether public or private, write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇔</i> CA12
CA11. Where did you get the zinc?  Probe to identify the type of source.  If 'Already had at home', probe to learn if the source is known.  If unable to determine whether public or private, write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR  GOVERNMENT HOSPITAL	2⇔CA12
CA11. Where did you get the zinc?  Probe to identify the type of source.  If 'Already had at home', probe to learn if the source is known.  If unable to determine whether public or private, write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 ⇔CA12
CA11. Where did you get the zinc?  Probe to identify the type of source.  If 'Already had at home', probe to learn if the source is known.  If unable to determine whether public or private, write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR  GOVERNMENT HOSPITAL	2 ⇔CA12
CA11. Where did you get the zinc?  Probe to identify the type of source.  If 'Already had at home', probe to learn if the source is known.  If unable to determine whether public or private, write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 ⇔CA12
CA11. Where did you get the zinc?  Probe to identify the type of source.  If 'Already had at home', probe to learn if the source is known.  If unable to determine whether public or private, write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR  GOVERNMENT HOSPITAL	2 ⇔CA12
CA11. Where did you get the zinc?  Probe to identify the type of source.  If 'Already had at home', probe to learn if the source is known.  If unable to determine whether public or private, write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 \$\top CA12
CA11. Where did you get the zinc?  Probe to identify the type of source.  If 'Already had at home', probe to learn if the source is known.  If unable to determine whether public or private, write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 ⇔CA12

CA12. Was anything else given to treat the diarrhoea?	YES1	
	NO2	2 <i>⇒</i> CA14
	DK8	8 <i>⇔CA14</i>
CA13. What else was given to treat the diarrhoea?	PILL OR SYRUP	
	ANTIBIOTICA	
Probe:	ANTIMOTILITY (ANTI-DIARRHOEA) B	
Anything else?	OTHER PILL OR SYRUPG	
	UNKNOWN PILL OR SYRUPH	
Record all treatments given. Write brand name(s) of	INTECTION	
all medicines mentioned.	INJECTION ANTIBIOTICL	
	NON-ANTIBIOTIC	
	UNKNOWN INJECTION	
(Name of brand)	UNKNOWN INJECTION	
(ivame of brana)	INTRAVENOUS (IV) O	
	INTRAVENOUS (IV)	
(Name of brand)	HOME REMEDY /	
(incline of oralla)	HERBAL MEDICINEQ	
	OTHER (specify) X	
<b>CA14</b> . At any time in the last two weeks, has ( <i>name</i> )	YES	
been ill with a fever?	NO2	
	DK8	
<b>CA16</b> . At any time in the last two weeks, has ( <i>name</i> )	YES1	
had an illness with a cough?	NO2	
	DK8	
<b>CA17</b> . At any time in the last two weeks, has ( <i>name</i> )	YES1	
had fast, short, rapid breaths or difficulty breathing?	NO2	2 <i>⇔CA19</i>
		0.46440
	DK8	8 <i>⇔CA19</i>
CA18. Was the fast or difficult breathing due to a	PROBLEM IN CHEST ONLY1	1 <i>⇔CA20</i>
problem in the chest or a blocked or runny nose?	BLOCKED OR RUNNY NOSE ONLY2	2 <i>⇒CA20</i>
	DOWN	2 46420
	BOTH3	3 <i>⇒</i> CA20
	OTHER ( <i>specify</i> )6	6 <i>5</i> >CA20
	DK	8 ⇒ CA20
CA10 Chack CA14. Did abild have force?	YES, CA14=1	3 3-120
CA19. Check CA14: Did child have fever?	YES, CA14=1	2 <i>⇒CA30</i>
G120 D:1		2-70/130
<b>CA20</b> . Did you seek any advice or treatment for the	YES1	2 -4 6 4 2 2
illness from any source?	NO2	2 <i>⇒</i> CA22
	DK8	8 <i>⇒</i> CA22
	0	U→CA22

CA21. From where did you seek advice or treatment?	PUBLIC MEDICAL SECTOR	
CA21. From where did you seek advice of treatment:	GOVERNMENT HOSPITAL A	
Probe: Anywhere else?	FAMILY MEDICINE CENTREB	
Probe: Anywhere else?	FAMILY GROUP PRACTITIONERS/	
December 1 all annual land and annual land land and annual		
Record all providers mentioned, but do <u>not</u> prompt	FELDSHER ACCOUCHER POINTC	
with any suggestions.	MOBILE / OUTREACH CLINICE	
	OTHER PUBLIC MEDICAL	
Probe to identify each type of provider.	(specify) H	
If unable to determine if public or private sector, write	PRIVATE MEDICAL SECTOR	
the name of the place and then temporarily record	PRIVATE HOSPITAL / CLINICI	
'W' until you learn the appropriate category for the	PRIVATE PHYSICIANJ	
response.	PRIVATE PHARMACYK	
	MOBILE CLINICM	
	OTHER PRIVATE MEDICAL	
	(specify)O	
(Name of place)		
<b>V.</b>	DK PUBLIC OR PRIVATE W	
	OTHER SOURCE	
	RELATIVE / FRIENDP	
	SHOP / MARKET / STREETQ	
	TRADITIONAL PRACTITIONERR	
	TRADITIONAL FRANCISTIONAL CONTROLLAR CONTROL	
	OTHER (specify) X	
<b>CA22</b> . At any time during the illness, was ( <i>name</i> ) given	YES1	
any medicine for the illness?	NO2	2 <i>⇒CA30</i>
	DK8	8 <i>⇔CA30</i>
CA23. What medicine was (name) given?	ANTIBIOTICS	
, , ,	AMOXICILLINL	
Probe:	COTRIMOXAZOLEM	
Any other medicine?	OTHER ANTIBIOTIC	
<b>7</b>	PILL/SYRUPN	
Record all medicines given.	OTHER ANTIBIOTIC	
The contract of the contract o	INJECTION/IVO	
If unable to determine type of medicine, write the	I WESTISTAT	
brand name and then temporarily record 'W' until	OTHER MEDICATIONS	
you learn the appropriate category for the response.	PARACETAMOL/PANADOL/	
you tearn the appropriate ealegory for the response.	ACETAMINOPHENR	
	ASPIRINS	
	IBUPROFENT	
(Name of huard)	IBUFROFEN	
(Name of brand)	ONLY DRAND NAME DECORDED W	
	ONLY BRAND NAME RECORDED W	
(2) (1 1)	OTHER ( )()	
(Name of brand)	OTHER (specify) X	
(Name of brand)	OTHER (specify) X DKZ	
(Name of brand)  CA24. Check CA23: Antibiotics mentioned?		
· · · · · · · · · · · · · · · · · · ·	DKZ	

CA25. Where did you get the (name of medicine from	PUBLIC MEDICAL SECTOR	
CA23, codes L to O)?	GOVERNMENT HOSPITAL A	
CA25, codes L to O):	FAMILY MEDICINE CENTREB	
Probe to identify the type of source.	FAMILY GROUP PRACTITIONERS/	
Trove to themity the type of source.	FELDSHER ACCOUCHER POINTC	
If 'Already had at home', probe to learn if the source	MOBILE / OUTREACH CLINICE	
is known.	OTHER PUBLIC MEDICAL	
is known.	(specify) H	
If unable to determine whether public or private, write	(specify)	
the name of the place and then temporarily record	PRIVATE MEDICAL SECTOR	
'W' until you learn the appropriate category for the	PRIVATE HOSPITAL / CLINICI	
response.	PRIVATE PHYSICIANJ	
response.	PRIVATE PHARMACY K	
	MOBILE CLINICM	
	OTHER PRIVATE MEDICAL	
(Name of place)	(specify)O	
(Colored Sty Printer)	(*F***97)	
	DK PUBLIC OR PRIVATE W	
	OTHER SOURCE	
	RELATIVE / FRIENDP	
	SHOP / MARKET / STREETQ	
	TRADITIONAL PRACTITIONERR	
	OTHER (specify) X	
	DK / DON'T REMEMBERZ	
CA30. Check UB2: Child's age?	AGE 0, 1 OR 21	
GIZEN CHECK CZZ. C.I.W. S uger	AGE 3 OR 4	2 <i>⇒End</i>
<b>CA31</b> . The last time ( <i>name</i> ) passed stools, what was	CHILD USED TOILET / LATRINE 01	
done to dispose of the stools?	PUT / RINSED INTO TOILET	
	OR LATRINE	
	PUT / RINSED INTO DRAIN OR DITCH 03	
	THROWN INTO GARBAGE	
	(SOLID WASTE)	
	BURIED	
	LEFT IN THE OPEN06	
	OTHER (specify)96	
	DK	
	70	

UF11. Record the time.	HOURS AND MINUTES: ::::	
UF12. Language of the Questionnaire.	KYRGYZ 1 RUSSIAN 2	
UF13. Language of the Interview.	KYRGYZ       1         RUSSIAN       2         OTHER LANGUAGE         (specify)       6	
UF14. Native language of the Respondent.	KYRGYZ       01         RUSSIAN       02         UZBEK       03         KAZAKH       04         TAJIK       05         DUNGAN       06         UYGUR       07         OTHER LANGUAGE       (specify)         (specify)       96	
<b>UF15</b> . Was a translator used for any parts of this questionnaire?	YES, THE ENTIRE QUESTIONNAIRE	
a colleague will come to lead the measurement. Issue the Information Panel on that Form.  Check columns HL10 and HL20 in LIST OF HOUSEH respondent the mother or caretaker of another child ag  Yes  Go to UF17 on the UNDER-FIVE INFORM QUESTIONNAIRE FOR CHILDREN UNDER PROPERTION CHILDREN UNDER PROPERTION OF Check HL6 and column HL20 in LIST OF Expondent the mother or caretaker of a child age 5-17  Yes  Go to UF17 on the UNDER-FIVE QUESTIONNAIRE FOR CHILD ON GO TO UF17 on the UNDER-FIVE UNDER-	ATION PANEL and record '01'. Then go to the next ER FIVE to be administered to the same respondent. HOUSEHOLD MEMBERS, HOUSEHOLD QUESTIONNAL selected for Questionnaire for Children Age 5-17 in this have EINFORMATION PANEL and record '01'. Then go to the REN AGE 5-17 to be administered to the same respondent. EINFORMATION PANEL and record '01'. Then end the worth thanking her/him for her/his cooperation. Check to see if the same respondent.	d complete e RE: Is the ousehold?

INTERVIEWER'S OBSERVATIONS
SUPERVISOR'S OBSERVATIONS

ANTHROPOMETRY MODULE INFORMATION PANEL			
AN1. Cluster number:	AN2. Household number:		
AN3. Child's name and line number:	AN4. Child's age from UB2:		
NAME	AGE (IN COMPLETED YEARS)		
AN5. Mother's / Caretaker's name and line number:	AN6. Interviewer's name and number:		
NAME	NAME		

AN7. Measurer's name and number:	NAME	
AN8. Record the result of weight measurement as read out by the Measurer:	KILOGRAMS (KG)	
Read the record back to the Measurer and also	CHILD NOT PRESENT99.3	99.3 <i>⇔</i> AN13
ensure that he/she verifies your record.	CHILD REFUSED 99.4 RESPONDENT REFUSED 99.5	99.4 <i>⇒</i> AN10 99.5 <i>⇒</i> AN10
	OTHER (specify)99.6	99.6 <i>⇔AN10</i>
AN9. Was the child undressed to the minimum?	YES	
AN10. Check AN4: Child's age?	AGE 0 OR 1	
AN11A. The child is less than 2 years old and should be measured lying down. Record the result of length measurement as read out by the Measurer:	LENGTH / HEIGHT (CM)	
Read the record back to the Measurer and also ensure that he/she verifies your record.	CHILD REFUSED	999.5 <i>⇔</i> AN13
AN11B. The child is at least 2 years old and should be measured standing up. Record the result of height measurement as read out by the Measurer:	OTHER (specify)999.6	999.6 <i>⇔AN13</i>
Read the record back to the Measurer and also ensure that he/she verifies your record.		
AN12. How was the child actually measured? Lying down or standing up?	LYING DOWN 1 STANDING UP 2	
<b>AN13</b> . Today's date: Day / Month / Year: / / / 2 0 1		
AN14. Is there another child under age 5 in the household who has not yet been measured?	YES	1 ⇒Next Child

all the measurements in this household.

INTERVIEWER'S OBSERVATIONS FOR ANTHROPOMETRY MODULE				
MEASURER'S OBSERVATIONS FOR ANTHROPOMETRY MODULE				
SUPERVISOR'S OBSERVATIONS FOR ANTHROPOMETRY MODULE				



## FORM FOR VACCINATION RECORDS AT HEALTH FACILITY



Kyrgyzstan MICS 2018

UNDER-FIVE CHILD INFORMATION PANEL		HF				
This form must be appended to the QUESTIONNAIRE FOR C	HILDREN UNDER FIVE for each c	hild aged under 3 years.				
HF1. Cluster number:	HF2. Household number:					
HF3. Child's name and line number:	HF4. Mother's / Caretaker's name and line number:					
NAME	NAME					
HF5. Name and number of field staff recording at facility:	HF6. Interviewer's name and number:					
NAME	NAME					
<b>HF7</b> . Day / Month / Year of facility visit: / / 2 0 1 8_	HF8. Record the time:	HOURS : MINUTES				
HF9. Child's day, month and year of birth: Copy from UB2 in the UNDER-FIVE'S BACKGROUND Module of the QUESTIONNAIRE FOR CHILDREN UNDER FIVE /// 2 0 1	<b>HF10</b> . Write the name of health fac					
HF15. Result of health facility visit:	RECORDS AVAILABLE AT FACTOR COPIED	1				
	RECORDS NOT AVAILABLE A (specify)					
	OTHER (specify)	6				

IMMUNIZATION										110
<b>HF11</b> . Record day, month and year written on vaccination record/ca	~					/	/	2 0	1	
HF12.  (c) Copy dates for each vaccination from the card.  (d) Write '44' in day column if card shows that vaccination was given but no date recorded.		DATE OF IMMUNIZATION								
		DAY		MONTH		YEAR				
BCG	BCG					2	0	1		
HepB (at birth)	НерВ0					2	0	1		
Polio (OPV) (at birth)	OPV0					2	0	1		
Polio (OPV) 1	OPV1					2	0	1		
Polio (OPV) 2	OPV2					2	0	1		
Polio (OPV) 3	OPV3					2	0	1		
Pentavalent (DPTHibHepB) 1	Penta1					2	0	1		
Pentavalent (DPTHibHepB) 2	Penta2					2	0	1		
Pentavalent (DPTHibHepB) 3	Penta3					2	0	1		
Pneumococcal (Conjugate) 1	PCV1					2	0	1		
Pneumococcal (Conjugate) 2	PCV2					2	0	1		
Pneumococcal (Conjugate) 3	PCV3					2	0	1		
MMR1	MMR1					2	0	1		
<b>HF13</b> . For each vaccination <u>not</u> re in day column.	ecorded enter '00'									

HF14. Record the time.	HOURS AND MINUTES: ::::	⇔HF15
------------------------	-------------------------	-------