

QUESTIONNAIRE FOR CHILDREN UNDER FIVE LESOTHO MICS 2018



96

UNDER-FIVE CHILD INFORMATION PANEL				UF	
UF1. Cluster number:	UF2. Household number:				
UF3. Child's name and line number:	UF4. Mothe	r's / Caretaker's name	and line number	r:	
NAME	NAME				
UF5. Interviewer's name and number:		visor's name and numbe			
NAME	NAME				
UF7. Day / Month / Year of interview:	UF8. Record	d the time:	HOURS :	MINUTES	
// <u>2 0 1 8</u> _			:		
Check respondent's age in HL6 in LIST OF HOUSEHOLD M If age 15-17, verify that adult consent for interview is obtained needed and not obtained, the interview must not commence least 15 years old.	ed (HH33 or HI	H39) or not necessary (HL20=90). If co		
UF9 . Check completed questionnaires in this household: Hav another member of your team interviewed this respondent for questionnaire?		YES, INTERVIEWENO, FIRST INTERV	1 1 <i>⇒UF10B</i>		
UF10A. Hello, my name is (your name). We are from the Bureau of Statistics. We are conducting a survey about the situation of children, families and households. I would like to talk to you about (child's name from UF3)'s health and well-being. This interview will take about 35 minutes. All the information we obtain will remain strictly confidential and anonymous. If you wish not to answer a question or wish to stop the interview, please let me know. May I start now?		UF10B . Now I would like to talk to you about (<i>child's name from UF3</i>)'s health and wellbeing in more detail. This interview will take about 35 minutes. Again, all the information we obtain will remain strictly confidential and anonymous. If you wish not to answer a question or wish to stop the interview, please let me know. May I start now?			
YES		1 ⇒UNDER FIVE'S BACKGROUND Module 2 ⇒UF17			
UF17. Result of interview for children under 5 Codes refer to mother/caretaker. Discuss any result not completed with Supervisor. PARTLY COMPLETED INCAPACITATED (specify)				020304	
	NO ADULT CONSENT FOR MOTHER/ CARETAKER AGE 15-1706				

OTHER (specify)

UNDER-FIVE'S BACKGROUND		UB
UB0 . Before I begin the interview, could you please bring (<i>name</i>)'s Birth Certificate, Bukana, and any immunization record from a private health provider? We will need to refer to those documents.		
UB1. On what day, month and year was (name) born? Probe: What is (his/her) birthday? If the mother/caretaker knows the exact date of birth, also record the day; otherwise, record '98' for day. Month and year must be recorded. UB2. How old is (name)? Probe: How old was (name) at (his/her) last birthday? Record age in completed years.	DATE OF BIRTH DAY	
Record '0' if less than 1 year. If responses to UB1 and UB2 are inconsistent, probe further and correct.		
UB3. Check UB2: Child's age?	AGE 0, 1, OR 2	1 <i>⇒End</i>
UB4. Check the respondent's line number (UF4) and the respondent to the HOUSEHOLD QUESTIONNAIRE (HH47):	RESPONDENT IS THE SAME, UF4=HH471 RESPONDENT IS NOT THE SAME, UF4≠HH472	2 <i>⇒UB</i> 6
UB5. Check ED10 in the EDUCATION MODULE in the HOUSEHOLD QUESTIONNAIRE: Is the child attending ECE in the current school year?	YES, ED10=0	1 ⇔ UB8B $2 ⇔ End$
UB6 . Has (<i>name</i>) ever attended any early childhood education programme, such as a preschool, ECCD?	YES	2 <i>⊳</i> End
UB7 . At any time since January 2018, did (he/she) attend (<i>programmes mentioned in UB6</i>)?	YES 1 NO 2	1 <i>⇒UB8A</i> 2 <i>⇒End</i>
 UB8A. Does (he/she) currently attend (<i>programmes mentioned in UB6</i>)? UB8B. You have mentioned that (<i>name</i>) has attended an early childhood education programme this school year. Does (he/she) currently attend this programme? 	YES	

BIRTH REGISTRATION		BR
BR1 . Does (<i>name</i>) have a birth certificate?	YES, SEEN1	1 <i>⇒End</i>
	YES, NOT SEEN2	2 <i>⇒End</i>
If yes, ask:	NO3	
May I see it?		
	DK8	
BR2 . Has (<i>name</i>)'s birth been registered with Home	YES1	1 <i>⇒End</i>
Affairs?	NO2	
	DK8	
BR3 . Do you know how to register (<i>name</i>)'s birth?	YES1	
	NO2	

EARLY CHILDHOOD DEVELOPMENT		EC
EC1 . How many children's books or picture books do you have for (<i>name</i>)?	NONE	
	NUMBER OF CHILDREN'S BOOKS 0	
	TEN OR MORE BOOKS10	
EC2. I am interested in learning about the things that (<i>name</i>) plays with when (he/she) is at home.		
Does (he/she) play with:	Y N DK	
[A] Homemade toys, such as dolls, cars, or other toys made at home?	HOMEMADE TOYS 1 2 8	
[B] Toys from a shop or manufactured toys?	TOYS FROM A SHOP 1 2 8	
[C] Household objects, such as bowls or pots, or	HOUSEHOLD OBJECTS	
objects found outside, such as sticks, rocks, animal shells or leaves?	OR OUTSIDE OBJECTS 1 2 8	
EC3. Sometimes adults taking care of children have to		
leave the house to go shopping, wash clothes, or for other reasons and have to leave young children.		
On how many days in the past week was (<i>name</i>):		
[A] Left alone for more than an hour?	NUMBER OF DAYS LEFT ALONE FOR MORE THAN AN HOUR	
[B] Left in the care of another child, that is,	NUMBER OF DAYS LEFT WITH	
someone less than 10 years old, for more	ANOTHER CHILD FOR MORE	
than an hour?	THAN AN HOUR	
If 'None' record '0'. If 'Don't know' record '8'.		
EC4. Check UB2: Child's age?	AGE 0 OR 11	1 <i>⇒End</i>
	AGE 2, 3 OR 42	

EC5. In the past 3 days, did you or any household						
member age 15 or over engage in any of the following activities with (<i>name</i>):						
If 'Yes', ask: Who engaged in this activity with (name)?						
A foster/step mother or father living in the household who engaged with the child should be coded as mother or father.						
Record all that apply.						
'No one' cannot be recorded if any household member age 15 and above engaged in activity with child.		MOTHER	FATHER	OTHER	NO ONE	
[A] Read books or looked at picture books with (<i>name</i>)?	READ BOOKS	A	В	X	Y	
[B] Told stories or folk tales to (<i>name</i>)?	TOLD STORIES/ FOLK TALES	A	В	X	Y	
[C] Sang songs to or with (<i>name</i>), including lullabies?	SANG SONGS	A	В	X	Y	
[D] Took (<i>name</i>) outside the home?	TOOK OUTSIDE	A	В	X	Y	
[E] Played with (name)?	PLAYED WITH	A	В	X	Y	
[F] Named, counted, or drew things for or with (<i>name</i>)?	NAMED	A	В	X	Y	
EC5G. Check UB2: Child's age?	AGE 2AGE 3 OR 4					1 <i>⇒End</i>
EC6. I would like to ask you some questions about the health and development of (name). Children do not all develop and learn at the same rate. For example, some walk earlier than others. These questions are related to several aspects of (name)'s development. Can (name) identify or name at least ten letters of the alphabet?	YESNO					
	DK					
EC7 . Can (<i>name</i>) read at least four simple, popular words?	YES					
	DK	<u></u>	<u></u>	<u></u>	8	
EC8 . Does (<i>name</i>) know the name and recognize the symbol of all numbers from 1 to 10?	YES					
	DK	<u></u>	<u></u>	<u></u>	8	
EC9 . Can (<i>name</i>) pick up a small object with two fingers, like a stick or a rock from the ground?	YES					
	DK				8	

EC10. Is (name) sometimes too sick to play?	YES	
EC11 . Does (<i>name</i>) follow simple directions on how to do something correctly?	DK 8 YES 1 NO 2	
EC12 . When given something to do, is (<i>name</i>) able to do it independently?	DK 8 YES 1 NO 2	
EC13. Does (name) get along well with other children?	DK	
	NO	
EC14 . Does (<i>name</i>) kick, bite, or hit other children or adults?	YES	
EC15. Does (name) get distracted easily?	YES	
	DK8	

CHILD DISCIPLINE		UCD
UCD1. Check UB2: Child's age?	AGE 0	1 <i>⇒End</i>
UCD2. Adults use certain ways to teach children the right behavior or to address a behavior problem. I will read various methods that are used. Please tell me if you or any other adult in your household has used this method with (name) in the past month.	YES NO	
[A] Took away privileges, forbade something (name) liked or did not allow (him/her) to leave the house.	TOOK AWAY PRIVILEGES 2	
[B] Explained why (<i>name</i>)'s behavior was wrong.	EXPLAINED WRONG BEHAVIOR1 2	
[C] Shook (him/her).	SHOOK HIM/HER 2	
[D] Shouted, yelled at or screamed at (him/her).	SHOUTED, YELLED, SCREAMED1 2	
[E] Gave (him/her) something else to do.	GAVE SOMETHING ELSE TO DO1 2	
[F] Spanked, hit or slapped (him/her) on the bottom with bare hand.	SPANKED, HIT, SLAPPED ON BOTTOM WITH BARE HAND	
[G] Hit (him/her) on the bottom or elsewhere on the body with something like a belt, hairbrush, stick or other hard object.	HIT WITH BELT, HAIRBRUSH, STICK OR OTHER HARD OBJECT1 2	
[H] Called (him/her) dumb, lazy or another name like that.	CALLED DUMB, LAZY OR ANOTHER NAME1 2	
[I] Hit or slapped (him/her) on the face, head or ears.	HIT / SLAPPED ON THE FACE, HEAD OR EARS	
[J] Hit or slapped (him/her) on the hand, arm, or leg.	HIT / SLAPPED ON HAND, ARM OR LEG1 2	
[K] Beat (him/her) up, that is hit him/her over and over as hard as one could.	BEAT UP, HIT OVER AND OVER AS HARD AS ONE COULD	
UCD3. Check UF4: Is this respondent the mother or caretaker of any other children under age 5 or a child age 5-14 selected for the questionnaire for children age 5-17?	YES	2 <i>⇔UCD</i> 5
UCD4. Check UF4: Has this respondent already responded to the following question (UCD5 or FCD5) for another child?	YES	1 <i>⇒End</i>
UCD5. Do you believe that in order to bring up, raise, or educate a child properly, the child needs to be physically punished?	YES	
I Strong En or the	DK / NO OPINION 8	

CHILD FUNCTIONING		UCF
UCF1. Check UB2: Child's age?	AGE 0 OR 1	1 <i>⇒End</i>
-	AGE 2, 3 OR 42	
UCF2. I would like to ask you some questions	YES 1	
about difficulties (<i>name</i>) may have.	NO	
Does (name) wear glasses?		
UCF3. Does (name) use a hearing aid?	YES	
	NO2	
UCF4 . Does (<i>name</i>) use any equipment or receive	YES	
assistance for walking?	NO2	
UCF5. In the following questions, I will ask you to		
answer by selecting one of four possible answers.		
For each question, would you say that (<i>name</i>)		
has: 1) no difficulty, 2) some difficulty, 3) a lot of		
difficulty, or 4) that (he/she) cannot at all.		
Repeat the categories during the individual		
questions whenever the respondent does not use		
an answer category:		
Remember the four possible answers: Would you		
say that (<i>name</i>) has: 1) no difficulty, 2) some		
difficulty, 3) a lot of difficulty, or 4) that (he/she)		
cannot at all?		
UCF6. Check UCF2: Child wears glasses?	YES, UCF2=11	1 <i>⇒UCF7A</i>
	NO, UCF2=22	2 <i>⇒UCF7B</i>
UCF7A. When wearing (his/her) glasses, does	NO DIFFICULTY1	
(name) have difficulty seeing?	SOME DIFFICULTY2	
	A LOT OF DIFFICULTY3	
UCF7B. Does (name) have difficulty seeing?	CANNOT SEE AT ALL4	
UCF8 . Check UCF3: Child uses a hearing aid?	YES, UCF3=11	1 <i>⇒UCF9A</i>
	NO, UCF3=2	2 <i>⇒UCF9B</i>
UCF9A. When using (his/her) hearing aid(s), does		
(name) have difficulty hearing sounds like	NO DIFFICULTY1	
peoples' voices or music?	SOME DIFFICULTY	
	A LOT OF DIFFICULTY3	
UCF9B. Does (name) have difficulty hearing	CANNOT HEAR AT ALL4	
sounds like peoples' voices or music?		
UCF10. Check UCF4: Child uses equipment or	YES, UCF4=1	1 <i>⇒UCF11</i>
receives assistance for walking?	NO, UCF4=2	2 <i>⇒UCF13</i>
UCF11. Without (his/her) equipment or assistance,	SOME DIFFICULTY2	
does (<i>name</i>) have difficulty walking?	A LOT OF DIFFICULTY	
coss (mane) have difficulty walking.	CANNOT WALK AT ALL	
UCE12 With (hig/hor) agricument or assistan		1 = NICE 14
UCF12. With (his/her) equipment or assistance,	NO DIFFICULTY	1 <i>⇒UCF14</i> 2 <i>⇒UCF14</i>
does (<i>name</i>) have difficulty walking?	A LOT OF DIFFICULTY	2 \$\to\$UCF14 3 \$\to\$UCF14
	CANNOT WALK AT ALL	3 \$\to UCF14 4 \$\to UCF14
	CANNOT WALK AT ALL4	470CF14

UCF13. Compared with children of the same age, does (<i>name</i>) have difficulty walking?	NO DIFFICULTY	
UCF14 . Compared with children of the same age, does (<i>name</i>) have difficulty picking up small objects with (his/her) hand?	NO DIFFICULTY	
UCF15. Does (name) have difficulty understanding you?	NO DIFFICULTY	
UCF16. When (<i>name</i>) speaks, do you have difficulty understanding (him/her)?	NO DIFFICULTY	
UCF17 . Compared with children of the same age, does (<i>name</i>) have difficulty learning things?	NO DIFFICULTY	
UCF18. Compared with children of the same age, does (<i>name</i>) have difficulty playing?	NO DIFFICULTY	
UCF19. The next question has five different options for answers. I am going to read these to you after the question.		
Compared with children of the same age, how much does (<i>name</i>) kick, bite or hit other children or adults?	NOT AT ALL 1 LESS 2 THE SAME 3 MORE 4	
Would you say: not at all, less, the same, more or a lot more?	A LOT MORE5	

BREASTFEEDING AND DIETARY INTAKE		BD
BD1. Check UB2: Child's age?	AGE 0, 1, OR 2	2 <i>⇒End</i>
BD2. Has (name) ever been breastfed?	YES	2 <i>⇒BD3A</i>
	DK8	8 <i>⇔BD3A</i>
BD3. Is (name) still being breastfed?	YES	
BD3A. Check UB2: Child's age?	AGE 0 OR 1	2 <i>⇒End</i>
BD4 . Yesterday, during the day or night, did (<i>name</i>) drink anything from a bottle with a nipple?	YES	
	DK8	
BD5 . Did (<i>name</i>) <u>drink Oral Rehydration Salts, ORS,</u> yesterday, during the day or night?	YES	
	DK8	
BD6. Did (<i>name</i>) <u>drink or eat vitamin or mineral</u> <u>supplements or any medicines</u> yesterday, during the day or night?	YES	
	DK8	

BD7. Now I would like to ask you about all other liquids that (<i>name</i>) may have had yesterday during the day or the night. Please include liquids consumed outside of your home.				
Did (<i>name</i>) drink (<i>name of item</i>) yesterday during the day or the night:		YES	NO	DK
[A] Plain water?	PLAIN WATER	1	2	8
[B] Juice or juice drinks (lero)?	JUICE OR JUICE DRINKS	1	2	8
[C] Clear broth/clear soup (sopho, moro, kholu)?	CLEAR BROTH	1	2	8
[D] Infant formula, such as NAN, Lactogen, S26, Infacare?	INFANT FORMULA	1	2 \\dots BD7[E]	8 ☆ BD7[E]
[D1] How many times did (<i>name</i>) drink infant formula? If 7 or more times, record '7'. If unknown, record '8'.	NUMBER OF TIMES DRANK INFANT FORMULA			
[E] Milk from animals, such as fresh, tinned, or powdered milk?	MILK	1	2 \(\Delta \) BD7[X]	8 ☆ BD7[X]
[E1] How many times did (<i>name</i>) drink milk? If 7 or more times, record '7'. If unknown, record '8'.	NUMBER OF TIMES DRANK MILK			
[X] Any other liquids?	OTHER LIQUIDS	1	2 か BD8	8 ☆ BD8
[X1] Record all other liquids mentioned.	(Specify)			

- **BD8**. Now I would like to ask you about <u>everything</u> that (*name*) are yesterday during the day or the night. Please include foods consumed outside of your home.
- Think about when (*name*) woke up yesterday. Did (he/she) eat anything at that time? *If 'Yes' ask:* Please tell me everything (*name*) at at that time. *Probe:* Anything else? *Record answers using the food groups below.*
- What did (*name*) do after that? Did (he/she) eat anything at that time? Repeat this string of questions, recording in the food groups, until the respondent tells you that the child went to sleep until the next morning.

sieep	o until the next morning.				
the c	ach food group not mentioned after completing above ask: to make sure, did (name) eat (food group items) erday during the day or the night		YES	NO	DK
[A]	Yogurt made from animal milk? Note that liquid/drinking yogurt should be captured in BD7[E] or BD7[X], depending on milk content.	YOGURT	1	2 \\delta BD8[B]	8 ₪ BD8[B]
[A1]	How many times did (<i>name</i>) eat yogurt? If 7 or more times, record '7'. If unknown, record '8'.	NUMBER OF TIMES ATE YOGURT			
[B]	Any baby food, such as Cerelac, Purity, Nestum?	FORTIFIED BABY FOOD	1	2	8
[C]	Bread, rice, noodles, porridge, or other foods made from grains, such as papa, lesheleshele or motoho?	FOODS MADE FROM GRAINS	1	2	8
[D]	Pumpkin, butternut, carrots or squash that are yellow or orange inside?	PUMPKIN, BUTTERNUT CARROTS, SQUASH, ETC.	1	2	8
[E]	White potatoes, radish any other foods made from roots?	FOODS MADE FROM ROOTS	1	2	8
[F]	Any dark green, leafy vegetables, such as spinach, beet greens, turnip leaves, mustard leaves, swiss chard, wild moroho e.g. thepe, qhela? Do not include cabbage here.	DARK GREEN, LEAFY VEGETABLES	1	2	8
[G]	Ripe mangoes, apricots or ripe papayas?	RIPE MANGO, RIPE PAPAYA	1	2	8
[H]	Any other fruits or vegetables, such as bananas, apples, pears, oranges, grapefruit, lemons, avocado, grapes, plums, peaches, prickly pears, guavas, beetroot, cabbage, cauliflower, tomatoes, green beans, eggplant, mushrooms?	OTHER FRUITS OR VEGETABLES	1	2	8
[I]	Liver, kidney, heart or other organ meats?	ORGAN MEATS	1	2	8
[J]	Any other meat, such as beef, pork, lamb, goat, chicken, duck or sausages made from these meats?	OTHER MEATS	1	2	8
[K]	Eggs?	EGGS	1	2	8
[L]	Fish or shellfish, either fresh or dried?	FRESH OR DRIED FISH	1	2	8

[M] Beans, peas, lentils or nuts, including any foods made from these such as peanut butter?	FOODS MADE FROM BEANS, PEAS, NUTS, ETC.	1	2	8	
[N] Cheese or other food made from animal milk?	CHEESE OR OTHER FOOD MADE FROM MILK	1	2	8	
[X] Other solid, semi-solid, or soft food?	OTHER SOLID, SEMI- SOLID, OR SOFT FOOD	1	2 か BD9	8 か <i>BD</i> 9	
[X1] Record all other solid, semi-solid, or soft food that do not fit food groups above.	(Specify)				
BD9 . How many times did (<i>name</i>) eat any solid, semi-solid or soft foods yesterday during the day or night?	NUMBER OF TIMES	•••••			
If BD8[A] is 'Yes', ensure that the response here includes the number of times recorded for yogurt in BD8[A1].	DK			8	
If 7 or more times, record '7'.					

IMMUNIZATION										IM
IM1. Check UB2: Child's age?		AGE	0, 1, OF	2 2					1	
			3 OR 4							2 <i>⇒End</i>
IM2 . Do you have a bukana, immunization records from a private health provider or any other document where (<i>name</i>)'s vaccinations are written down?			YES, HAS ONLY BUKANA							1 <i>⊅IM5</i>
		NO, I	CUMEN HAS NC CUMEN	BUKA	ANA AN	ND NO	OTHE	ER		3 <i>⇒IM</i> 5
IM3 . Did you ever have a bukana or records from a private health provi										
IM4. Check IM2:	del 101 (nume).	Į	ONLY							
1114. Check 1112.		HAS	NO BU	KANA	AND N	TO OI	HER			2 <i>⇒IM11</i>
IM5. May I see the bukana,(and/or) document?	other	YES, ONLY BUKANA SEEN					4 <i>⇔IM11</i>			
IM6.										
(a) Copy dates for each vaccination documents.(b) Write '44' in day column if documents.	iments show	D A	DATE OF IMMUNIZATION DAY MONTH YEAR							
that vaccination was given but no	BCG					2	0	1		
Polio (OPV) (at birth)	OPV0					2	0	1		
Polio (OPV) 1	OPV1					2	0	1		
Polio (OPV) 2	OPV2					2	0	1		
Polio (OPV) 3	OPV3					2	0	1		
Polio (IPV)	IPV					2	0	1		
Pentavalent (DPTHibHepB) 1	Penta1					2	0	1		
Pentavalent (DPTHibHepB) 2	Penta2					2	0	1		
Pentavalent (DPTHibHepB) 3	Penta3					2	0	1		
Pneumococcal (Conjugate) 1	PCV13_1					2	0	1		
Pneumococcal (Conjugate) 2	PCV13_2					2	0	1		
		1								
Pneumococcal (Conjugate) 3	PCV13_3					2	0	1		
	PCV13_3 Rota1					2	0	1		

Measles 1	M1					2	0	1		
Measles 2	M2					2	0	1		
Measles Rubella 1	MR1					2	0	1		
Measles Rubella 2	MR2					2	0	1		
Diphtheria-Tetanus	DT					2	0	1		
Vitamin A (most recent)	VitA					2	0	1		
IM7. Check IM6: Are all vaccines (B	CCG to DT)									1 <i>⇒IM</i> 26E
IM8. Did (<i>name</i>) participate in the for campaign:	ollowing	1,0,							N DK	
[A] 1 February to April 29 2017; M Polio, Vitamin A, and Albendazole tablets) campaign		1 FEE	RUAR	Y TO 2	9 APRI	L 2017	••••••	1	2 8	
IM9. In addition to what is recorded document(s) you have shown me, d receive any other vaccinations included	id (name)									2 <i>⇒ IM</i> 26E
vaccinations received during the ca mentioned?	-	DK	•••••	••••••	•••••	•••••	•••••		8	8 <i>⇒ IM26E</i>
IM10. Go back to IM6 and probe for vaccinations.	these									
Record '66' in the corresponding d each vaccine received.	ay column for									<i>⇒ IM26E</i>
For vaccinations <u>not</u> received reco	rd '00'.									
When <u>finished</u> , go to IM26E.										
IM11 . Has (<i>name</i>) ever received any prevent (him/her) from getting dise										
vaccinations received in a campaign		DK							8	
IM12 . Did (<i>name</i>) participate in the campaign:	following							Y N	l DK	
[A] 1 February to April 29 2017: N Polio, Vitamin A, and Albendazole tablets) campaign		, 1 FEBRUARY TO 29 APRIL 2017 2 8								
IM13. Check IM11 and IM12:					ES					1 <i>⇒ IM26E</i>
IM14. Has (<i>name</i>) ever received a B against tuberculosis – that is, an inj left forearm or in the arm if vaccina	ection in the									
that usually causes a scar?	ucu III NSA,	DK							8	

IM16 . Has (<i>name</i>) ever received any vaccination drops in the mouth to protect (him/her) from polio?	YES	2 <i>⇔IM</i> 20
Probe by indicating that the first drop is usually given at birth and later at the same time as injections to prevent other diseases.	DK8	8 <i>⇔IM20</i>
IM17. Were the first polio drops received in the first two weeks after birth?	YES	
IM18. How many times were the polio drops received?	NUMBER OF TIMES	
IM19 . The last time (<i>name</i>) received the polio drops, did (he/she) also get an injection to protect against polio?	YES	
Probe to ensure that both were given, drops and injection.		
IM20. Has (<i>name</i>) ever received a Pentavalent vaccination – that is, an injection in the left thigh to prevent (him/her) from getting tetanus, whooping cough, diphtheria, Hepatitis B disease, and Haemophilus influenzae type b?	YES	2 <i>⇒IM</i> 22 8 <i>⇒IM</i> 22
Probe by indicating that Pentavalent vaccination is sometimes given at the same time as the Polio drops.		
IM21 . How many times was the Pentavalent vaccine received?	NUMBER OF TIMES	
IM22 . Has (<i>name</i>) ever received a Pneumococcal Conjugate vaccination – that is, an injection in the right thigh to prevent (him/her) from getting pneumococcal disease, including ear infections and meningitis caused by pneumococcus?	YES	2 <i>⇒IM24</i> 8 <i>⇒IM24</i>
Probe by indicating that Pneumococcal Conjugate vaccination is sometimes given at the same time as the Pentavalent vaccination.		
IM23. How many times was the pneumococcal vaccine received?	NUMBER OF TIMES	
IM24 . Has (<i>name</i>) ever received a rotavirus vaccination – that is, liquid in the mouth to prevent diarrhoea?	YES	2 <i>⇒IM</i> 26 8 <i>⇒IM</i> 26
Probe by indicating that rotavirus vaccination is sometimes given at the same time as the Pentavalent vaccination.		
IM25. How many times was the rotavirus vaccine received?	NUMBER OF TIMES	

IM26. Has (<i>name</i>) ever received a Measles vaccine – that is, a shot in the right arm at the age of 9 months or older - to prevent (him/her) from getting measles?	YES	2 <i>⇒IM</i> 26 <i>B</i> 8 <i>⇒IM</i> 26 <i>B</i>
IM26A. How many times was the Measles vaccine received?	NUMBER OF TIMES	
IM26B. Has (<i>name</i>) ever received a Measles Rubella vaccine – that is, a shot in the right arm at the age of 9 months or older - to prevent (him/her)	YES	2 <i>⇒IM</i> 26D
from getting measles and rubella? IM26C. How many times was the Measles Rubella	NUMBER OF TIMES8	8 <i>⇒IM</i> 26D
vaccine received?	DK8	
IM26D. Has (<i>name</i>) ever received a Diphtheria and Tetanus vaccination – that is, an injection in the left thigh at the age of 18 months or older - to prevent (him/her) from getting tetanus and diphtheria?	YES 1 NO 2 DK 8	
Probe by indicating that DT vaccination is sometimes given at the same time as the second dose of Measles/ Measles Rubella (MR).		
IM26E . Within the last six months, has (<i>name</i>) ever received a Vitamin A dose like (this/any of these)?	YES	
Show common types of ampules / capsules / syrups.	DK8	
IM26F. Within the last six months, has (<i>name</i>) ever received any drugs for intestinal worms, also known as Albendazole, like (this/any of these)?	YES 1 NO 2 DK 8	
Show common types of tablets / syrups.		

CARE OF ILLNESS		CA
CA1. In the last two weeks, has (name) had	YES1	
diarrhoea?	NO2	2 <i>⇒CA14</i>
	DK8	8 <i>⇔CA14</i>
CA2. Check BD3: Is child still breastfeeding?	YES OR BLANK, BD3=1 OR BLANK1	1 ⇔CA3A
	NO OR DK, BD3=2 OR 82	2 ⇔CA3B
CA3A. I would like to know how much (name) was		
given to drink during the diarrhoea. This includes	MUCH LESS 1	
breastmilk, Oral Rehydration Salts (ORS) and other	SOMEWHAT LESS2	
liquids given with medicine.	ABOUT THE SAME3	
	MORE4	
During the time (<i>name</i>) had diarrhoea, was (he/she)	NOTHING TO DRINK5	
given less than usual to drink, about the same		
amount, or more than usual?	DK8	
If 'less', probe:		
Was (he/she) given much less than usual to drink, or		
somewhat less?		
CA3B . I would like to know how much (<i>name</i>) was		
given to drink during the diarrhoea. This includes		
Oral Rehydration Salts (ORS) and other liquids		
given with medicine.		
During the time (<i>name</i>) had diarrhoea, was (he/she)		
given less than usual to drink, about the same		
amount, or more than usual?		
uniount, or more than usuar.		
If 'less', probe:		
Was (he/she) given much less than usual to drink, or		
somewhat less?		
CA4. During the time (<i>name</i>) had diarrhoea, was	MUCH LESS 1	
(he/she) given less than usual to eat, about the same	SOMEWHAT LESS	
amount, more than usual, or nothing to eat?	ABOUT THE SAME 3	
amount, more man usual, or nothing to eat?	MORE4	
IC (1) 1		
If 'less', probe:	STOPPED FOOD	
Was (he/she) given much less than usual to eat or	NEVER GAVE FOOD7	
somewhat less?		
	DK8	
CA5. Did you seek any advice or treatment for the	YES1	
diarrhoea from any source?	NO2	2 <i>⇒</i> CA7
•		
	DK8	8 <i>⇔CA7</i>

CAC WIL 1'.1	COVEDNMENT MEDICAL CECTOD	
CA6 . Where did you seek advice or treatment?	GOVERNMENT MEDICAL SECTOR	
	GOVERNMENT HOSPITALA	
Probe: Anywhere else?	GOVERNMENT HEALTH CENTRE B	
	GOVERNMENT HEALTH POST C	
Record all providers mentioned, but do not prompt	GOV. COMMUNITY HEALTH WORKER D	
with any suggestions.	GOV. MOBILE / OUTREACH CLINICE	
with any suggestions.	OTHER GOVERNMENT MEDICAL	
Durch a de identifica en el terra e fermanidam		
Probe to identify each type of provider.	(specify)F	
If we also as I down in a if a succession of CHAI and	CHAI MEDICAL SECTOR	
If unable to determine if government, CHAL or	CHAL MEDICAL SECTOR	
private sector, write the name of the place and then	CHAL HOSPITALG	
temporarily record 'X' until you learn the	CHAL HEALTH CENTREH	
appropriate category for the response.	CHAL HEALTH POSTI	
	CHAL COMMUNITY HEALTH WORKERJ	
	CHAL MOBILE / OUTREACH CLINIC K	
	OTHER CHAL MEDICAL	
(Name of place)	(specify)L	
	PRIVATE MEDICAL SECTOR	
	PRIVATE HOSPITAL / CLINICM	
	PRIVATE PHYSICIANN	
	PRIVATE PHARMACY / CHEMISTO	
	COMMUNITY HEALTH WORKER (NON-	
	GOVERNMENT, NON-CHAL)P	
	OTHER PRIVATE MEDICAL	
	(specify)R	
	OTHER SOURCE	
	RELATIVE / FRIENDS	
	SHOP / SUPERMARKETT	
	TRADITIONAL PRACTITIONERU	
	OTHER (specify)X	
	office(speegy)	
CA7 . During the time (<i>name</i>) had diarrhoea, was		
(he/she) given:		
	Y N DK	
[A] A fluid (motsoako) made from a special packet		
called ORS?	FLUID FROM ORS PACKET 1 2 8	
[C] Zinc tablets or syrup?	ZINC TABLETS OR SYRUP 1 2 8	
[C] Zine tablets of syrup:	ZINC TABLETS ON STROT1 2 0	
[D] Homemade sugar-salt fluid (motsoako)?	SUGAR-SALT FLUID (MOTSOAKO) 1 2 8	
CA8. Check CA7[A]: Was child given any ORS?	YES, YES IN CA7[A]1	
·		
	NO, 'NO' OR 'DK'	
	IN CA7[A]2	2 <i>⇒CA10</i>

CA9 . Where did you get the (<i>ORS mentioned in</i>	GOVERNMENT MEDICAL SECTOR
CA7[A]?	GOVERNMENT HOSPITALA
	GOVERNMENT HEALTH CENTRE B
Probe to identify the type of source.	GOVERNMENT HEALTH POSTC
	GOV. COMMUNITY HEALTH WORKER D
If 'Already had at home', probe to learn if the	GOV. MOBILE / OUTREACH CLINICE
source is known.	OTHER GOVERNMENT MEDICAL
	(specify) F
If unable to determine whether government, CHAL	
or private, write the name of the place and then	CHAL MEDICAL SECTOR
temporarily record 'X' until you learn the	CHAL HOSPITALG
appropriate category for the response.	CHAL HEALTH CENTREH
	CHAL HEALTH POSTI
	CHAL COMMUNITY HEALTH WORKERJ
	CHAL MOBILE / OUTREACH CLINIC K
(Name of place)	OTHER CHAL MEDICAL
	(specify) L
	PRIVATE MEDICAL SECTOR
	PRIVATE HOSPITAL / CLINICM
	PRIVATE PHYSICIANN
	PRIVATE PHARMACY/ CHEMISTO
	COMMUNITY HEALTH WORKER (NON-
	GOVERNMENT, NON-CHAL)P
	OTHER PRIVATE MEDICAL
	(specify) R
	OTHER SOURCE
	RELATIVE / FRIENDS
	SHOP / SUPERMARKETT
	TRADITIONAL PRACTITIONERU
	OTHER (specify)X
	DK / DON'T REMEMBERZ
CA10. Check CA7[C]: Was child given any zinc?	YES, CA7[C]=11
orizo. Oncon ori [o]. Thus omin given any since	NO, CA7[C] ≠1
	2.0, 0.1.[0] / 1

CA11. Where did you get the zinc?	GOVERNMENT MEDICAL SECTOR	
	GOVERNMENT HOSPITALA	
Probe to identify the type of source.	GOVERNMENT HEALTH CENTRE B	
	GOVERNMENT HEALTH POSTC	
If 'Already had at home', probe to learn if the	GOV. COMMUNITY HEALTH WORKER D	
source is known.	GOV. MOBILE / OUTREACH CLINICE	
	OTHER GOVERNMENT MEDICAL	
If unable to determine whether government, CHAL	(specify) F	
or private, write the name of the place and then	CYLLY DEPOTATE OF CHAP	
temporarily record 'X' until you learn the	CHAL MEDICAL SECTOR	
appropriate category for the response.	CHAL HOSPITAL	
	CHAL HEALTH CENTRE	
	CHAL HEALTH POSTI	
(N	CHAL COMMUNITY HEALTH WORKERJ CHAL MOBILE / OUTREACH CLINIC K	
(Name of place)	OTHER CHAL MEDICAL	
	(specify)L	
	PRIVATE MEDICAL SECTOR	
	PRIVATE HOSPITAL / CLINICM	
	PRIVATE PHYSICIANN	
	PRIVATE PHARMACY/ CHEMIST O	
	COMMUNITY HEALTH WORKER (NON-	
	GOVERNMENT, NON-CHAL)P	
	OTHER PRIVATE MEDICAL	
	(specify)R	
	OTHER SOURCE	
	RELATIVE / FRIENDS	
	SHOP / SUPERMARKETT	
	TRADITIONAL PRACTITIONERU	
	OTHER (specify)X	
	DK / DON'T REMEMBERZ	
CA12 . Was anything else given to treat the diarrhoea?	YES1	
	NO2	2 <i>⇒</i> CA14
	DK8	8 <i>⇔CA14</i>
CA13. What else was given to treat the diarrhoea?	PILL OR SYRUP	
	ANTIBIOTICA	
Probe:	ANTIMOTILITY (ANTI-DIARRHOEA) B	
Anything else?	OTHER PILL OR SYRUPG	
	UNKNOWN PILL OR SYRUPH	
Record all treatments given. Write brand name(s) of		
all medicines mentioned.	INJECTION	
	ANTIBIOTICL	
	NON-ANTIBIOTIC M	
	UNKNOWN INJECTIONN	
(Name of brand)		
	INTRAVENOUS (IV)O	
(N CL J)	HOME REMEDY /	
(Name of brand)	HOME REMEDY /	
	HERBAL MEDICINEQ	
	OTHER (specify) X	

CA14 . At any time in the last two weeks, has (<i>name</i>) been ill with a fever?	YES 1 NO 2	
	DK8	
CA16 . At any time in the last two weeks, has (<i>name</i>) had an illness with a cough?	YES	
	DK8	
CA17 . At any time in the last two weeks, has (<i>name</i>) had fast, short, rapid breaths or difficulty breathing?	YES	2 <i>⇔CA19</i>
	DK8	8 <i>⇒CA19</i>
CA18 . Was the fast or difficult breathing due to a problem in the chest or a blocked or runny nose?	PROBLEM IN CHEST ONLY	1 <i>⇒CA20</i> 2 <i>⇒CA20</i>
	BOTH3	3 <i>⇔</i> CA20
	OTHER (specify) 6 DK 8	6 <i>⇒CA20</i> 8 <i>⇒CA20</i>
CA19. Check CA14: Did child have fever?	YES, CA14=1	2 <i>⇒CA30</i>
CA20. Did you seek any advice or treatment for the illness from any source?	YES	2 <i>⇒C</i> A22
	DK8	8 <i>⇔CA22</i>

CA21. From where did you seek advice or treatment?	GOVERNMENT MEDICAL SECTOR	
	GOVERNMENT HOSPITALA	
Probe: Anywhere else?	GOVERNMENT HEALTH CENTRE	
	GOVERNMENT HEALTH POST C	
Record all providers mentioned, but do <u>not</u> prompt	GOV. COMMUNITY HEALTH WORKERD	
with any suggestions.	GOV. MOBILE / OUTREACH CLINICE OTHER GOVERNMENT MEDICAL	
Ducha to identify each type of provider	(specify)F	
Probe to identify each type of provider.	(specify)F	
If unable to determine if government, CHAL or	CHAL MEDICAL SECTOR	
private sector, write the name of the place and then	CHAL HOSPITALG	
temporarily record 'X' until you learn the	CHAL HEALTH CENTREH	
appropriate category for the response.	CHAL HEALTH POSTI	
	CHAL COMMUNITY HEALTH WORKERJ	
	CHAL MOBILE / OUTREACH CLINIC K	
	OTHER CHAL MEDICAL	
(Name of place)	(specify)L	
	PRIVATE MEDICAL SECTOR	
	PRIVATE HOSPITAL / CLINICM	
	PRIVATE PHYSICIANN	
	PRIVATE PHARMACY/ CHEMIST O	
	COMMUNITY HEALTH WORKER (NON-	
	GOVERNMENT, NON-CHAL)P	
	OTHER PRIVATE MEDICAL	
	(<i>specify</i>) R	
	(1 33)	
	OTHER SOURCE	
	RELATIVE / FRIENDS	
	SHOP / SUPERMARKETT	
	TRADITIONAL PRACTITIONER U	
	OTHER ('C)	
	OTHER (specify) X	
CA22. At any time during the illness, was (<i>name</i>)	YES1	2 19130
given any medicine for the illness?	NO2	2 ⇒CA30
	DK8	8 <i>⇔CA30</i>
CA23. What medicine was (name) given?	ANTIBIOTICS	0 1 0110 0
CALLS. What incurence was (name) given:	AMOXICILLINL	
Probe:	COTRIMOXAZOLEM	
Any other medicine?	OTHER ANTIBIOTIC	
They stated and a second to	PILL/SYRUPN	
Record all medicines given. Write brand name(s) of	OTHER ANTIBIOTIC	
all medicines mentioned.	INJECTION/IVO	
	OTHER MEDICATIONS	
	PARACETAMOL/PANADOR	
(Name of brand)	ASPIRINS	
	IBUPROFEN / BRUFENT	
(Name of Lucy J)	OTHER (monifol)	
(Name of brand)	OTHER (specify) X DK Z	
CA24. Check CA23: Antibiotics mentioned?	YES, ANTIBIOTICS MENTIONED,	
	CA23=L-O	2 ⇔CA30

CA25. Where did you get the (name of medicine	GOVERNMENT MEDICAL SECTOR	
from CA23, codes L to O)?	GOVERNMENT HOSPITALA	
	GOVERNMENT HEALTH CENTRE B	
Probe to identify the type of source.	GOVERNMENT HEALTH POST C	
	GOV. COMMUNITY HEALTH WORKER D	
If 'Already had at home', probe to learn if the	GOV. MOBILE / OUTREACH CLINICE	
source is known.	OTHER GOVERNMENT MEDICAL	
	(specify) F	
If unable to determine whether public or private,		
write the name of the place and then temporarily	CHAL MEDICAL SECTOR	
record 'X' until you learn the appropriate category	CHAL HOSPITALG	
for the response.	CHAL HEALTH CENTRE H	
	CHAL HEALTH POSTI	
	CHAL COMMUNITY HEALTH WORKERJ	
	CHAL MOBILE / OUTREACH CLINIC K	
(Name of place)	OTHER CHAL MEDICAL	
(Frame of prace)	(specify)L	
	(opecity)	
	PRIVATE MEDICAL SECTOR	
	PRIVATE HOSPITAL / CLINICM	
	PRIVATE PHYSICIANN	
	PRIVATE PHARMACY/ CHEMISTO	
	COMMUNITY HEALTH WORKER (NON-	
	GOVERNMENT, NON-CHAL)P	
	OTHER PRIVATE MEDICAL	
	(specify) R	
	\1 \337	
	OTHER SOURCE	
	RELATIVE / FRIENDS	
	SHOP / SUPERMARKETT	
	TRADITIONAL PRACTITIONERU	
	OTHER (specify)X	
	DK / DON'T REMEMBERZ	
CA30. Check UB2: Child's age?	AGE 0, 1 OR 21	
	AGE 3 OR 42	2 <i>⇒End</i>
CA31 . The last time (<i>name</i>) passed stools, what was	CHILD USED TOILET / LATRINE01	
done to dispose of the stools?	PUT / RINSED INTO TOILET	
-	OR LATRINE02	
	PUT / RINSED INTO DRAIN, DITCH,	
	DONGA, FLOWING WATER / RIVER 03	
	THROWN INTO GARBAGE	
	(SOLID WASTE)04	
	BURIED05	
	LEFT IN THE OPEN06	
	OTHER (<i>specify</i>)96	
	DK98	

UF11. Record the time.	HOURS AND MINUTES: :::		
UF12. Language of the Questionnaire.	SESOTHO		
UF13. Language of the Interview.	SESOTHO 1 ENGLISH 2 OTHER LANGUAGE (specify)6		
UF14. Native language of the Respondent.	SESOTHO		
UF15 . Was a translator used for any parts of this questionnaire?	YES, THE ENTIRE QUESTIONNAIRE		
UF16. Tell the respondent that you will need to measure the weight and height of the child before you leave the household and a colleague will come to lead the measurement. Issue the ANTHROPOMETRY MODULE FORM for this child and complete the Information Panel on that Form. Check columns HL10 and HL20 in LIST OF HOUSEHOLD MEMBERS, HOUSEHOLD QUESTIONNAIRE: Is the respondent the mother or caretaker of another child age 0-4 living in this household? □ Yes ⇒ Go to UF17 on the UNDER-FIVE INFORMATION PANEL and record '01'. Then go to the next QUESTIONNAIRE FOR CHILDREN UNDER FIVE to be administered to the same respondent. □ No ⇒ Check HL6 and column HL20 in LIST OF HOUSEHOLD MEMBERS, HOUSEHOLD QUESTIONNAIRE: Is the respondent the mother or caretaker of a child age 5-17 selected for Questionnaire for Children Age 5-17 in this household?			
□ Yes ⇒ Go to UF17 on the UNDER-FIVE INFORMATION PANEL and record '01'. Then go to the QUESTIONNAIRE FOR CHILDREN AGE 5-17 to be administered to the same respondent. □ No ⇒ Go to UF17 on the UNDER-FIVE INFORMATION PANEL and record '01'. Then end the interview with this respondent by thanking her/him for her/his cooperation. Check to see if there are other questionnaires to be administered in this household.			

INTERVIEWER'S OBSERVATIONS	
SUPERVISOR'S OBSERVATIONS	

ANTHROPOMETRY MODULE INFORMATION PANE	L AN
AN1. Cluster number:	AN2. Household number:
AN3. Child's name and line number:	AN4. Child's age from UB2:
NAME	AGE (IN COMPLETED YEARS)
AN5. Mother's / Caretaker's name and line number:	AN6. Interviewer's name and number:
NAME	NAME

ANTHROPOMETRY		
AN7. Measurer's name and number:	NAME	
AN8. Record the result of weight measurement as read out by the Measurer:	KILOGRAMS (KG)	
Read the record back to the Measurer and also ensure that he/she verifies your record.	CHILD NOT PRESENT 99.3 CHILD REFUSED 99.4 RESPONDENT REFUSED 99.5 OTHER (specify) 99.6	99.3 \$\Rightarrow AN13 99.4 \$\Rightarrow AN10 99.5 \$\Rightarrow AN10 99.6 \$\Rightarrow AN10
AN9. Was the child undressed to the minimum?	YES	
AN10. Check AN4: Child's age?	AGE 0 OR 1	1 <i>⇔AN11A</i> 2 <i>⇔AN11B</i>
AN11A. The child is less than 2 years old and should be measured lying down. Record the result of length measurement as read out by the Measurer:	LENGTH / HEIGHT (CM)	999.4 <i>⇔</i> AN13
Read the record back to the Measurer and also ensure that he/she verifies your record.	RESPONDENT REFUSED	999.5 <i>⇔</i> AN13
AN11B. The child is at least 2 years old and should be measured standing up. Record the result of height measurement as read out by the Measurer:	OTHER (specify)999.6	999.6 <i>⇔</i> AN13
Read the record back to the Measurer and also ensure that he/she verifies your record.		
AN12. How was the child actually measured? Lying down or standing up?	LYING DOWN	
AN13. Today's date: Day / Month / Year: / / 2_0_1		
AN14. Is there another child under age 5 in the household who has not yet been measured?	YES	1 <i>⇔Next</i> <i>Child</i>
AN15. Thank the respondent for his/her cooperation and	inform your Supervisor that the Measurer and you have	e completed

INTERVIEWER'S OBSERVATIONS FOR ANTHROPOMETRY MODULE	
MEASURER'S OBSERVATIONS FOR ANTHROPOMETRY MODULE	
MENSURER & OBSERVITTORS I OR INVITROI SMEIT MODELE	
SUPERVISOR'S OBSERVATIONS FOR ANTHROPOMETRY MODULE	