## 2018



## QUESTIONNAIRE FOR CHILDREN UNDER 5

Social indicator sample survey 2018



UNDER-FIVE INFORMATION PANEL		UF
UF1. Cluster number:	UF2. Household number:	
<b>UF3</b> . Child's name and line number:	UF4. Mother's / Caretaker's name an	d line number:
NAME	NAME	
UF5. Interviewer's name and number:	UF6. Supervisor's name and number:	
NAME	NAME	
UF7. Date of interview (Year / Month / Day): 2 0 1 8 / /	UF8. Record the time:	HOUR : MINUTES
		:

Check respondent's age in HL6 in LIST OF HOUSEHOLD MEMBERS, HOUSEHOLD QUESTIONNAIRE: If age 15-17, verify that adult consent for interview is obtained (HH33 or HH39) or not necessary (HL20=90). If consent is needed and not obtained, the interview must not commence and '06' should be recorded in UF17. The respondent must be at least 15 years old.

<b>UF9</b> . Check completed questionnaires in this household: Have you or another member of your team interviewed this respondent for another questionnaire?	YES, INTERVIEWED $1 \Rightarrow UF10B$ ALREADY $2 \Rightarrow UF10A$
<b>UF10A.</b> Hello, my name is ( <i>your name</i> ). We are from National Statistical Office. We are conducting a survey about the situation of children, families and households. I would like to talk to you about ( <i>child's name from UF3</i> )'s health and well-being. This interview will take about 20 minutes. All the information we obtain will remain strictly confidential and anonymous. If you wish not to answer a question or wish to stop the interview, please let me know. May I start now?	<b>UF10B.</b> Now I would like to talk to you about ( <i>child's name from UF3</i> )'s health and well-being in more detail. This interview will take about 20 minutes. Again, all the information we obtain will remain strictly confidential and anonymous. If you wish not to answer a question or wish to stop the interview, please let me know. May I start now?
YES	1 ⇔UNDER FIVE 'S BACKGROUND Module 2 ⇔UF17

UF17. Result of interview for children under 5	COMPLETED	01
	NOT AT HOME	02
Codes refer to mother/caretaker.	REFUSED	03
Discuss any result not completed with Supervisor.	PARTLY COMPLETED	04
	INCAPACITATED	
	(specify)	05
	NO ADULT CONSENT FOR MOTHER/	
	CARETAKER AGE 15-17	06
	OTHER (specify)	_ 96

UNDER-FIVE'S BACKGROUND			
<b>UB0</b> . Before I begin the interview, could you please bring ( <i>name</i> )'s <i>Birth Certificate, Mother and child</i> <i>health booklet (pink book), and Child Vaccination</i> <i>Record card?</i> We will need to refer to those documents.			
<b>UB1</b> . On what year, month and day was ( <i>name</i> ) born?	DATE OF BIRTH YEAR <u>2 0 1</u>		
<i>Probe:</i> What is (his/her) birthday?	MONTH		
If the mother/caretaker knows the exact date of birth, also record the day; otherwise, record '98' for day.	DAY DK DAY		
Year and month <u>must</u> be recorded.			
UB2. How old is ( <i>name</i> )? <i>Probe</i> : How old was ( <i>name</i> ) at (his/her) last birthday?	AGE (IN COMPLETED YEAS)		
Record age in completed years.			
Record '0' if less than 1 year.			
<i>If responses to UB1 and UB2 are inconsistent, probe further and correct.</i>			
UB3. Check UB2: Child's age?	AGE 0, OR 11 AGE 2, 3 OR 42	1 ⇔End	
<b>UB4</b> . Check the respondent's line number (UF4) and the respondent to the HOUSEHOLD QUESTIONNAIRE (HH47):	RESPONDENT IS THE SAME, UF4=HH471 RESPONDENT IS NOT THE SAME, UF4≠HH472	2 <i>⇔UB6</i>	
<b>UB5</b> . Check ED10 in the Education module in the HOUSEHOLD QUESTIONNAIRE. If child is attending ECE in the current school year?	YES, ED10=01 NO, ED10≠0 OR BLANK2	1 ⇔UB8B 2 ⇔End	
<b>UB6</b> . Has ( <i>name</i> ) ever attended kindergarten or any alternative ECE programme?	YES1 NO2	2 <i>⇒End</i>	
<b>UB7</b> . Since September, 2018 has ( <i>name</i> ) attended the programme mentioned in (kindergarten or any alternative ECE programme) <i>at any time</i> ?	YES1 NO2	1 ⇔UB8A 2 ⇔End	
<b>UB8A</b> . Does ( <i>name</i> ) currently attend (kindergarten or any alternative ECE programme)?	YES1 NO2		
<b>UB8B</b> . You have mentioned that ( <b>name</b> ) has attended the ECE programme this school year. Does ( <i>name</i> ) currently attend kindergarten or any alternative ECE programme?			

BIRTH REGISTRATION		BR
<b>BR1</b> . Does ( <i>name</i> ) have a birth certificate?	YES, SEEN1 YES, NOT SEEN2	$1 \rightleftharpoons End$ $2 \oiint End$
If yes, ask: May I see it?	NO	2 . 1.1
	DK	
<b>BR2.</b> Has ( <i>name</i> )'s birth been registered with the Civil Registration Authority?	YES	1 ⇔End
	DK	
<b>BR3</b> . Do you know how to register ( <i>name</i> )'s birth?	YES	

EARLY CHILDHOOD DEVELOPMENT	EC
EC1.Do you have children's books or picture books for ( <i>name</i> )?	NONE
	NUMBER OF CHILDREN'S BOOKS <u>0</u>
<i>If answer is "Do have" ask to clarify:</i> Then how many children's and picture book do you have for ( <i>name</i> )?	TEN OR MORE BOOKS10
<b>EC2</b> . I am interested in learning about the things that ( <i>name</i> ) plays with when (he/she) is at home.	
Does ( <i>name</i> ) play with	Y N DK
[A] Homemade toys such as dolls, cars, or other toys made at home?	HOMEMADE TOYS 1 2 8
[B] Toys from a shop or manufactured toys?	TOYS FROM A SHOP 1 2 8
[C] Household objects, such as bowls or pots, or objects found outside, such as sticks, rocks, animal shells or leaves?	HOUSEHOLD OBJECTS OR OUTSIDE OBJECTS 1 2 8
[D] Smart phone, tablet, computer?	SMART PHONE, TABLET, COMPUTER1 2 8
<b>EC3</b> . Sometimes adults taking care of children have to leave the house to go shopping, wash clothes, or for other reasons and have to leave young children.	
On how many days in the past week was (name):	
[A] Left alone for more than one hour?	NUMBER OF DAYS LEFT ALONE FOR MORE THAN ONE HOUR
[B] Left in the care of another child, that is, someone less than 10 years old, for more than an hour?	NUMBER OF DAYS LEFT WITH CHILD YOUNGER THAN TEN FOR MORE THAN AN HOUR
If 'None' record '0'. If 'Don't know' record '8'.	
EC4. Check UB2: Child's age?	AGE 0 OR 11       1 ⇒End         AGE 2, 3 OR 42       1

EC5. In the past 3 days, did you or any household member age 15 or over engage in any of the following activities with ( <i>name</i> ):						
<i>If 'Yes', ask:</i> Who engaged in this activity with ( <i>name</i> )?						
A foster/step mother or father living in the household who engaged with the child should be coded as mother or father.						
Record all that apply.						
'No one' cannot be recorded if any household member age 15 and above engaged in activity with child.		MOTHER	FATHER	OTHER	NO ONE	
[A] Read books or looked at picture books with ( <i>name</i> )?	READ BOOKS	А	В	Х	Y	
[B] Told stories to ( <i>name</i> )?	TOLD STORIES	А	В	Х	Y	
[C] Sang songs to or with ( <i>name</i> ), including lullabies?	SANG SONGS	А	В	Х	Y	
[D] Took ( <i>name</i> ) outside the home?	TOOK OUTSIDE	А	В	Х	Y	
[E] Played with ( <i>name</i> )?	PLAYED WITH	А	В	Х	Y	
[F] Named, counted, or drew things for or with ( <i>name</i> )?	NAMED	А	В	Х	Y	
EC5G. Check UB2: Child's age?	AGE 2 AGE 3 OR 4					1 <i>⇔End</i>
<ul> <li>EC5G. Check UB2: Child's age?</li> <li>EC5H. Now I will ask a few questions about the health and development of (name). Children are not same in their learning and development. For example, some start walking earlier than the others. These questions are about (name)'s development.</li> </ul>						1 <i>⇒End</i>
<b>EC5H</b> . Now I will ask a few questions about the health and development of <i>(name)</i> . Children are not same in their learning and development. For example, some start walking earlier than the others. These questions		<u></u>			2	1 <i>⇒End</i>
<b>EC5H</b> . Now I will ask a few questions about the health and development of <i>(name)</i> . Children are not same in their learning and development. For example, some start walking earlier than the others. These questions are about <i>(name)</i> 's development.	AGE 3 OR 4				2	1 <i>⇔End</i>
<b>EC5H</b> . Now I will ask a few questions about the health and development of <i>(name)</i> . Children are not same in their learning and development. For example, some start walking earlier than the others. These questions are about <i>(name)</i> 's development.	AGE 3 OR 4				2 1 2 8 1	1 <i>⇒End</i>
<ul> <li>EC5H. Now I will ask a few questions about the health and development of (name). Children are not same in their learning and development. For example, some start walking earlier than the others. These questions are about (name)'s development.</li> <li>Can (Name) recognize and differentiate colors?</li> <li>EC5I. Can (Name) recognize simple forms like, triangle, square, round?</li> </ul>	AGE 3 OR 4 YES NO DK NO DK				2 	1 <i>⇒End</i>
<ul> <li>EC5H. Now I will ask a few questions about the health and development of (name). Children are not same in their learning and development. For example, some start walking earlier than the others. These questions are about (name)'s development.</li> <li>Can (Name) recognize and differentiate colors?</li> <li>EC5I. Can (Name) recognize simple forms like, triangle,</li> </ul>	AGE 3 OR 4 YES NO DK YES NO				2 	1 <i>⇒End</i>
<ul> <li>EC5H. Now I will ask a few questions about the health and development of (<i>name</i>). Children are not same in their learning and development. For example, some start walking earlier than the others. These questions are about (<i>name</i>)'s development.</li> <li>Can (<i>Name</i>) recognize and differentiate colors?</li> <li>EC5I. <i>Can (Name)</i> recognize simple forms like, triangle, square, round?</li> <li>EC6. Can (<i>name</i>) identify or name at least 10 letters of the alphabet?</li> </ul>	AGE 3 OR 4 YES NO DK VES NO DK NO DK NO DK	······			2 	1 <i>⇒End</i>
<ul> <li>EC5H. Now I will ask a few questions about the health and development of (name). Children are not same in their learning and development. For example, some start walking earlier than the others. These questions are about (name)'s development.</li> <li>Can (Name) recognize and differentiate colors?</li> <li>EC5I. Can (Name) recognize simple forms like, triangle, square, round?</li> <li>EC6. Can (name) identify or name at least 10 letters of</li> </ul>	AGE 3 OR 4 YES NO DK YES NO DK YES NO	······			2 	1 <i>⇒End</i>
<ul> <li>EC5H. Now I will ask a few questions about the health and development of <i>(name)</i>. Children are not same in their learning and development. For example, some start walking earlier than the others. These questions are about <i>(name)</i>'s development.</li> <li>Can <i>(name)</i> recognize and differentiate colors?</li> <li>EC5I. <i>Can (Name)</i> recognize simple forms like, triangle, square, round?</li> <li>EC6. Can <i>(name)</i> identify or name at least 10 letters of the alphabet?</li> <li>EC7. Can <i>(Name)</i> read at least four simple, popular words?</li> </ul>	AGE 3 OR 4 YES NO DK YES NO DK YES NO DK DK DK DK DK				2 	1 <i>⇒End</i>
<ul> <li>EC5H. Now I will ask a few questions about the health and development of (name). Children are not same in their learning and development. For example, some start walking earlier than the others. These questions are about (name)'s development.</li> <li>Can (Name) recognize and differentiate colors?</li> <li>EC5I. Can (Name) recognize simple forms like, triangle, square, round?</li> <li>EC6. Can (name) identify or name at least 10 letters of the alphabet?</li> <li>EC7. Can (Name) read at least four simple, popular</li> </ul>	AGE 3 OR 4 YES NO DK YES NO DK YES NO DK YES NO DK YES NO					1 <i>⇒End</i>

<b>EC8</b> . Does ( <i>name</i> ) know the name and recognize the symbol of all numbers from 1 to 10?	YES1 NO2	
	DK8	
<b>EC9</b> . Can ( <i>name</i> ) pick up a small object with two fingers, like a stick or a rock from the ground?	YES1 NO2	
	DK8	
<b>EC9A.</b> Can ( <i>name</i> ) hold objects with his/her thumb, index finger or middle finger, like a spoon, fork or pen?	YES1 NO2	
	DK8	
EC10. Is (name) sometimes too sick to play?	YES1 NO2	
	DK8	
<b>EC11</b> . Does ( <i>name</i> ) follow simple directions on how to do something correctly?	YES1 NO2	
	DK8	
<b>EC12</b> . When given something to do, is ( <i>name</i> ) able to do it independently?	YES1 NO2	
	DK8	
EC13. Does ( <i>name</i> ) get along well with other children?	YES1 NO2	
	DK8	
EC14. Does ( <i>name</i> ) kick, bite, or hit other children or adults?	YES1 NO2	
	DK8	
EC15. Does ( <i>name</i> ) get distracted easily?	YES1 NO2	
	DK8	

CHILD DISCIPLINE		UCD
UCD1. Check UB2: Child's age?	AGE 0	1 <i>⇔ End</i>
<b>UCD2.</b> Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if <u>you or any other adult in your household</u> has used this method with <i>(name)</i> in the past month.	YES NO	
<ul> <li>[A] Took away privileges, forbade something (<i>name</i>) liked or did not allow (him/her) to leave the house.</li> </ul>	TOOK AWAY PRIVILEGES1 2	
[B] Explained why (name)'s behaviour was wrong.	EXPLAINED WRONG BEHAVIOR1 2	
[C] Shook (him/her)?	SHOOK HIM/HER1 2	
[D] Shouted, yelled at or screamed at (him/her).	SHOUTED, YELLED, SCREAMED1 2	
[E] Gave (him/her) something else to do.	GAVE SOMETHING ELSE TO DO1 2	
[F] Spanked, hit or slapped (him/her) on the bottom with bare hand.	SPANKED, HIT, SLAPPED ON BOTTOM WITH BARE HAND1 2	
[G] Hit (him/her) on the bottom or elsewhere on the body with something like a belt, hairbrush, stick or other hard object.	HIT WITH BELT, HAIRBRUSH, STICK OR OTHER HARD OBJECT1 2	
[H] Called (him/her) dumb, lazy or another name like that.	CALLED DUMB, LAZY OR ANOTHER NAME1 2	
[I] Hit or slapped (him/her) on the face, head or ears.	HIT / SLAPPED ON THE FACE, HEAD OR EARS1 2	
<ul><li>[J] Hit or slapped (him/her) on the hand, arm, or leg.</li></ul>	HIT / SLAPPED ON HAND, ARM OR LEG1 2	
[K] Beat (him/her) up, that is hit him/her over and over as hard as one could.	BEAT UP, HIT OVER AND OVER AS HARD AS ONE COULD1 2	
<b>UCD3</b> . Check UF4: Is this respondent the mother or caretaker of any other children under age 5 or a child age 5-14 selected for the questionnaire for children age 5-17?	YES	2 <i>⇔UCD5</i>
<b>UCD4</b> . <i>Check UF4: Has this respondent already</i> <i>responded to the following question (UCD5 or FCD5)</i> <i>for another child?</i>	YES	1 ⇔ End
<b>UCD5</b> . Do you believe that in order to bring up, raise, or educate a child properly, the child needs to be physically punished?	YES	
	DK/ NO OPINION8	

CHILD FUNCTIONING		UC
UCF1. Check UB2: Child's age?	AGE 0 OR 1	1 <i>⇒End</i>
UCF2. I would like to ask you some questions about difficulties ( <i>name</i> ) may have.	YES1 NO2	
Does ( <i>name</i> ) wear eyeglasses?		
UCF3. Does ( <i>name</i> ) use a hearing aid?	YES1 NO2	
UCF4. Does ( <i>name</i> ) use any equipment or receive assistance for walking?	YES1 NO2	
<ul> <li>UCF5. In the following questions, I will ask you to answer by selecting one of four possible answers. For each question, would you say that (<i>name</i>) has: 1) no difficulty, 2) some difficulty, 3) a lot of difficulty, or 4) that (he/she) cannot at all.</li> <li><i>Repeat the categories during the individual questions whenever the respondent does not use an answer category:</i> Remember the four possible answers: Would you say that (<i>name</i>) has: 1) no difficulty, 2) some difficulty, 2) some difficulty, 3) a lot of difficulty, 3) a lot of difficulty, or 4) that (he/she)</li> </ul>		
cannot at all? UCF6. Check UCF2: Child wears eyeglasses?	YES, UCF2=11 NO, UCF2=22	$1 \Rightarrow UCF7A$ 2 $\Rightarrow UCF7B$
UCF7A. When wearing (his/her) eyeglasses, does ( <i>name</i> ) have difficulty seeing? UCF7B. Does ( <i>name</i> ) have difficulty seeing?	NO DIFFICULTY       1         SOME DIFFICULTY       2         A LOT OF DIFFICULTY       3         CANNOT SEE AT ALL       4	
UCF8. Check UCF3: Child uses a hearing aid?	YES, UCF3=11 NO, UCF3=22	1 <i>⇒UCF9A</i> 2 <i>⇒UCF9B</i>
<ul> <li>UCF9A. When using (his/her) hearing aid(s), does (name) have difficulty hearing? For example, hearing people's voices, talking or music?</li> <li>UCF9B. Does (name) have difficulty hearing? For example, hearing people's voices, talking or</li> </ul>	NO DIFFICULTY1SOME DIFFICULTY2A LOT OF DIFFCULTY3CANNOT HEAR AT ALL4	
music? UCF10. Check UCF4: Child uses equipment or receives assistance for walking?	YES, UCF4=11 NO, UCF4=22	1 <i>⇒</i> UCF11 2 <i>⇒</i> UCF13
UCF11. Without (his/her) equipment or assistance, does ( <i>name</i> ) have difficulty walking?	SOME DIFFICULTY	
UCF12. With <i>(name's)</i> equipment or assistance, does ( <i>he/she</i> ) have difficulty walking?	NO DIFFICULTY1SOME DIFFICULTY2A LOT OF DIFFICULTY3CANNOT WALK AT ALL4	1 ⇔UCF14 2 ⇔UCF14 3 ⇔UCF14 4 ⇔UCF14
UCF13. Compared with children of the same age, does ( <i>name</i> ) have difficulty walking?	NO DIFFICULTY1SOME DIFFICULTY2A LOT OF DIFFICULTY3CANNOT WALK AT ALL4	

MICS6.UF.8

UCF14. Compared with children of the same age, does ( <i>name</i> ) have difficulty picking up small objects with (his/her) hand?	NO DIFFICULTY
UCF15. Does ( <i>name</i> ) have difficulty understanding you?	NO DIFFICULTY       1         SOME DIFFICULTY       2         A LOT OF DIFFICULTY       3         CANNOT UNDERSTAND AT ALL       4
UCF16. When <i>(name)</i> speaks, do you have difficulty understanding (him/her)?	NO DIFFICULTY       1         SOME DIFFICULTY       2         A LOT OF DIFFICULTY       3         CANNOT UNDERSTAND AT ALL       4
UCF17. Compared with children of the same age, does ( <i>name</i> ) have difficulty learning things?	NO DIFFICULTY       1         SOME DIFFICULTY       2         A LOT OF DIFFICULTY       3         CANNOT LEARN THINGS AT ALL       4
<b>UCF18</b> . Compared with children of the same age, does ( <i>name</i> ) have difficulty playing?	NO DIFFICULTY       1         SOME DIFFICULTY       2         A LOT OF DIFFICULTY       3         CANNOT PLAY AT ALL       4
<ul><li>UCF19. The next question has five different options for answers. I am going to read these to you after the question.</li><li>Compared with children of the same age, how much does (<i>name</i>) kick, bite or hit other children or adults?</li></ul>	NOT AT ALL       1         LESS       2         THE SAME       3         MORE       4         A LOT MORE       5
Would you say: not at all, less, the same, more or a lot more?	

BREASTFEEDING AND DIETARY INTAKE				BD	
BD1. Check UB2: Child's age?	AGE 0, 1, OR 2				
	AGE 3 OR 4				2 <i>⇒End</i>
<b>BD2</b> . Does ( <i>name</i> ) ever breastfed?	YES				2 <i>⇒</i> BD3A
					-
	DK			-	8 <i>⇔BD3A</i>
<b>BD3</b> . Is ( <i>name</i> ) being breastfed now?	YES NO				
		•••••		2	
	DK				
<b>BD3A</b> . Check UB2: Child's age?	AGE 0 OR 1 AGE 2				2 <i>⇒</i> End
<b>BD4</b> . Yesterday, during the day or night, did ( <i>name</i> )	YES				Z <del>Y</del> ENU
<u>drink anything from a bottle with a nipple</u> ?	NO				
	DV			0	
	DK				
BD5. Did ( <i>name</i> ) drink <u>Oral Rehydration Salt Solution</u> (ORS) yesterday?	YES NO				
<u></u>					
	DK				
<b>BD6</b> . Did ( <i>name</i> ) <u>drink or eat vitamin or mineral</u> <u>supplements or any medicines</u> yesterday, during the	YES NO				
day or night?	110	•••••		2	
	DK			8	
<b>BD7</b> . Now I would like to ask you about all other					
liquids that ( <i>name</i> ) may have had yesterday during the day or the night.					
It could be any liquid ( <i>name</i> ) had with meal or drank separately. It can also include liquids consumed					
outside of your home.		VEC	NO	DV	
Did ( <i>name</i> ) drink ( <i>name of item</i> ) yesterday during the day or night?		YES	NO	DK	
[A] Plain water?	PLAIN WATER	1	2	8	
[B] Juice or juice drinks?	JUICE OR JUICE DRINKS	1	2	8	
[C] Broth?	CLEAR BROTH	1	2	8	
[D] Infant formula such as Hai Hai, Nan, Humana,	INFANT FORMULA	1	2 හ	8 \$	
Milasan, Nutrilon etc.?			BD7[E]	BD7[E]	
[D1] How many times did ( <i>name</i> ) drink infant formula?					
Tormula :	NUMBER OF TIMES FED BY				
If 7 or more times, record '7'.	INFANT FORMULA				
If unknown, record '8'.					
[E] Milk from animals, such as fresh, tinned, or		1	2 \$	8 Sr	
powdered milk?	MILK		BD7[X]	BD7[X]	
[E1] How many times did ( <i>name</i> ) drink milk?					
If 7 or more times, record '7'.	NUMBER OF TIMES DRANK MILK				
If unknown, record '8'.					
	LIQUID EXCEPT THE		2 \$	8 S	
[X] Any other liquids?	ABOVE MENTIONED ONES	1	BD8	BD8	
[X1] Record all other liquids mentioned.	(Specify)				

<ul> <li>Think about when (<i>name</i>) woke up yesterday. Did (he/s If 'Yes' ask: Please tell me everything (<i>name</i>) ate at tha Record answers using the food groups below.</li> <li>What did (<i>name</i>) do after that? Did (he/she) eat anythin Repeat this string of questions, recording in the food groups sleep until the next morning.</li> </ul>	t time. <i>Probe:</i> Anything else? g at that time?	u that th	e child wei	nt to
For each food group not mentioned after completing				
the above ask:				
Just to make sure, did ( <i>name</i> ) eat ( <i>food group items</i> ) yesterday during the day or the night?		YES	NO	DK
[A] Yogurt made from animal milk? Please pay attention, that depending on the milk content, liquid yougurt should be recorded in question BD7[E] or BD7[X].	YOGURT	1	2 ☆ BD8[B]	8 와 BD8[B]
[A1] How many times did ( <i>name</i> ) eat yogurt? If 7 or more times, record '7'. If unknown, record '8'.	TIMES			
[B] Any baby food, such as Gerber, Humana, Wakodo, Fruto Nyanya, Agusha?	FORTIFIED CHILD FOOD	1	2	8
[C] Bread, rice, noodles, porridge, or other foods made from grains?	BREAD, RICE, PORRIDGE, NOODLES ETC. FOODS MADE FROM GRAIN	1	2	8
[D] Pumpkin, carrots, squash, or sweet potatoes that are yellow or orange inside?	CARROTS, PUMPKIN,SWEET POTATO, YELLOW MASHED FOOD	1	2	8
[E] White and red radish or any other white color vegetables?	WHITE RADDISH,RED RADISH, AND OTHER WHITE VEGETABLES	1	2	8
[F] Any dark green, leafy vegetables, such as broccoli, spinach?	BROCCOLI, SPINACH ETC. GREEN, LEAFY VEGETABLES	1	2	8
[G] Watermelon, orange and ripe mango?	WATERMELON, ORGANGE, MANGO	1	2	8
[H] Any other fruits, vegetable other than the mentioned above?	OTHER FRUITS OR VEGETABLES	1	2	8
[I] Intestines (liver, kidney, heart, other organ meats)?	INTESTINE	1	2	8
[J] Any other meat, such as pork, beef, poultry, lamb, goat or sausages made from these meats?	OTHER MEATS	1	2	8
[K] Eggs?	EGGS	1	2	8
[L] Fish or shellfish, either fresh or dried?	FRESH OR DRIED FISH	1	2	8
[M] Beans, peas or nuts, including food products made from these?	PRODUCTS FROM BEANS, PEAS, NUTS	1	2	8
[N] Cheese, curds and other diary product?	CHEESE, CURDS AN OTHER DIARY PRODUCTS	1	2	8
[X] Other solid, semi-solid or soft food?	OTHER SOLID, SEMI- SOLID OR SOFT FOOD	1	2 හ BD9	8 ☆ BD9
[X1] Record any other solid, semi-solid, or soft food that are not reflected in the above food types.	(Specify)		עעע	

<b>BD9</b> . How many times did ( <i>name</i> ) eat any solid, semi- solid or soft foods yesterday during the day or night?	NUMBER OF TIMES	
If BD8[A] is 'Yes', ensure that the response here includes the number of times recorded for yogurt in BD8[A1].	DK	
If 7 or more times, record '7'.		

IMMUNISATION		-							-		IM
IM1. Check UB2: Child's age?										2 r = 1	
IM2. Do you have a Mother and child hea book (pink book) or Vaccination Card other document where that ( <i>name</i> ) vaccin are written down?	or any	AGE 3 OR 4			2 ⇒End 1 ⇒IM5 3 ⇒IM5						
<b>IM3</b> . Did you ever have a Mother and Child handbook or Vaccination Card from a priv health provider for ( <i>name</i> )?		YES.							1		
IM4. Check IM2:		HAS	NO CA	RDS A	L DOCU ND NO AILABL	OTHE	R			2 <i>⇒</i> IM11	
<b>IM5</b> . May I see the ( <i>name</i> )'s Mother and C Health handbook, vaccination card or any document?		YES, YES, OTH NO C	ONLY CARD( HER DC ARDS	OTHEI S) ANI OCUME AND	(S) SEE R DOCU D ENT SEI JMENT	JMEN] EN	Γ SEEN	tt	2 3	4 <i>⇔IM11</i>	
IM6.											
<ul> <li>a) Copy the dates for each type of immunization card, dose recorded on the Immunization card, maternal and child health handbook:</li> <li>b) If the card/ maternal and child health ha shows that a vaccination was administer, the date is not recorded, record '4444' in "year" column.</li> </ul>	/ ndbook ed but			AR	F IMM		NTH		AY		
BCG	BCG										
HepB (at birth)	HepB0										
Polio (OPV) (at birth)	OPV0										
Polio (OPV) 1	OPV1										
Polio (OPV) 2	OPV2					1					
Polio (OPV) 3	OPV3										
Pentavalent (DPTHibHepB) 1	Penta1										
Pentavalent (DPTHibHepB) 2	Penta2										
Pentavalent (DPTHibHepB) 3	Penta3										
MMR 1	MMR1										
MMR 2	MMR2										
HepA 1	HepA1										
HepA 2	HepA2										
<b>IM7</b> . Check IM6: Are all vaccines BCG to recorded?	HepA2	YES . NO							1 2	1 ⇔End	

n		1
<b>IM8</b> . Did ( <i>Name</i> ) participate in 10 days Vaccination Campaign? For example:	Y N DK	
[A] Vacciation Days in May	MAY VACCINATION DAYS 1 2 8	
[B] Vaccination Days in October	OCTOBER VACCINATION DAYS 1 2 8	
<b>IM9</b> . If ( <i>name</i> ) received any other vaccines including vaccinations received during the vaccination days just mentioned except those recorded in the document?	YES	2 ⇔End 8 ⇔End
<b>IM10</b> . Go back to IM6 and probe for these vaccinations.		
Record '6666' in the corresponding year column for each vaccine received.		⇔End
For vaccinations <u>not</u> received record '0000'.		
When <u>finished</u> , go to End of module.		
IM11. Has ( <i>name</i> ) ever received any vaccinations to prevent (him/her) from getting diseases, including vaccinations received in a campaign, immunisation day or Child Health Day?	YES	
<b>IM12</b> . Did ( <i>Name</i> ) participate in any 10 days Vaccination Campaign? For example:	Y N DK	
[A] Vacciation Days in May	MAY VACCINATION DAYS 1 2 8	
[B] Vaccination Days in October	OCTOBER VACCINIATION DAYS1 2 8	
IM13. Check IM11 and IM12:	ALL NO OR DK	1 <i>⇒End</i>
<b>IM14</b> . Has ( <i>name</i> ) ever received a BCG vaccination against tuberculosis – that is, an injection in the arm or shoulder that usually causes a scar?	YES	
<b>IM15</b> . Did ( <i>name</i> ) receive a Hepatitis B vaccination – that is an injection on the outside of the thigh to prevent Hepatitis B disease – within the first 24 hours after birth?	YES WITHIN 24 HOURS       1         YES, BUT NOT WITHIN 24 HOURS       2         NO       3         DK       8	
<b>IM16</b> . Has ( <i>name</i> ) ever received any vaccination drops in the mouth to protect (him/her) from polio?	YES	2 <i>⇒IM20</i>
Probe by indicating that the first drop is usually given at birth and later at the same time as injections to prevent other diseases.	DK8	8 <i>⇔IM20</i>
IM17. Were the first polio drops received in the first two weeks after birth?	YES 1 NO	
<b>IM18</b> . How many times were the polio drops received?	DK8 TIMES	
	DK8	
<b>IM20</b> . Has ( <i>name</i> ) ever received a Pentavalent vaccination – that is, an injection in the thigh to prevent (him/her) from getting tetanus, whooping	YES	2 <i>⇔IM26</i>
		1

MICS6.UF.14

Probe by indicating that Pentavalent vaccination is sometimes given at the same time as the polio drops.		
<b>IM21</b> . How many times was the Pentavalent vaccine received?	NUMBER OF TIMES	
IM26. Has ( <i>name</i> ) ever received a MMR vaccine – that is, a shot in the arm at the age of 9 months or older - to prevent (him/her) from getting measles,	YES1 NO2	2 <i>⇒IM28A</i>
mumps and rubella?	DK8	8 <i>⊏&gt;IM28A</i>
<b>IM26A</b> . How many times was the measles, mumps and rubella vaccine received?	NUMBER OF TIMES	
	DK8	
<b>IM28A.</b> Has ( <i>name</i> ) received HepA vaccine that is a shot in the arm at the age of 14 months and older to prevent from hepatitis A (infectious	YES1 NO2	2 <i>⇔IM28</i>
hepatitis)?	DK	8 <i>⇔IM28</i>
<b>IM28B</b> . How many times was the vaccine HepA received?	TIMES	
	DK8	
IM28. Issue a QUESTIONNAIRE FORM FOR VACCINATION RECORDS AT HEALTH FACILITY for this child.		
Complete the Information Panel on that Questionnaire		

CARE OF ILLNESS			CA
CA1. In the last two weeks, has ( <i>name</i> ) had diarrhoea?	YES	2 <i>⇔CA14</i>	
	DK8	8 <i>≒&gt;CA14</i>	
CA2. Check BD3: Is child still breastfeeding?	YES OR BLANK, BD3=1 OR BLANK1 NO OR DK, BD3=2 OR 82	1 <i>⇒CA3A</i> 2 <i>⇒CA3B</i>	
<ul> <li>CA3A. I would like to know how much (<i>name</i>) was given to drink during the diarrhoea. This includes breastmilk, Oral Rehydration Salt solution (ORS) and other liquids given with medicine.</li> <li>During the time (<i>name</i>) had diarrhoea, was (he/she) given less than usual to drink, about the same amount, or more than usual?</li> <li>If 'less', probe: Was (he/she) given much less than usual to drink, or somewhat less?</li> </ul>	MUCH LESS		
<ul><li>CA3B. I would like to know how much (<i>name</i>) was given to drink during the diarrhoea. This includes Oral Rehydration Salt solution (ORS) and other liquids given with medicine.</li><li>During the time (<i>name</i>) had diarrhoea, was (he/she) given less than usual to drink, about the same amount, or more than usual?</li></ul>			
If 'less', probe: Was (he/she) given much less than usual to drink, or somewhat less?			
<ul><li>CA4. During the time (<i>name</i>) had diarrhoea, was (he/she) given less than usual to eat, about the same amount, more than usual, or nothing to eat?</li><li><i>If 'less', probe:</i> Was (he/she) given much less than usual to eat or somewhat less?</li></ul>	MUCH LESS.1SOMEWHAT LESS.2ABOUT THE SAME3MORE4STOPPED FOOD.5NEVER GAVE FOOD.7DK.8		
CA5. Did you seek any advice or treatment for the diarrhea from any source?	YES1 NO2	2 <i>⇔</i> CA7	
	DK8	8 <i>≒</i> >CA7	

CA6. Where did you seek advice or treatment?	PUBLIC MEDICAL SECTOR
Probe: Anywhere else?	TERTIARY LEVEL HOSPITAL (1 <sup>st</sup> , 2 <sup>nd</sup> , 3 <sup>rd</sup> , MOTHER AND CHILD
Record all providers mentioned, but do <u>not</u> prompt	HEALTH CENTER)A SECONDARY LEVEL HOSPITAL (AIMAG/
with any suggestions.	DISTRICT HOSPITAL)B SOUM LEVEL HOSPITAL/FAMILY
Probe to identify each type of provider.	HEALTH CENTERD AMBULANCEF
If unable to determine if public or private sector,	
write the name of the place and then temporarily record 'W' until you learn the appropriate category	PRIVATE MEDICAL SECTOR HOSPITAL I
for the response.	DOCTORJ PHARMACYK
(Name of place)	DK PUBLIC OR PRIVATEW
(name of place)	
	OTHERS RELATIVE/FRIENDP
	SHOP / MARKET / STREETQ
	TRADITIONAL PRACTITIONER R
	OTHER (specify)X
<b>CA7</b> . During the time ( <i>name</i> ) had diarrhoea, was (he/she) given:	YES NO DK
[A] Packed ORS such as khrosol or oralit?	PACKED ORS 1 2 8
[B] Pre-packed ORS (fluid)?	PRE-PACKED ORS1 2 8
[C] Zinc preparation (tablet or syrup)?	ZINC TABLETS OR SYRUP1 2 8
[D] Home made oral rehydration fluid, light broth, rice-water, yogurt, milk with water, boiled water?	LIGHT BROTH, RICE-WATER, YOGURT, MILK WITH WATER1 2 8
<b>CA8</b> . Check CA7[A] and CA7[B]: Was child given any ORS?	YES, 'YES' IN CA7[A] OR CA7[B]1
	NO, 'NO' OR 'DK'
<b>CA9</b> . Where did you get the ( <i>mentioned in CA7[A</i> ]	IN BOTH CA7[A] AND CA7[B]2         2 ⇒CA10           PUBLIC MEDICAL SECTOR
and/or CA7[B])?	TERTIARY LEVEL HOSPITAL (1 <sup>ST</sup> , 2 <sup>ND</sup> , 3 <sup>RD</sup> , MOTHER AND CHILD
Probe to identify the type of source.	HEALTH CENTER)A
If 'Already had at home', probe to learn if the source	SECONDARY LEVEL HOSPITAL (AIMAG/ DISTRICT HOSPITAL)B
is known.	SOUM LEVEL HOSPITAL/FAMILY
If unable to determine whether public or private,	HEALTH CENTERD
write the name of the place and then temporarily	PRIVATE MEDICAL SECTOR
record 'W' until you learn the appropriate category for the response.	HOSPITAL I DOCTOR
jor me response.	PHARMACYK
	DK PUBLIC OR PRIVATEW
(Name of place)	OTHER
	OTHER RELATIVE / FRIENDP
	SHOP / MARKET / STREETQ
	TRADITIONAL PRACTITIONAR R
	OTHER (specify)X
	DK / DON'T REMEMBERZ

<b>CA10</b> . Check CA7[C]: Was child given any zinc?	YES, CA7[C]=11 NO, CA7[C] ≠12	2 <i>⇔CA12</i>
CA11. Where did you get the zinc?	PUBLIC MEDICAL SECTOR	
CATT. where did you get the zinc?	TERTIARY LEVEL HOSPITAL (1 <sup>ST</sup> , 2 <sup>ND</sup> ,	
Probe to identify the type of source.	$3^{RD}$ , MOTHER AND CHILD	
	HEALTH CENTER)A	
If 'Already had at home', probe to learn if the source	SECONDARY LEVEL HOSPITAL	
is known.	(AIMAG/ DISTRICT HOSPITAL)B	
	SOUM LEVEL HOSPITAL/FAMILY	
If unable to determine whether public or private,	HEALTH CENTERD	
write the name of the place and then temporarily	DDIVATE MEDICAL SECTOR	
record 'W' until you learn the appropriate category for the response.	PRIVATE MEDICAL SECTOR HOSPITAL I	
jor the response.	DOCTOR J	
	PHARMACYK	
(Name of place)	DK PUBLIC OR PRIVATEW	
	OTHER	
	RELATIVE / FRIENDP	
	SHOP / MARKET / STREETQ	
	TRADITIONAL PRACTITIONARR	
	OTHER (specify) X	
	OTHER (specify)       X         DK / DON'T REMEMBER       Z	
	YES	
<b>CA12</b> . When ( <i>Name</i> ) was having diarrhea, did he/she given anything else to treat diarrhea?	YES1 NO2	2 <i>⇒CA14</i>
given anything else to treat diarinea.	1102	2 - CA14
	DK8	8 <i>⇒CA14</i>
CA13. What else was given to treat the diarrhoea?	PILL OR SYRUP	
C C	ANTIBIOTICA	
Probe:	ANTIMOTILITY (ANTI-DIARRHOEA) B	
Anything else?	OTHER PILL OR SYRUPG	
	UNKNOWN PILL OR SYRUPH	
Record all treatments given. Write brand name(s) of all medicines mentioned.	INTECTION	
an meaicines menilonea.	INJECTION ANTIBIOTIC L	
	NON-ANTIBIOTIC	
	UNKNOWN INJECTIONN	
(Name of brand)		
	INTRAVENOUS (IV)O	
(Name of brand)	INTESTINAL MICROFLORA (LINEKS,	
(name of brand)	PROBOVISION)R	
	HOME REMEDY / HERBAL MEDICINEQ	
	OTHER (specify)X	
	NEG (	
<b>CA14</b> . At any time in the last two weeks, has ( <i>name</i> ) been ill with a fever?	YES	
	102	
	DK8	
CA16. At any time in the last two weeks, has ( <i>name</i> )	YES1	
had an illness with a cough?	NO2	
	DY .	
	DK8	

CA17. At any time in the last two weeks, has (name)	YES1	
had fast, short, rapid breaths or difficulty breathing?	NO2	2 <i>⇒CA19</i>
	DK8	8 <i>⇒CA19</i>
CA18. Was the fast or difficult breathing due to a	PROBLEM IN CHEST ONLY1	1 <i>⇒CA20</i>
problem in the chest or a blocked or runny nose?	BLOCKED OR RUNNY NOSE ONLY2	$2 \Rightarrow CA20$
problem in the cliest of a blocked of fullity lose?	BLOCKED OK KUNN I NOSE ONL I	24/CA20
	BOTH	3 <i>⇒CA20</i>
	BOIII	$J \rightarrow CA20$
	OTHER (marife)	6 <i>⇒CA20</i>
	OTHER ( <i>specify</i> )6	0 - CA20
	DV	$0 \rightarrow C + 20$
	DK8	8 <i>≒</i> >CA20
CA19. Check CA14: Did child have fever?	YES, CA14=11	
·	NO OR DK, CA14=2 OR 82	2 <i>⇒CA30</i>
CA20 When (nome) was gight did you goal are - think	YES1	
CA20. When (name) was sick did you seek any advice	YES1 NO2	2 <i>5</i> >CA22
or treatment for the illness from hospital or any other	NO2	$2 \hookrightarrow CA22$
source?	DV	$0 \rightarrow C (22)$
	DK8	8 <i>≒</i> >CA22
CA21. From where did you seek advice or treatment?	PUBLIC SECTOR	
·	TERTIARY LEVEL HOSPITAL (1 <sup>st</sup> , 2 <sup>ND</sup> ,	
Probe: Anywhere else?	3 <sup>RD</sup> , MOTHER AND CHILD	
5	HEALTH CENTER)A	
Record all providers mentioned, but do <u>not</u> prompt	SECONDARY LEVEL HOSPITAL	
with any suggestions.	(AIMAG/ DISTRICT HOSPITAL)	
with any suggestions.	SOUM LEVEL HOSPITAL/FAMILY	
Probe to identify each type of provider.	HEALTH CENTERD	
Trobe to thening each type of provider.	AMBULANCEF	
If unable to determine if public or private sector,	AMBOLANCE	
write the name of the place and then temporarily	PRIVATE SECTOR	
record 'W' until you learn the appropriate category	HOSPITALI	
for the response.	DOCTOR J	
	PHARMACYK	
	DK PUBLIC OR PRIVATEW	
(Name of place)		
	OTHER	
	RELATIVE/ FRIENDP	
	SHOP / MARKET / STREETQ	
	TRADITIONAL PRACTITIONARR	
	OTHER ( <i>specify</i> ) X	
CA22 At any time during the illness was (now -)	YES 1	
CA22. At any time during the illness, was ( <i>name</i> )	120	$2 \rightarrow C / 20$
given any medicine for the illness?	NO2	2 <i>≒</i> >CA30
	DV	0.10100
	DK8	8 <i>⇒CA30</i>

CA23. What medicine was (name) given?	ANTIBIOTIC	
	AMOXICILINE/ FLEMOXIN SOLUTAB L	
Probe:	COTRIMAXOZOLE M	
Any other medicine?	OTHER KIND OF ANTIBIOTICS	
Any other medicine?		
	PILL/SYRUPN	
Record all medicines given.	OTHER KIND OF ANTIBIOTICS	
	INJECTIONO	
If unable to determine type of medicine, write the		
brand name and then temporarily record 'W' until	DK PUBLIC OR PRIVATEW	
you learn the appropriate category for the response.		
you learn the appropriate category for the response.		
	OTHER MEDICINE	
	PARACETAMOL / PANADOL /	
	ACETOMENAPHTHANER	
(Name of brand)	ASPIRINS	
(	IBUPROFEN (NUROFEN)	
	ANTIVIRAL DRUG (VIFERON, ANAFERON,	
(Name of brand)	ERGOFERON)U	
	ANTIFUNGAL DRUGV	
	INTESTINAL MICROFLORA (LINEKS,	
	PROBOVISION)P	
	ALLERGY DRUG (KETOTOFEN,	
	CETIRIZINE, CHLORPHENIRAMINE)Q	
	VITAMINS (C, D, MULTI)I	
	DK TYPE OF MEDICINE (ONLY KNOW	
	BRAND NAME OF MEDICINE) W	
	,	
	OTHER (specify) X	
	DKZ	
	DK L	
CA24. Check CA23: Antibiotics mentioned?	YES, ANTIBIOTICS MENTIONED,	
CA24. Check CA23: Antibiotics mentioned?	YES, ANTIBIOTICS MENTIONED, CA23=L-O	
CA24. Check CA23: Antibiotics mentioned?	CA23=L-O1	2⇔C430
	CA23=L-O1 NO, ANTIBIOTICS NOT MENTIONED2	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i>	CA23=L-O1 NO, ANTIBIOTICS NOT MENTIONED2 PUBLIC MEDICAL SECTOR	2 <i>⇔CA30</i>
	CA23=L-O1 NO, ANTIBIOTICS NOT MENTIONED2	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i>	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from CA23, codes L to O</i> )?	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i>	CA23=L-O1       1         NO, ANTIBIOTICS NOT MENTIONED2       2         PUBLIC MEDICAL SECTOR       2         TERTIARY LEVEL HOSPITAL (1 <sup>ST</sup> , 2 <sup>ND</sup> , 3 <sup>RD</sup> , MOTHER AND CHILD       4         HEALTH CENTER)	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from CA23, codes L to O</i> )? Probe to identify the type of source.	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i> CA23, codes L to O)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from CA23, codes L to O</i> )? Probe to identify the type of source.	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i> CA23, codes L to O)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known.	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i> CA23, codes L to O)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known.	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i> CA23, codes L to O)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. <u>If unable to determine whether public or private</u> ,	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i> CA23, codes L to O)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. <u>If unable to determine whether public or private</u> , write the name of the place and then temporarily	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i> CA23, codes L to O)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. <u>If unable to determine whether public or private</u> , write the name of the place and then temporarily record 'W' until you learn the appropriate category	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i> CA23, codes L to O)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. <u>If unable to determine whether public or private</u> , write the name of the place and then temporarily	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i> CA23, codes L to O)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. <u>If unable to determine whether public or private</u> , write the name of the place and then temporarily record 'W' until you learn the appropriate category	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i> CA23, codes L to O)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. <u>If unable to determine whether public or private</u> , write the name of the place and then temporarily record 'W' until you learn the appropriate category	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i> CA23, codes L to O)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. <u>If unable to determine whether public or private</u> , write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response.	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i> CA23, codes L to O)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. <u>If unable to determine whether public or private</u> , write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response.	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i> CA23, codes L to O)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. <u>If unable to determine whether public or private</u> , write the name of the place and then temporarily record 'W' until you learn the appropriate category	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i> CA23, codes L to O)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. <u>If unable to determine whether public or private</u> , write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response.	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i> CA23, codes L to O)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. <u>If unable to determine whether public or private</u> , write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response.	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i> CA23, codes L to O)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. <u>If unable to determine whether public or private</u> , write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response.	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i> CA23, codes L to O)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. <u>If unable to determine whether public or private</u> , write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response.	CA23=L-O	2 <i>⇒CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i> CA23, codes L to O)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. <u>If unable to determine whether public or private</u> , write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response.	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i> CA23, codes L to O)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. <u>If unable to determine whether public or private</u> , write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response.	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i> CA23, codes L to O)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. <u>If unable to determine whether public or private</u> , write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response.	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from CA23, codes L to O</i> )?  Probe to identify the type of source.  If 'Already had at home', probe to learn if the source is known. <u>If unable to determine whether public or private</u> , write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response.  (Name of place)	CA23=L-O	2 <i>⇔CA30</i>
CA25. Where did you get the ( <i>name of medicine from</i> <i>CA23, codes L to O</i> )? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. <u>If unable to determine whether public or private</u> , write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response.	CA23=L-O	
CA25. Where did you get the (name of medicine from CA23, codes L to O)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'W' until you learn the appropriate category for the response. (Name of place)	CA23=L-O	2 <i>⇒</i> CA30

CA31. The last time <i>(name)</i> passed stools, what was done to dispose of the stools?	CHILD USED TOILET / LATRINE01 PUT / RINSED INTO TOILET OR LATRINE02 PUT / RINSED INTO DRAIN OR DITCH03 THROWN INTO GARBAGE (SOLID WASTE)04 BURIED05 LEFT IN THE OPEN06 OTHER ( <i>specify</i> )96	
	DK98	

UF11. Record the time.	HOURS AND MINUTES
UF12. Language of the Questionnaire.	MONGOLIAN1 KAZAKH2
UF13. Language of the Interview.	MONGOLIAN1 KAZAKH2
<b>UF14</b> . Native language of the Respondent.	MONGOLIAN
<b>UF15</b> . Was a translator used for any parts of this questionnaire?	YES, THE ENTIRE QUESTIONNAIRE 1 YES, PARTS OF THE QUESTIONNAIRE

**UF16.** Tell the respondent that you will need to measure the weight and height of the child before you leave the household and a colleague will come to lead the measurement. Issue the ANTHROPOMETRY MODULE FORM for this child and complete the Information Panel on that Form.

Check columns HL10 and HL20 in LIST OF HOUSEHOLD MEMBERS, HOUSEHOLD QUESTIONNAIRE: Is the respondent the mother or caretaker of <u>another</u> child age 0-4 living in this household?

□ Yes ⇒ Go to UF17 on the UNDER-FIVE INFORMATION PANEL and record '01'. Then go to the next QUESTIONNAIRE FOR CHILDREN UNDER FIVE to be administered to the same respondent.

□  $No \Rightarrow$  Check HL6 and column HL20 in LIST OF HOUSEHOLD MEMBERS, HOUSEHOLD QUESTIONNAIRE: Is the respondent the mother or caretaker of a child age 5-17 selected for Questionnaire for Children Age 5-17 in this household?

☐ Yes ⇒ Go to UF17 on the UNDER-FIVE INFORMATION PANEL and record '01'. Then go to the QUESTIONNAIRE FOR CHILDREN AGE 5-17 to be administered to the same respondent.
 □ No ⇒ Go to UF17 on the UNDER-FIVE INFORMATION PANEL and record '01'. Then end the interview with this respondent by thanking her/him for her/his cooperation. Check to see if there are other questionnaires to be administered in this household.

INTERVIEWER'S OBSERVATIONS

SUPERVISOR'S OBSERVATIONS

ANTHROPOMETRY MODULE INFORMATION PANEL AN		
AN1. Cluster number:	AN2. Household number:	
AN3. Child's name and line number:	AN4. Child's age from UB2:	
NAME	AGE (IN COMPLETED YEARS)	
AN5. Mother's/ caretaker's name, line number:	AN6. Interviewer's name and number:	
NAME	NAME	

ANTHROPOMETRY	-	-
AN7. Measurer's name and number:	NAME	
<b>AN8</b> . <i>Record the result of weight measurement as read out by the Measurer:</i>	KILOGRAMS (KG)	
Read the record back to the Measurer and also ensure that he/she verifies your record.	CHILD NOT PRESENT	99.3 <i>⇔AN13</i> 99.4 <i>⇔AN10</i> 99.5 <i>⇔AN10</i>
	OTHER ( <i>specify</i> ) 99.6	99.6 <i>⇒</i> AN10
<b>AN9</b> . Was the child undressed to the minimum?	YES1 NO, THE CHILD COULD NOT BE UNDRESSED TO THE MINIMUM2	
AN10. Check AN4: Child's age?	AGE 0 OR 11 AGE 2, 3 OR 42	
<ul> <li>AN11A. The child is less than 2 years old and should be measured lying down. Record the result of length measurement as read out by the Measurer:</li> <li>Read the record back to the Measurer and also ensure that he/she verifies your record.</li> <li>AN11B. The child is at least 2 years old and should be measured standing up. Record the result of height measurement as read out by the Measurer:</li> <li>Read the record back to the Measurer and also ensure that he/she verifies your record.</li> </ul>	LENGTH /HEIGHT (CM) CHILD REFUSED	999.5 <i>⇒AN13</i>
<b>AN12</b> . How was the child actually measured? Lying down or standing up?	LYING DOWN1 STANDING UP2	
AN13. Today's date (Year / Month / Day): <u>2 0 1 8 / /</u>		
<b>AN14</b> . Is there another child under age 5 in the household who has not yet been measured?	YES	1 <i>⇔Next child</i>
<b>AN15</b> . Thank the respondent for his/her cooperation and inform your Supervisor that the Measurer and you have completed all the measurements in this household.		

INTERVIEWER'S OBSERVATIONS FOR ANTHROPOMETRY MODULE

MEASURER'S OBSERVATIONS FOR ANTHROPOMETRY MODULE

SUPERVISOR'S OBSERVATIONS FOR ANTHROPOMETRY MODULE

MICS6.UF.24