E.5 QUESTIONNAIRE FOR CHILDREN UNDER 5



Multiple Indicator Cluster Survey (MICS), Balochistan 2019



96

UNDER-FIVE CHILD INFORMATION PANEL	$\mathbf{U}\mathbf{F}$
UF1. Cluster number:	UF2. Household number:
UF3. Child's name and line number:	UF4 . Mother's / Caretaker's name and line number:
NAME	NAME
UF5. Interviewer's name and number:	UF6. Supervisor's name and number:
NAME	NAME
UF7. Day / Month / Year of interview: / / _ 2 _ 0 _ 1	UF8. Record the time: HOURS: MINUTES : :
	•
needed and not obtained, the interview must not commence to least 15 years old. UF9. Check completed questionnaires in this household: Have	ed (HH33 or HH39) or not necessary (HL20=90). If consent is and '06' should be recorded in UF17. The respondent must be at you YES, INTERVIEWED ALREADY 1 1⇒UF10B
or another member of your team interviewed this respondent another questionnaire?	for NO, FIRST INTERVIEW 2 250F10A
UF10A . Assalam o alaikum, my name is (<i>your name</i>). We are Bureau of Statistics, Planning & Development Depart Government of the Balochistan, Quetta. We are conduct survey about the situation of children, families and househo would like to talk to you about (<i>child's name from UF3</i>)'s hand well-being. This interview will take about 30 minutes. A information we obtain will remain strictly confidential anonymous. If you wish not to answer a question or wish to the interview, please let me know. May I start now?	nent, name from UF3)'s health and well-being in more detail. This interview will take about 30 minutes. Again, all the information we obtain will remain strictly confidential and anonymous. If you wish not to answer a question or wish to stop the interview, please let me know. May I start now?
YES	
NO/NOT ASKED	2 27011/
UF17. Result of interview for children under 5 Codes refer to mother/caretaker. Discuss any result not completed with Supervisor.	COMPLETED 01 NOT AT HOME 02 REFUSED 03 PARTLY COMPLETED 04 INCAPACITATED (specify) 05 05 NO ADULT CONSENT FOR MOTHER/ CARETAKER AGE 15-17 06

OTHER (specify)

UNDER-FIVE'S BACKGROUND		UB
UB0 . Before I begin the interview, could you please bring (<i>name</i>)'s Birth Certificate, Form-B/Vaccination Card, and any immunisation record from a private health provider? We will need to refer to those documents.		
UB1. On what day, month and year was (name) born? Probe: What is (his/her) birthday? If the mother/caretaker knows the exact date of birth, also record the day; otherwise, record '98' for day. Month and year must be recorded. UB2. How old is (name)? Probe: How old was (name) at (his/her) last birthday? Record age in completed years. Record '0' if less than 1 year. If responses to UB1 and UB2 are inconsistent, probe further and correct.	DATE OF BIRTH DAY	
UB3. Check UB2: Child's age?	AGE 0, 1, OR 2	1 <i>⇒UB</i> 9
UB4. Check the respondent's line number (UF4) and the respondent to the HOUSEHOLD QUESTIONNAIRE (HH47):	RESPONDENT IS THE SAME, UF4=HH471 RESPONDENT IS NOT THE SAME, UF4≠HH472	2 <i>⇒UB</i> 6
UB5. Check ED10 in the EDUCATION MODULE in the HOUSEHOLD QUESTIONNAIRE: Is the child attending Pre-school/ Katchi/ ECE programme in the current school year?	YES, ED10=0	1 <i>⇒UB8B</i> 2 <i>⇒UB9</i>
UB6. Has (<i>name</i>) ever attended any early childhood education programme, such as Pre-School/ Katchi/ Early Childhood Education Programme?	YES	2 <i>⇔UB</i> 9
UB7 . At any time since April, 2019, did (he/she) attend (programmes mentioned in UB6)?	YES	1 <i>⇒UB8A</i> 2 <i>⇒UB</i> 9
 UB8A. Does (he/she) currently attend (<i>programmes mentioned in UB6</i>)? UB8B. You have mentioned that (<i>name</i>) has attended a Pre-school/ Katchi/ ECE Programme this school year. Does (he/she) currently attend this programme? 	YES	
UB9 . Is (<i>name</i>) covered by any health insurance?	YES	2 <i>⇒End</i>

UB10 . What type of health insurance is (<i>name</i>) covered	PUBLIC HEALTH INSURANCEA	1
by?	HEALTH INSURANCE THROUGH	1
	EMPLOYERB	1
Record all mentioned.	SOCIAL SECURITYC	1
	OTHER PRIVATELY PURCHASED	1
	COMMERCIAL HEALTH INSURANCED	1
		i
	OTHER (specify)X	1

BIRTH REGISTRATION		BR
BR1 . Does (<i>name</i>) have a birth certificate?	YES, SEEN1	1 <i>⇒End</i>
	YES, NOT SEEN2	2 <i>⇒End</i>
If yes, ask:	NO3	
May I see it?		
	DK8	
BR2 . Has (<i>name</i>)'s birth been registered with union	YES1	1 <i>⇒End</i>
council or NADRA?	NO2	
	DK8	
BR3 . Do you know how to register (<i>name</i>)'s birth?	YES1	
	NO2	

EARLY CHILDHOOD DEVELOPMENT		EC
EC1 . How many children's books or picture books do you have for (<i>name</i>)?	NONE	
	NUMBER OF CHILDREN'S BOOKS 0	
	TEN OR MORE BOOKS10	
EC2 . I am interested in learning about the things that (<i>name</i>) plays with when (he/she) is at home.		
Does (he/she) play with:	Y N DK	
[A] Homemade toys, such as dolls, cars, or other toys made at home?	HOMEMADE TOYS 1 2 8	
[B] Toys from a shop or manufactured toys?	TOYS FROM A SHOP 1 2 8	
[C] Household objects, such as bowls or pots, or	HOUSEHOLD OBJECTS	
objects found outside, such as sticks, rocks, animal shells or leaves?	OR OUTSIDE OBJECTS 1 2 8	
EC3. Sometimes adults taking care of children have to		
leave the house to go shopping, wash clothes, or for other reasons and have to leave young children.		
On how many days in the past week was (name):		
[A] Left alone for more than an hour?	NUMBER OF DAYS LEFT ALONE FOR	
	MORE THAN AN HOUR	
[B] Left in the care of another child, that is,	NUMBER OF DAYS LEFT WITH	
someone less than 10 years old, for more than an hour?	ANOTHER CHILD FOR MORE THAN AN HOUR	
man an nour?	I ITAN AN HOUR	
If 'None' record '0'. If 'Don't know' record '8'.		
EC4. Check UB2: Child's age?	AGE 0 OR 1	1 <i>⇒End</i>
	AGE 2, 3 OR 4	

EC5. In the past 3 days, did you or any household member age 15 or over engage in any of the following						
activities with (<i>name</i>):						
If 'Yes', ask: Who engaged in this activity with (name)?						
A foster/step mother or father living in the household who engaged with the child should be coded as mother or father.						
Record all that apply.						
'No one' cannot be recorded if any household member age 15 and above engaged in activity with child.		MOTHER	FATHER	OTHER	NO ONE	
[A] Read books or looked at picture books with (<i>name</i>)?	READ BOOKS	A	В	X	Y	
[B] Told stories to (name)?	TOLD STORIES	A	В	X	Y	
[C] Sang songs to or with (<i>name</i>), including lullabies?	SANG SONGS	A	В	X	Y	
[D] Took (<i>name</i>) outside the home?	TOOK OUTSIDE	A	В	X	Y	
[E] Played with (name)?	PLAYED WITH	A	В	X	Y	
[F] Named, counted, or drew things for or with (<i>name</i>)?	NAMED	A	В	X	Y	
EC5G. Check UB2: Child's age?	AGE 2AGE 3 OR 4					1 <i>⇒End</i>
EC6. I would like to ask you some questions about the health and development of (<i>name</i>). Children do not all develop and learn at the same rate. For example, some walk earlier than others. These questions are related to several aspects of (<i>name</i>)'s development.						
Can (<i>name</i>) identify or name at least ten letters of the	YES					
alphabet?	DK					
EC7 . Can (<i>name</i>) read at least four simple, popular words?	YES			•••••	1	
	DK			•••••	8	
EC8 . Does (<i>name</i>) know the name and recognize the symbol of all numbers from 1 to 10?	YES					
	DK			<u></u>	8	
EC9 . Can (<i>name</i>) pick up a small object with two fingers, like a stick or a rock from the ground?	YES					
	DK			•••••	8	

EC10. Is (name) sometimes too sick to play?	YES	
	110	
	DK8	
EC11 . Does (<i>name</i>) follow simple directions on how to	YES1	
do something correctly?	NO2	
	DK8	
EC12. When given something to do, is (<i>name</i>) able to	YES1	
do it independently?	NO2	
	DK8	
EC13. Does (name) get along well with other children?	YES1	
	NO2	
	DK8	
EC14. Does (name) kick, bite, or hit other children or	YES1	
adults?	NO2	
	DK8	
EC15. Does (name) get distracted easily?	YES1	
	NO2	
	DK8	

CHILD DISCIPLINE		UCD
UCD1. Check UB2: Child's age?	AGE 0	1 <i>⇔End</i>
UCD2. Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or any other adult in your household has used this method with (name) in the past month.		
[A] Took away privileges, forbade something (<i>name</i>) liked or did not allow (him/her) to leave the house.	YES NO TOOK AWAY PRIVILEGES1 2	
[B] Explained why (<i>name</i>)'s behaviour was wrong.	EXPLAINED WRONG BEHAVIOR1 2	
[C] Shook (him/her).	SHOOK HIM/HER 1 2	
[D] Shouted, yelled at or screamed at (him/her).	SHOUTED, YELLED, SCREAMED1 2	
[E] Gave (him/her) something else to do.	GAVE SOMETHING ELSE TO DO1 2	
[F] Spanked, hit or slapped (him/her) on the bottom with bare hand.	SPANKED, HIT, SLAPPED ON BOTTOM WITH BARE HAND	
[G] Hit (him/her) on the bottom or elsewhere on the body with something like a belt, hairbrush, stick or other hard object.	HIT WITH BELT, HAIRBRUSH, STICK OR OTHER HARD OBJECT1 2	
[H] Called (him/her) dumb, lazy or another name like that.	CALLED DUMB, LAZY OR ANOTHER NAME1 2	
[I] Hit or slapped (him/her) on the face, head or ears.	HIT / SLAPPED ON THE FACE, HEAD OR EARS1 2	
[J] Hit or slapped (him/her) on the hand, arm, or leg.	HIT / SLAPPED ON HAND, ARM OR LEG1 2	
[K] Beat (him/her) up, that is hit (him/her) over and over as hard as one could.	BEAT UP, HIT OVER AND OVER AS HARD AS ONE COULD1 2	
UCD3. Check UF4: Is this respondent the mother or caretaker of any other children under age 5 or a child age 5-14 selected for the questionnaire for children age 5-17?	YES	2 <i>⇒UCD5</i>
UCD4. Check UF4: Has this respondent already responded to the following question (UCD5 or FCD5) for another child?	YES	1 <i>⇒End</i>
UCD5. Do you believe that in order to bring up, raise, or educate a child properly, the child needs to be physically punished?	YES	
	DK / NO OPINION8	

CHILD FUNCTIONING		UCF
UCF1. Check UB2: Child's age?	AGE 0 OR 1	1 <i>⇒End</i>
UCF2. I would like to ask you some questions about difficulties (<i>name</i>) may have.	YES	
Does (name) wear glasses?		
UCF3. Does (name) use a hearing aid?	YES	
UCF4. Does (<i>name</i>) use any equipment or receive assistance for walking?	YES	
UCF5. In the following questions, I will ask you to answer by selecting one of four possible answers. For each question, would you say that (<i>name</i>) has: 1) no difficulty, 2) some difficulty, 3) a lot of difficulty, or 4) that (he/she) cannot at all.		
Repeat the categories during the individual questions whenever the respondent does not use an answer category: Remember the four possible answers: Would you say that (name) has: 1) no difficulty, 2) some difficulty, 3) a lot of difficulty, or 4) that (he/she) cannot at all?		
UCF6. Check UCF2: Child wears glasses?	YES, UCF2=1	1 <i>⇒UCF7A</i> 2 <i>⇒UCF7B</i>
UCF7A . When wearing (his/her) glasses, does (<i>name</i>) have difficulty seeing?	NO DIFFICULTY	
UCF7B . Does (<i>name</i>) have difficulty seeing?	CANNOT SEE AT ALL4	
UCF8. Check UCF3: Child uses a hearing aid?	YES, UCF3=1 1 NO, UCF3=2 2	1 ⇒UCF9A 2 ⇒UCF9B
UCF9A. When using (his/her) hearing aid(s), does (name) have difficulty hearing sounds like peoples' voices or music?UCF9B. Does (name) have difficulty hearing	NO DIFFICULTY	
sounds like peoples' voices or music?		
UCF10. Check UCF4: Child uses equipment or receives assistance for walking?	YES, UCF4=1	1 <i>⇒UCF11</i> 2 <i>⇒UCF13</i>
UCF11. Without (his/her) equipment or assistance, does (<i>name</i>) have difficulty walking?	SOME DIFFICULTY	
UCF12. With (his/her) equipment or assistance, does (<i>name</i>) have difficulty walking?	NO DIFFICULTY	1 <i>⇔UCF14</i> 2 <i>⇔UCF14</i> 3 <i>⇔UCF14</i> 4 <i>⇔UCF14</i>

UCF13. Compared with children of the same age, does (<i>name</i>) have difficulty walking?	NO DIFFICULTY	
UCF14. Compared with children of the same age, does (<i>name</i>) have difficulty picking up small objects with (his/her) hand?	NO DIFFICULTY	
UCF15. Does (name) have difficulty understanding you?	NO DIFFICULTY	
UCF16. When (<i>name</i>) speaks, do you have difficulty understanding (him/her)?	NO DIFFICULTY	
UCF17. Compared with children of the same age, does (<i>name</i>) have difficulty learning things?	NO DIFFICULTY	
UCF18. Compared with children of the same age, does (<i>name</i>) have difficulty playing?	NO DIFFICULTY	
UCF19. The next question has five different options for answers. I am going to read these to you after the question.		
Compared with children of the same age, how much does (<i>name</i>) kick, bite or hit other children or adults?	NOT AT ALL	
Would you say: not at all, less, the same, more or a lot more?	MORE	

BREASTFEEDING AND DIETARY INTAKE					BD
BD1. Check UB2: Child's age?	AGE 0, 1, OR 2			1	
	AGE 3 OR 4			2	2 <i>⇒End</i>
BD2. Has (name) ever been breastfed?	YES				2 ⇔BD3A
	DK			8	8 <i>⇔BD3A</i>
BD3 . Is (<i>name</i>) still being breastfed?	YES				
	DK		•••••	8	
BD3A. Check UB2: Child's age?	AGE 0 OR 1				2 <i>⇒End</i>
BD4 . Yesterday, during the day or night, did (<i>name</i>) drink anything from a bottle with a nipple?	YES NO	•••••		2	
BD5. Did (<i>name</i>) <u>drink Oral Rehydration Salt</u> <u>solution (ORS)</u> yesterday, during the day or night?	YES NO			1	
BD6. Did (name) drink or eat vitamin or mineral supplements or any medicines yesterday, during the day or night?	YES NO DK			1	
BD7 . Now I would like to ask you about all other liquids that (<i>name</i>) may have had yesterday during the day or the night.					
Please include liquids consumed outside of your home.					
Did (<i>name</i>) drink (<i>name of item</i>) yesterday during the day or the night:		YES	NO	DK	
[A] Plain water?	PLAIN WATER	1	2	8	
[B] Juice or juice drinks?	JUICE OR JUICE DRINKS	1	2	8	
[C] Clear broth or clear soup?	CLEAR BROTH OR CLEAR SOUP	1	2	8	
[D] Infant formula, such as BF, Meiji, Lactogen, Cow & Gate, etc?	INFANT FORMULA	1	2 \\ BD7[E]	8 \(\text{BD7[E]} \)	
[D1] How many times did (<i>name</i>) drink infant formula? If 7 or more times, record '7'. If unknown, record '8'.	NUMBER OF TIMES DRANK INFANT FORMULA				
[E] Milk from animals, such as fresh, tinned, or powdered milk?	MILK	1	2 \triangle BD7[X]	8 \(\D7[X] \)	
[E1] How many times did (<i>name</i>) drink milk? If 7 or more times, record '7'. If unknown, record '8'.	NUMBER OF TIMES DRANK MILK				

[X] Any other liquids?	OTHER LIQUIDS	1	2 か BD8	8 公 BD8
[X1] Record all other liquids mentioned.	(Specify)			

BD8. Now I would like to ask you about <u>everything</u> that (*name*) ate yesterday during the day or the night. Please include foods consumed outside of your home.

- Think about when (*name*) woke up yesterday. Did (he/she) eat anything at that time? *If 'Yes' ask:* Please tell me everything (*name*) at at that time. *Probe:* Anything else? *Record answers using the food groups below.*
- What did (*name*) do after that? Did (he/she) eat anything at that time? Repeat this string of questions, recording in the food groups, until the respondent tells you that the child went to sleep until the next morning.

sleep until the next morning.				
For each food group not mentioned after completing the above ask: Just to make sure, did (name) eat (food group items) yesterday during the day or the night		YES	NO	DK
[A] Yogurt made from animal milk? Note that liquid/drinking yogurt should be captured in BD7[E] or BD7[X], depending on milk content.	YOGURT	1	2 \\cdot BD8[B]	8 쇼 BD8[B]
[A1] How many times did (<i>name</i>) eat yogurt? If 7 or more times, record '7'. If unknown, record '8'.	NUMBER OF TIMES ATE YOGURT			
[B] Any baby food, such as Cerelac, etc?	ANYBABY FOOD	1	2	8
[C] Bread, rice, noodles, porridge, or other foods made from grains?	FOODS MADE FROM GRAINS	1	2	8
[D] Pumpkin, carrots, squash, or sweet potatoes that are yellow or orange inside?	PUMPKIN, CARROTS, SQUASH, ETC.	1	2	8
[E] White potatoes, white yams, cassava, or any other foods made from roots?	FOODS MADE FROM ROOTS	1	2	8
[F] Any dark green, leafy vegetables, such as Spinach?	DARK GREEN, LEAFY VEGETABLES	1	2	8
[G] Ripe mangoes, papayas, apricots etc.?	RIPE MANGO, PAPAYA, APRICOT ETC.	1	2	8
[H] Cherry, Lychee, Plum, Watermelon, Corn etc?	CHERRY, LYCHEE, PLUM ETC.	1	2	8
[I] Liver, kidney, heart or other organ meats?	ORGAN MEATS	1	2	8
[J] Any other meat, such as beef, lamb, goat, chicken, duck etc. or sausages made from these meats?	OTHER MEATS	1	2	8
[K] Eggs?	EGGS	1	2	8
[L] Fish or shellfish, either fresh or dried?	FRESH OR DRIED FISH	1	2	8
[M] Beans, peas, lentils or nuts, including any foods made from these?	FOODS MADE FROM BEANS, PEAS, NUTS, ETC.	1	2	8
[N] Cheese or other food made from animal milk?	CHEESE OR OTHER FOOD MADE FROM MILK	1	2	8
[X] Other solid, semi-solid, or soft food?	OTHER SOLID, SEMI- SOLID, OR SOFT FOOD	1	2 か <i>BD</i> 9	8 か <i>BD</i> 9

[X1] Record all other solid, semi-solid, or soft food that do not fit food groups above.	(Specify)	
BD9 . How many times did (<i>name</i>) eat any solid, semi-solid or soft foods yesterday during the day or night?	NUMBER OF TIMES	
If BD8[A] is 'Yes', ensure that the response here includes the number of times recorded for yogurt in BD8[A1].	DK8	
If 7 or more times, record '7'.		

IMMUNISATION										IM
IM1. Check UB2: Child's age?			0, 1, OR 3 OR 4							2 <i>⇔End</i>
IM2. Do you have a Vaccination Calimmunisation records from a prival provider or any other document what vaccinations are written down?	te health	YES, HAS ONLY CARD(S)					1 <i>⇔IM5</i> 3 <i>⇔IM5</i>			
IM3 . Did you ever have a Vaccination immunisation records from a privation provider for (<i>name</i>)?										
IM4. Check IM2:		HAS	ONLY (NO CA CUMEN	RDS Al	ND NO	OTHE	R			2 <i>⇔IM11</i>
IM5. May I see the card(s) (and/or) of	other document?	YES, YES, OTI NO C	ONLY ONLY CARD(HER DO ARDS A OTHER	OTHER S) ANI CUME AND	R DOCU D ENT SE	JMENT	Γ SEEN	N	2	4 <i>⇔IM11</i>
IM6.										
(a) Copy dates for each vaccination documents.(b) Write '44' in day column if documents that vaccination was given but no design.	ments show	DATE OF IMMUNISATION DAY MONTH YEAR								
BCG	BCG					2	0	1		
Polio (OPV) (at birth)	OPV0					2	0	1		
Polio (OPV) 1	OPV1					2	0	1		
Polio (OPV) 2	OPV2					2	0	1		
Polio (OPV) 3	OPV3					2	0	1		
Polio (IPV)	IPV					2	0	1		
Pentavalent (DPTHibHepB) 1	Penta1					2	0	1		
Pentavalent (DPTHibHepB) 2	Penta2					2	0	1		
Pentavalent (DPTHibHepB) 3	Penta3					2	0	1		
Pneumococcal (Conjugate) 1	PCV1					2	0	1		
Pneumococcal (Conjugate) 2	PCV2					2	0	1		
Pneumococcal (Conjugate) 3	PCV3					2	0	1		
Measles-I	Measles-I					2	0	1		

IM7. Check IM6: Are all vaccines (BCG to Measles-II) recorded?	YES1 NO2	1 <i>⇒End</i>
IM8 . Did (<i>name</i>) participate in any of the previous polio campaigns?	YES 1 NO 2 DK 8	
IM9. In addition to what is recorded on the document(s) you have shown me, did (name) receive any other vaccinations including vaccinations received during the campaigns, immunisation days or child health days just mentioned?	YES	2 <i>⇔End</i> 8 <i>⇔End</i>
IM10. Go back to IM6 and probe for these vaccinations. Record '66' in the corresponding day column for each vaccine received. For each vaccination not received record '00' in day column. When finished, go to End of module.		⇔End
IM11 . Has (<i>name</i>) ever received any vaccinations to prevent (him/her) from getting diseases, including vaccinations received in a campaign, immunisation day or child health day?	YES 1 NO 2 DK 8	
IM12. Did (<i>name</i>) participate in any of the previous polio campaigns?	YES 1 NO 2 DK 8	
IM13. Check IM11 and IM12:	ALL NO OR DK	1 <i>⇒End</i>
IM14 . Has (<i>name</i>) ever received a BCG vaccination against tuberculosis – that is, an injection in the arm or shoulder that usually causes a scar?	YES 1 NO 2 DK 8	
IM16. Has (<i>name</i>) ever received any vaccination drops in the mouth to protect (him/her) from polio?	YES 1 NO 2 DK 8	2 <i>⇒IM</i> 20 8 <i>⇒IM</i> 20
Probe by indicating that the first drop is usually given at birth and later at the same time as injections to prevent other diseases.		
IM17. Were the first polio drops received in the first two weeks after birth?	YES	
IM18. How many times were the polio drops received?	NUMBER OF TIMES	

YES	
DK8	
YES	2 <i>⇒IM</i> 22
DK8	8 <i>⇔IM</i> 22
NUMBER OF TIMES8	
YES	2 <i>⇔IM</i> 26 8 <i>⇔IM</i> 26
NUMBER OF TIMES	
YES	2 <i>⇒End</i>
DK8	8 <i>⇔End</i>
NUMBER OF TIMES	
	NO 2 DK 8 YES 1 NO 2 DK 8 YES 1 NO 2 DK 8 YES 1 NUMBER OF TIMES DK 8 YES 1 NO 2 DK 8 YES 1 NO 2 DK 8

VITAMIN A SUPPLIMENTATION VS		
VS1. Has (name) received a vitamin a dose like (this/any of these) within the last 6 months?	YES	
Show common types of ampoules/capsules	DK	

CARE OF ILLNESS		CA
CA1. In the last two weeks, has (<i>name</i>) had	YES1	
diarrhoea?	NO2	2 <i>⇒CA14</i>
	DK8	8 <i>⇒CA14</i>
CA2. Check BD3: Is child still breastfeeding?	YES OR BLANK, BD3=1 OR BLANK1	1 <i>⇒CA3A</i>
	NO OR DK, BD3=2 OR 82	2 ⇔CA3B
CA3A. I would like to know how much (name) was		
given to drink during the diarrhoea. This includes	MUCH LESS1	
breastmilk, Oral Rehydration Salt solution (ORS)	SOMEWHAT LESS2	
and other liquids given with medicine.	ABOUT THE SAME3	
	MORE4	
During the time (<i>name</i>) had diarrhoea, was (he/she)	NOTHING TO DRINK5	
given less than usual to drink, about the same		
amount, or more than usual?	DK8	
70/1		
If 'less', probe:		
Was (he/she) given much less than usual to drink, or somewhat less?		
CA3B . I would like to know how much (<i>name</i>) was		
given to drink during the diarrhoea. This includes		
Oral Rehydration Salt solution (ORS) and other		
liquids given with medicine.		
During the time (many) had disculate a sure (he/sha)		
During the time (<i>name</i>) had diarrhoea, was (he/she)		
given less than usual to drink, about the same		
amount, or more than usual?		
If 'less', probe:		
Was (he/she) given much less than usual to drink, or		
somewhat less?		
CA4 . During the time (<i>name</i>) had diarrhoea, was	MUCH LESS1	
(he/she) given less than usual to eat, about the same	SOMEWHAT LESS2	
amount, more than usual, or nothing to eat?	ABOUT THE SAME3	
-	MORE4	
If 'less', probe:	STOPPED FOOD5	
Was (he/she) given much less than usual to eat or	NEVER GAVE FOOD7	
somewhat less?		
	DK8	
CA5. Did you seek any advice or treatment for the	YES	
diarrhoea from any source?	NO2	2 <i>⇒CA7</i>
	DV.	0 1917
	DK8	8 <i>⇒</i> CA7

CA6. Where did you seek advice or treatment?	PUBLIC MEDICAL SECTOR	
	GOVERNMENT HOSPITALA	
Probe: Anywhere else?	GOVERNMENT HEALTH CENTRE B	
	GOVERNMENT HEALTH POST /	
Record all providers mentioned, but do not prompt	DISPENSARYC	
with any suggestions.	LADY HEALTH WORKER (LHW)D	
	MOBILE / OUTREACH CLINICE	
Probe to identify each type of provider.	OTHER PUBLIC MEDICAL	
	(specify)H	
If unable to determine if public or private sector,		
write the name of the place and then temporarily	PRIVATE MEDICAL SECTOR	
record ' X ' until you learn the appropriate category	PRIVATE HOSPITAL / CLINICI	
for the response.	PRIVATE PHYSICIANJ	
	PRIVATE PHARMACYK	
	MOBILE CLINICM	
	OTHER PRIVATE MEDICAL	
(Name of place)	(specify)O	
	OTHER SOURCE	
	RELATIVE / FRIENDP	
	SHOP / MARKET / STREETQ	
	TRADITIONAL PRACTITIONERR	
	OTHER (specify)X	
CA7 . During the time (<i>name</i>) had diarrhoea, was		
(he/she) given:	Y N DK	
[A] A fluid made from a special packet called	FLUID FROM ORS PACKET 1 2 8	
ORS Packet?		
[B] A pre-packaged ORS fluid?	PRE-PACKAGED ORS FLUID 1 2 8	
[2] The parameter of the final and the first of the first		
[C] Zinc tablets or syrup?	ZINC TABLETS OR SYRUP 1 2 8	
[e] Zine tublets of Syrup.		
[D] Homemade fluid (Government recommended)?	HOMEMADE FLUID1 2 8	
CA8. Check CA7[A] and CA7[B]: Was child given	YES, YES IN CA7[A] OR CA7[B]1	
any ORS?	No alor of this	
	NO, 'NO' OR 'DK'	2 1 5 1 5
	IN BOTH CA7[A] AND CA7[B]2	2 <i>⇒</i> CA10

CA9. Where did you get the (ORS mentioned in	PUBLIC MEDICAL SECTOR	
CA7[A] and/or CA7[B])?	GOVERNMENT HOSPITAL A	
	GOVERNMENT HEALTH CENTRE B	
Probe to identify the type of source.	GOVERNMENT HEALTH POST /	
	DISPENSARYC	
If 'Already had at home', probe to learn if the	LADY HEALTH WORKER (LHW)D	
source is known.	MOBILE / OUTREACH CLINICE	
	OTHER PUBLIC MEDICAL	
If unable to determine whether public or private,	(specify)H	
write the name of the place and then temporarily		
record 'X' until you learn the appropriate category	PRIVATE MEDICAL SECTOR	
for the response.	PRIVATE HOSPITAL / CLINICI	
J	PRIVATE PHYSICIANJ	
	PRIVATE PHARMACYK	
	MOBILE CLINICM	
(Name of place)	OTHER PRIVATE MEDICAL	
(J F)	(<i>specify</i>)O	
	(T + 95)	
	OTHER SOURCE	
	RELATIVE / FRIENDP	
	SHOP / MARKET / STREET Q	
	TRADITIONAL PRACTITIONERR	
	OTHER (specify)X	
	DK / DON'T REMEMBERZ	
0140 at 1 at Francis 1111	VEG CAZIOL 1	
CA10. Check CA7[C]: Was child given any zinc?	YES, CA/ C =1	
CA10 . Check CA7[C]: Was child given any zinc?	YES, CA7[C]=1	2 <i>⇒</i> CA12
	NO, CA7[C] ≠12	2 <i>⇒</i> CA12
CA11. Where did you get the zinc?	NO, CA7[C] ≠12 PUBLIC MEDICAL SECTOR	2 <i>⇒CA12</i>
CA11. Where did you get the zinc?	NO, CA7[C] ≠12 PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇒CA12</i>
	NO, CA7[C] ≠12 PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITALA GOVERNMENT HEALTH CENTREB	2 <i>⇔CA12</i>
CA11. Where did you get the zinc? Probe to identify the type of source.	NO, CA7[C] ≠1	2 <i>⇒CA12</i>
CA11. Where did you get the zinc? Probe to identify the type of source. If 'Already had at home', probe to learn if the	NO, CA7[C] ≠1	2 <i>⇒CA12</i>
CA11. Where did you get the zinc? Probe to identify the type of source.	NO, CA7[C] ≠1	2 <i>⇒CA12</i>
CA11. Where did you get the zinc? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known.	NO, CA7[C] ≠1	2 <i>⇔CA12</i>
CA11. Where did you get the zinc? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private,	NO, CA7[C] ≠1	2 <i>⇒CA12</i>
CA11. Where did you get the zinc? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily	NO, CA7[C] ≠1	2 <i>⇒CA12</i>
CA11. Where did you get the zinc? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category	NO, CA7[C] ≠1	2 <i>⇔CA12</i>
CA11. Where did you get the zinc? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily	NO, CA7[C] ≠1	2 <i>⇔CA12</i>
CA11. Where did you get the zinc? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category	NO, CA7[C] ≠1	2 <i>⇒CA12</i>
CA11. Where did you get the zinc? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category	NO, CA7[C] ≠1	2 <i>⇔CA12</i>
CA11. Where did you get the zinc? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	NO, CA7[C] ≠1	2 <i>⇔CA12</i>
CA11. Where did you get the zinc? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category	NO, CA7[C] ≠1	2 ⇔CA12
CA11. Where did you get the zinc? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	NO, CA7[C] ≠1	2 <i>⇔CA12</i>
CA11. Where did you get the zinc? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	NO, CA7[C] ≠1	2 ⇔CA12
CA11. Where did you get the zinc? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	NO, CA7[C] ≠1	2 ⇔CA12
CA11. Where did you get the zinc? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	NO, CA7[C] ≠1	2 <i>⇔CA12</i>
CA11. Where did you get the zinc? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	NO, CA7[C] ≠1	2 <i>⇔CA12</i>
CA11. Where did you get the zinc? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	NO, CA7[C] ≠1	2 <i>⇔CA12</i>
CA11. Where did you get the zinc? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	NO, CA7[C] ≠1	2 ⇔CA12
CA11. Where did you get the zinc? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	NO, CA7[C] ≠1	2 ⇔CA12

CA12 . Was anything else given to treat the diarrhoea?	YES	
CATE. Was anything else given to treat the tharmoet.	NO	2 <i>⇒CA14</i>
	_	2 * 6.11 *
	DK8	8 <i>⇔CA14</i>
CA13. What else was given to treat the diarrhoea?	PILL OR SYRUP	
, and the second	ANTIBIOTICA	
Probe:	ANTIMOTILITY (ANTI-DIARRHOEA) B	
Anything else?	OTHER PILL OR SYRUPG	
	UNKNOWN PILL OR SYRUPH	
Record all treatments given. Write brand name(s) of		
all medicines mentioned.	INJECTION	
	ANTIBIOTICL	
	NON-ANTIBIOTIC M	
	UNKNOWN INJECTIONN	
(Name of brand)		
	INTRAVENOUS (IV)O	
(Name of brand)	HOME REMEDY /	
, ,	HERBAL MEDICINEQ	
	OTHER (specify)X	
CA14 . At any time in the last two weeks, has (<i>name</i>)	YES	
been ill with a fever?	NO2	2 <i>⇒</i> CA16
	DK8	8 <i>⇔CA16</i>
CA15. At any time during the illness, did (<i>name</i>)	YES1	
have blood taken from (his/her) finger or heel for testing?	NO2	
	DK8	
CA16 . At any time in the last two weeks, has (<i>name</i>)	YES1	
had an illness with a cough?	NO2	
	DK8	
CA17 . At any time in the last two weeks, has (<i>name</i>)	YES1	
had fast, short, rapid breaths or difficulty breathing?	NO2	2 <i>⇒</i> CA19
	DK8	8 <i>⇔CA19</i>
CA18. Was the fast or difficult breathing due to a	PROBLEM IN CHEST ONLY1	1 <i>⇒</i> CA20
problem in the chest or a blocked or runny nose?	BLOCKED OR RUNNY NOSE ONLY2	2 <i>⇒</i> CA20
	BOTH3	3 <i>⇔CA20</i>
	OTHER (specify)6	6 <i>⇔CA20</i>
	DK	8 ⇒ CA20
CA19. Check CA14: Did child have fever?	YES, CA14=1 1	
CA19. Check CA14. Dia chiia nave jever:	NO OR DK, CA14=2 OR 8	2 <i>⇒CA30</i>
CA20. Did you seek any advice or treatment for the	YES	
illness from any source?	NO2	2 <i>⇒</i> CA22
	DK8	8 <i>⇒CA22</i>

CA21 . From where did you seek advice or treatment?	PUBLIC MEDICAL SECTOR	
	GOVERNMENT HOSPITALA	
Probe: Anywhere else?	GOVERNMENT HEALTH CENTRE B	
	GOVERNMENT HEALTH POST /	
Record all providers mentioned, but do not prompt	DISPENSARYC	
with any suggestions.	LADY HEALTH WORKER (LHW)D	
	MOBILE / OUTREACH CLINICE	
Probe to identify each type of provider.	OTHER PUBLIC MEDICAL	
	(specify)H	
If unable to determine if public or private sector,		
write the name of the place and then temporarily	PRIVATE MEDICAL SECTOR	
record 'X' until you learn the appropriate category	PRIVATE HOSPITAL / CLINICI	
for the response.	PRIVATE PHYSICIANJ	
	PRIVATE PHARMACYK	
	MOBILE CLINICM	
	OTHER PRIVATE MEDICAL	
(Name of place)	(specify)O	
	OTHER SOURCE	
	RELATIVE / FRIENDP	
	SHOP / MARKET / STREET Q	
	TRADITIONAL PRACTITIONERR	
	OTHER (specify)X	
CA22. At any time during the illness, was (name)	YES1	
given any medicine for the illness?	NO2	2 <i>⇒CA30</i>
	DK8	8 <i>⇔CA30</i>

CA23. What medicine was (name) given?	ANTI-MALARIALS	
	ARTEMISININ COMBINATION	
Probe:	THERAPY (ACT)A	
Any other medicine?	SP / FANSIDAR B	
	CHLOROQUINEC	
Record all medicines given.	AMODIAQUINED	
	QUININE	
If unable to determine type of medicine, write the	PILLSE	
brand name and then temporarily record 'X' until	INJECTION/IVF	
you learn the appropriate category for the response.	ARTESUNATE	
	RECTALG	
	INJECTION/IVH	
	OTHER ANTI-MALARIAL	
(Name of brand)	(specify) K	
	ANTIBIOTICS	
(Name of brand)	AMOXICILLINL	
	COTRIMOXAZOLEM	
	OTHER ANTIBIOTIC	
	PILL/SYRUPN	
	OTHER ANTIBIOTIC	
	INJECTION/IVO	
	OTHER MEDICATIONS	
	PARACETAMOL/PANADOL/	
	ACETAMINOPHENR	
	ASPIRINS	
	IBUPROFENT	
	OTHER (specify)X	
	DKZ	
CA24. Check CA23: Antibiotics mentioned?	YES, ANTIBIOTICS MENTIONED,	
Show Silbs immorates memorial.	CA23=L-O	
	NO, ANTIBIOTICS NOT MENTIONED2	2 <i>⇒</i> CA26
	1,0,11,11DIOTICOTIOTIMENTIONED	2 , 0/120

CA25. Where did you get the (name of medicine	PUBLIC MEDICAL SECTOR	
from CA23, codes L to O)?	GOVERNMENT HOSPITAL A	
	GOVERNMENT HEALTH CENTRE B	
Probe to identify the type of source.	GOVERNMENT HEALTH POST /	
	DISPENSARYC	
If 'Already had at home', probe to learn if the	LADY HEALTH WORKER (LHW)D	
source is known.	MOBILE / OUTREACH CLINICE	
	OTHER PUBLIC MEDICAL	
If unable to determine whether public or private,	(specify)H	
write the name of the place and then temporarily		
record 'X' until you learn the appropriate category	PRIVATE MEDICAL SECTOR	
for the response.	PRIVATE HOSPITAL / CLINICI	
	PRIVATE PHYSICIANJ	
	PRIVATE PHARMACYK	
	MOBILE CLINICM	
(Name of place)	OTHER PRIVATE MEDICAL	
	(specify)O	
	OTHER SOURCE	
	RELATIVE / FRIENDP	
	SHOP / MARKET / STREETQ	
	TRADITIONAL PRACTITIONERR	
	OTHER (specify)X	
	DK / DON'T REMEMBERZ	
CA26. Check CA23: Anti-malarials mentioned?	YES, ANTI-MALARIALS MENTIONED,	
	CA23=A-K1	
	I NO ANTIMALADIALENOT	
	NO, ANTI-MALARIALS NOT MENTIONED 2	2.5≥CA30
	MENTIONED 2	2 <i>⇔CA30</i>
CA27. Where did you get the (name of medicine	MENTIONED2 PUBLIC MEDICAL SECTOR	2 <i>⇒CA30</i>
CA27. Where did you get the (name of medicine from CA23, codes A to K)?	MENTIONED	2 <i>⇒CA30</i>
from CA23, codes A to K)?	MENTIONED2 PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL A GOVERNMENT HEALTH CENTRE B	2 <i>⇒CA30</i>
	MENTIONED 2 PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL A GOVERNMENT HEALTH CENTRE B GOVERNMENT HEALTH POST /	2 <i>⇒CA30</i>
from CA23, codes A to K)? Probe to identify the type of source.	MENTIONED	2 <i>⇒CA30</i>
from CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the	MENTIONED	2 <i>⇒CA30</i>
from CA23, codes A to K)? Probe to identify the type of source.	MENTIONED 2 PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL A GOVERNMENT HEALTH CENTRE B GOVERNMENT HEALTH POST / DISPENSARY C LADY HEALTH WORKER (LHW) D MOBILE / OUTREACH CLINIC E	2 <i>⇒</i> CA30
from CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known.	MENTIONED	2 <i>⇒</i> CA30
from CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private,	MENTIONED 2 PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL A GOVERNMENT HEALTH CENTRE B GOVERNMENT HEALTH POST / DISPENSARY C LADY HEALTH WORKER (LHW) D MOBILE / OUTREACH CLINIC E	2 <i>⇔CA30</i>
from CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily	MENTIONED	2 ⇔CA30
from CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private,	MENTIONED 2 PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL A GOVERNMENT HEALTH CENTRE B GOVERNMENT HEALTH POST / DISPENSARY C LADY HEALTH WORKER (LHW) D MOBILE / OUTREACH CLINIC E OTHER PUBLIC MEDICAL (specify) H PRIVATE MEDICAL SECTOR	2 <i>⇒CA30</i>
from CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category	MENTIONED	2 <i>⇔CA30</i>
from CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category	MENTIONED	2 <i>⇒</i> CA30
from CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇒</i> CA30
from CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇔CA30</i>
from CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇔CA30</i>
from CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇒CA30</i>
from CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇔CA30</i>
from CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇔CA30</i>
from CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇔CA30</i>
from CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇒CA30</i>
from CA23, codes A to K)? Probe to identify the type of source. If 'Already had at home', probe to learn if the source is known. If unable to determine whether public or private, write the name of the place and then temporarily record 'X' until you learn the appropriate category for the response.	PUBLIC MEDICAL SECTOR GOVERNMENT HOSPITAL	2 <i>⇔CA30</i>

CA28. Check CA23: More than one antimalarial recorded in codes A to K?	YES, MULTIPLE ANTI-MALARIALS MENTIONED	1 <i>⇒CA29A</i> 2 <i>⇒CA29B</i>
CA29A. How long after the fever started did (name) first take the first of the (name all anti-malarials recorded in CA23, codes A to K)? CA29B. How long after the fever started did (name) first take (name of anti-malarial from CA23, codes	SAME DAY 0 NEXT DAY 1 2 DAYS AFTER FEVER STARTED 2 3 OR MORE DAYS AFTER FEVER STARTED 3	
A to K)? CA30. Check UB2: Child's age?	DK	2 <i>⇒End</i>
CA31. The last time (name) passed stools, what was done to dispose of the stools?	CHILD USED TOILET / LATRINE	

UF11. Record the time.	HOURS AND MINUTES: ::::	
UF12. Language of the Questionnaire.	ENGLISH	
UF13. Language of the Interview.	URDU 2 BALOCHI 3 BRAHIVI 4 PUSHTO 5 PUNJABI 6 DARI/FARSI 7 OTHER LANGUAGE 96	
UF14. Native language of the Respondent.	URDU 2 BALOCHI 3 BRAHIVI 4 PUSHTO 5 PUNJABI 6 DARI/FARSI 7 OTHER LANGUAGE 96	
UF15 . Was a translator used for any parts of this questionnaire?	YES, THE ENTIRE QUESTIONNAIRE	
a colleague will come to lead the measurement. Issue the Information Panel on that Form. Check columns HL10 and HL20 in LIST OF HOUSEHOR respondent the mother or caretaker of another child ag □ Yes ⇒ Go to UF17 on the UNDER-FIVE INFORM QUESTIONNAIRE FOR CHILDREN UNDER □ No ⇒ Check HL6 and column HL20 in LIST OF HOUSETIONNAIRE: Is the respondent the machildren Age 5-17 in this household?	ATION PANEL and record '01'. Then go to the next ER FIVE to be administered to the same respondent. IOUSEHOLD MEMBERS, HOUSEHOLD other or caretaker of a child age 5-17 selected for Question EINFORMATION PANEL and record '01'. Then go to the	d complete e nnaire for
\square No \Rightarrow Go to UF17 on the UNDER-FIVE	REN AGE 5-17 to be administered to the same respondent. E INFORMATION PANEL and record '01'. Then end the thanking her/him for her/his cooperation. Check to see if this tered in this household.	

INTERVIEWER'S OBSERVATIONS	
SUPERVISOR'S OBSERVATIONS	
SCIERVISOR S OBSERVATIONS	

ANTHROPOMETRY MODULE INFORMATION PANEL AN	
AN1. Cluster number:	AN2. Household number:
AN3. Child's name and line number:	AN4. Child's age from UB2:
NAME	AGE (IN COMPLETED YEARS)
AN5. Mother's / Caretaker's name and line number:	AN6. Interviewer's name and number:
NAME	NAME

ANTHROPOMETRY		
AN7. Measurer's name and number:	NAME	
AN8. Record the result of weight measurement as read out by the Measurer:	KILOGRAMS (KG)	
Read the record back to the Measurer and also ensure that he/she verifies your record.	CHILD NOT PRESENT	99.3 \$\Rightarrow AN13 99.4 \$\Rightarrow AN10 99.5 \$\Rightarrow AN10
AN9. Was the child undressed to the minimum?	YES	99.6 <i>⇒</i> AN10
AN10. Check AN4: Child's age?	AGE 0 OR 1	1 <i>⇔</i> AN11A 2 <i>⇔</i> AN11B
AN11A. The child is less than 2 years old and should be measured lying down. Record the result of length measurement as read out by the Measurer: Read the record back to the Measurer and also ensure that he/she verifies your record. AN11B. The child is at least 2 years old and should be measured standing up. Record the result of height measurement as read out by the Measurer: Read the record back to the Measurer and also	LENGTH / HEIGHT (CM)	999.4 <i>⇔AN13</i> 999.5 <i>⇔AN13</i> 999.6 <i>⇔AN13</i>
ensure that he/she verifies your record. AN12. How was the child actually measured? Lying	LYING DOWN1	
down or standing up? AN13. Today's date: Day / Month / Year: /	STANDING UP2	
AN14. Is there another child under age 5 in the household who has not yet been measured?	YES	1 <i>⇒Next</i> Child
AN15. Thank the respondent for his/her cooperation and all the measurements in this household.	l inform your Supervisor that the Measurer and you hav	e completed

INTERVIEWER'S OBSERVATIONS FOR ANTHROPOMETRY MODULE
MEASURER'S OBSERVATIONS FOR ANTHROPOMETRY MODULE
SUPERVISOR'S OBSERVATIONS FOR ANTHROPOMETRY MODULE