SOUTH SUDAN HOUSEHOLD HEALTH SECOND SURVEY 2010

QUESTIONNAIRE FOR CHILDREN UNDER FIVE

UNDER-FIVE CHILD INFORMATION PANEL	UF
This questionnaire is to be administered to all mothers or caretakers (see household listing, column HL9) who care for a child that lives with them and that is under the age of 5 years (see household listing, column HL9). A separate questionnaire should be used for each eligible child. Fill in the cluster and household number, and names and line numbers of the child and the mother/caretaker in the space below. Insert your own name and number, and the date.	
UF0. CODES OF :	
UF1.: Cluster Number	
UF3. Child's Name :	F4.Child's Line Number
UF5. Mother's/Caretaker's Name	UF6.Mother's/Caretaker's Line Number (from HL1)
UF7. Interviewer Name and Number:	UF8. Day/Month/Year of interview

Repeat greeting if not already read to this respondent:

We are from the Sudan Household Health Survey 2nd round which is concerned with family health and socioeconomic indicators. I would like to talk to you about this. The interview will take about 30 minutes. All the information we obtain will remain strictly confidential and your answers will never be identified.

May I start now?

 \Box Yes, Permission is given \Rightarrow GO to UF12 to record the time and then begin the interview.

□ No, permission is not given ⇔Complete UF9. Discuss this result with your supervisor

UF9. Result of interview for children under 5 Codes refer to mother/caretaker. <i>Circle the appropriate code</i> <u>First visit</u> Completed1 Not at home2 Refused3 Partly completed4 Incapacitated5 Other(<i>SPECIFY</i>)6	UF9a. Result of children under 5 Codes refer to mother/caretake <i>Circle the appropried</i> <u>Second visit</u> Completed Not at home Refused Partly completed Incapacitated Other(<i>SPECIFY</i>)	r. <i>riate code</i> 1 2 3 I4 5	UF9b. Result of interview for children under 5 Codes refer to mother/caretaker. <i>Circle the appropriate code</i> <u>Third visit</u> Completed1 Not at home2 Refused3 Partly completed4 Incapacitated5 Other(<i>SPECIFY</i>)6
UF10. Field edited by (Name and number): Name		UF11. Data entr	y clerk (Name and number):

UF12. RECORD THE TIME

Hour and minutes

___:___

AGE AG		
AG1. Now I would like to ask you some	Date of birth:	
QUESTIONS ABOUT THE HEALTH OF EACH CHILD UNDER THE AGE OF 5 IN YOUR CARE,	Day	
AND WHO LIVES WITH YOU NOW. NOW I WANT TO ASK YOU ABOUT (name).	DK day98	
IN WHAT MONTH AND YEAR WAS (<i>name</i>) BORN? <i>Probe:</i> WHAT IS HIS/HER DATE OF BIRTH?	Month	
If the mother/caretaker knows the exact birth date, also enter the day; otherwise, circle 98 for day. Month and Year should be recorded	Year	
AG2. How OLD IS (name) NOW?	Age in completed years	
<i>Probe</i> : HOW OLD WAS (<i>name</i>) AT HIS / HER LAST BIRTHDAY?	Age in completed months	
Record age in completed years and months.		
Record '0' if less than 1 year.		
<i>Compare and correct AG1 and/or AG2 if inconsistent.</i>		

BIRTH REGISTRATION MODULE		BR
BR1. DOES (<i>name</i>)HAVE A BIRTH CERTIFICATE?	Yes, seen	1 ⇔EC 2 ⇔EC
MAY I SEE IT?	DK 8	
BR2. HAS (<i>name</i>)'S BIRTH BEEN REGISTERED?	Yes1 No2	1 ⇔EC
	DK8	
BR3. Do you know how to register Your child's birth?	Yes1 No2	2 ⇔EC
BR4. WHY DOES (<i>name</i>)NOT HAVE A BIRTH CERTIFICATE?	Costs too much1Must travel too far.2Did not know child should have birth certificate3Did not want to pay fine4Does not know where to get5birth certificate5Other(specify)6DK.8	

EARLY CHILDHOOD DEVELOPMENTEC

EC4. Check AG2: Age of child

 \Box Child age 3 or 4 \Rightarrow Continue with EC5

$\Box \quad \text{CHILD AGE 0, 1 OR 2} \Rightarrow \text{GO TO NEXT MODULE}$

EC5. DOES (<i>name</i>) ATTEND ANY ORGANIZED LEARNING OR EARLY CHILDHOOD EDUCATION PROGRAMME, SUCH AS A PRIVATE OR GOVERNMENT FACILITY, INCLUDING KINDERGARTEN OR COMMUNITY CHILD CARE?	Yes1 No2 DK8	2 ⇔Next Module 8 ⇔NextModule
EC6. WITHIN THE LAST WEEK OF THE LAST SCHOOL YEAR (2009-2010), ABOUT HOW MANY DAYS DID (<i>name</i>) ATTEND?	Number of days	

CA1. HAS (name) HAD DIARRHOEA IN THE LAST TWO WEEKS, THAT IS, SINCE (day of the week) OF THE WEEK BEFORE LAST? Yes	CARE FOR ILLNESS MODULE		CA
OF THE WEEK BEFORE LAST? No 2 2⇒CA7 Diarrhoea is determined as perceived by mother or caretaker, or as more than usual/loose or watery stools per day, or blood in stool. DK 8⇒CA7 CA1a. Did YOU SEEK ADVICE OR TREATMENT FOR THE ILLNESS FROM ANY SOURCE? Yes 1 No		Yes1	
caretaker, or as more than usual/loose or watery stools per day, or blood in stool. Yes1 CA1A. Did You SEEK Advice or TREATMENT FOR THE ILLNESS FROM ANY SOURCE? Yes1 No No DK		No2	2⇔CA7
CA1a. Did you seek advice or treatment for THE ILLNESS FROM ANY SOURCE? No 2⇒CA2 DK 8⇒CA2 CA1b. FROM WHERE DID YOU SEEK CARE (ADVICE OR TREATMENT? Public sector: Govt. hospital. A Govt. hospital. A Govt. health centre. B Govt. health worker. Probe: ANYWHERE ELSE? Willage health worker. D Mobile/outreach clinic. E Other public sector: Circle all providers mentioned, but do NOT prompt with any suggestions. Private medical sector: F Private medical sector: Private hospital/clinic. G Private pharmacy I Mobile clinic (private) If unable to determine if public or private sector, write the name of the place. Other source: Religious healer L Traditional healer	caretaker, or as more than usual/loose or watery	DK8	8⇔CA7
THE ILLNESS FROM ANY SOURCE? No 2⇒CA2 DK B⇒CA2 CA1B. FROM WHERE DID YOU SEEK CARE (ADVICE OR TREATMENT? Govt. hospital		Yes1	
CA1B. FROM WHERE DID YOU SEEK CARE (ADVICE OR TREATMENT? Public sector: Govt. hospital		No2	2⇒CA2
CA1B. FROM WHERE DID YOU SEEK CARE (ADVICE OR TREATMENT? Govt. hospital		DK8	8⇒CA2
OR TREATMENT? Govt. health centre		Public sector:	
OR TREATMENT? Govt. health centre	CA1B. FROM WHERE DID YOU SEEK CARE (ADVICE	Govt. hospital A	
Probe: ANYWHERE ELSE? Village health worker	OR TREATMENT?		
Probe: ANYWHERE ELSE? Village health worker		Govt. health Unit C	
Circle all providers mentioned, but do NOT prompt with any suggestions. Mobile/outreach clinic	Probe: ANYWHERE ELSE?	Village health workerD	
Circle all providers mentioned, but do NOT prompt with any suggestions. Other public sector(specify)F Private medical sector: Private medical sector: Private hospital/clinicG Private medical sector: Private physicianH If unable to determine if public or private sector, write the name of the place. Other source: Religious healer			
but do NOT prompt with any suggestions. Probe to identify the type of source and circle the appropriate code. If unable to determine if public or private sector, write the name of the place. Private pharmacy	Circle all providers mentioned.		
Private medical sector: Probe to identify the type of source and circle the appropriate code. If unable to determine if public or private sector, write the name of the place. Other source: Religious healer Religious healer Main Private or friend			
Probe to identify the type of source and circle the appropriate code. Private physician		Private medical sector:	
Probe to identify the type of source and circle the appropriate code. Private physician		Private hospital/clinicG	
appropriate code. Private pharmacyI If unable to determine if public or private sector, write the name of the place. Mobile clinic (private)J Other source: Religious healerL Traditional healerM M Relative or friendN N	Probe to identify the type of source and circle the		
If unable to determine if public or private sector, write the name of the place. Mobile clinic (private)J Other private sector(specify)K Other source: Religious healerL Traditional healerM Relative or friendN			
If unable to determine if public or private sector, write the name of the place. Other private sector(specify)K Other source: Religious healerL Traditional healerM Relative or friendN			
Sector, write the name of the place. Other source: Religious healerL Traditional healerM Relative or friendN	If unable to determine if public or private		
Other source: Religious healerL Traditional healerM Relative or friendN	• • • •		
Traditional healer		Other source:	
Traditional healer		Religious healerL	
(Name of place) Other (specify)X		Relative or friendN	
	(Name of place)	Other (specify)X	
	(···· ··· ·· ·· ·· ·· · · · · · · · ·		

	less then your	
CA2. I WOULD LIKE TO KNOW HOW MUCH (name)	less than usual1	
WAS GIVEN TO DRINK DURING THE DIARRHOEA	About the same3	
(INCLUDING BREASTMILK).	Morethan usual	
	Nothing to drink5	
DURING THE TIME (<i>name</i>) HAD DIARRHOEA,		
WAS HE/SHE GIVEN LESS THAN USUAL TO	DK8	
DRINK, ABOUT THE SAME AMOUNT, OR MORE		
THAN USUAL?	less than usual1	
CA3. DURING THE TIME (<i>name</i>) HAD DIARRHOEA,		
WAS HE/SHE GIVEN LESS THAN USUAL TO EAT,	About the same3	
ABOUT THE SAME AMOUNT, MORE THAN USUAL,	Morethan usual4	
OR NOTHING TO EAT?	Stopped food5	
	Exclusively breast fed6	
	DK8	
CA4. DURING THIS LAST EPISODE OF DIARRHEA,		
WAS (<i>name</i>) GIVEN TO DRINK ANY OF THE	CA4A. Fluid from ORS packet	
FOLLOWING:	Yes1	1 ⇔CA4c
	No2	1 ⇒CA4C 2⇒CA5
Read each item aloud and record response before	DK8	2⇒CA5 8 ⇔CA5
proceeding to the next item. CA 4a. A FLUID MADE FROM A SPECIAL PACKET	CA4B. Homemade fluid	
CALLED ORS (ORADEX)?	Yes1	
CA 4B. RECOMMENDED HOMEMADE FLUID?	No2	ר I
	DK8	⊳CA5
		J
	Public sector:	-
CA4C. FROM WHERE DID YOU GET THE FLUID MADE FROM A SPECIAL PACKET CALLED ORS	Govt. hospital A Govt. health centre B	
(ORADEX)? <i>Probe</i> : ANYWHERE ELSE?	Govt. PHC unit	
	Community health workerD	
Circle all providers mentioned,	Mobile/outreach clinic E	
but do NOT prompt with any suggestions.	Other public sector(<i>specify</i>)F	
	Private medical sector:	
<i>Probe to identify the type of source and circle the</i>	Private hospital/clinicG	
appropriate code.	Private physicianH	
	Private pharmacyI	
If unable to determine if public or private	Mobile clinic (private)J	
sector, write the name of the place.	Other private sector(<i>specify</i>)K	
	Other source:	
	Relative or friendN	
	Other(specify)X	
(Name of place)		
	Yes1	
CA5. WAS ANYTHING (ELSE) GIVEN TO TREAT THE	No	2⇔CA7
DIARRHOEA?	DK8	8⇔CA7

	Pill or Syrup	
CA6. WHAT (ELSE) WAS GIVEN TO TREAT THE	Antibiotic A	
DIARRHOEA?	AntimotilityB	
Probe:	ZincC Other (Not antibiotic, antimotility	
ANYTHING ELSE?	or zinc)G	
	Unknown pill or syrup	
	Injection	
Record all treatments given. Write brand	AntibioticL	
name(s) of all medicines mentioned.	Non-antibioticM	
	Unknown injectionN	
(Name)	IntravenousO	
	Home remedy/Herbal medicineQ	
	Other (<i>specify</i>) X	
	Yes1	
CA7. HAS (<i>name</i>) HAD AN ILLNESS WITH A COUGH OR DIFFICULT BREATHING AT ANY TIME IN THE LAST TWO WEEKS, THAT IS, SINCE (<i>day of the</i>	No2	2⇔CA13a
week) OF THE WEEK BEFORE LAST?	DK8	8⇔CA13a
	Yes1	
CA8. WHEN (name) HAD AN ILLNESS WITH A		
COUGH, DID HE/SHE BREATHE FASTER THAN USUAL WITH SHORT, QUICK BREATHS?	No2	
COORE WITH CHORT, QUOR DREATHO.	DK8	
	Yes1	
CA10. DID YOU SEEK ADVICE OR TREATMENT FOR THE ILLNESS FROM ANY SOURCE?	No2	2⇒CA12
	DK8	8⇔CA12
	Public sector:	
CA11. FROM WHERE DID YOU SEEK CARE (ADVICE	Govt. hospital A	
OR TREATMENT?	Govt. health centre B	
	Govt. health Unit C	
Probe: ANYWHERE ELSE?	Village health workerD Mobile/outreach clinicE	
Circle all providers mentioned,	Other public sector(<i>specify</i>)F	
but do NOT prompt with any suggestions.		
1 1	Private medical sector:	
	Private hospital/clinicG	
Probe to identify the type of source and circle the	Private physicianH	
appropriate code.	Private pharmacy	
If unable to determine if public or private	Mobile clinic (private)J Other private sector(<i>specify</i>)K	
If unable to determine if public or private sector, write the name of the place.		
	Other source:	
	Religious healerL	
	Traditional healerM Relative or friendN	
(Name of place)		
(Name of place)	Other (specify)X	
	Yes1	
CA12. WAS (name) GIVEN ANY MEDICINE TO TREAT	No2	2⇔CA13A
THIS ILLNESS?	DK8	8⇔CA13a
	0 עוג0	0-7 CAISA

CA13. WHAT MEDICINE WAS (name) GIVEN? Probe: ANY OTHER MEDICINE? Circle all medicines given. Write brand name(s) of all medicines mentioned. (Names of medicines)	Antibiotic Pill / SyrupA InjectionB Anti-malarialsM Paracetamol / Panadol / AcetaminophenP AspirinQ IbuprofenR Other (specify)X DKZ	
Ask the following question (CA13A) only once for each caretaker. CA13A. SOMETIMES CHILDREN HAVE SEVERE ILLNESSES AND SHOULD BE TAKEN IMMEDIATELY TO A HEALTH FACILITY. WHAT SYMPTOMS WOULD CAUSE YOU TO TAKE YOUR CHILD TO A HEALTH FACILITY URGENTLY? Circle all symptoms mentioned, but do NOT prompt with any suggestions. Keep asking for more signs or symptoms until the caretaker cannot recall any additional symptoms.	Child not able to drink or breastfeed A Child becomes sicker	
 CA14. Check AG2: Child aged under 3? □ Yes. ⇒ Continue with CA15 □No. ⇒ Go to Next Module 		
CA15. THE LAST TIME (<i>name</i>) PASSED STOOLS, WHAT WAS DONE TO DISPOSE OF THE STOOLS?	Child used toilet/latrine01 Put / Rinsed into toilet or latrine02 Put / Rinsed into drain or ditch03 Thrown into garbage (solid waste)04 Buried	

MALARIA MODULE		ML
	Yes1	
ML1. IN THE LAST TWO WEEKS, THAT IS, SINCE (<i>day of the week</i>) OF THE WEEK BEFORE LAST, HAS (<i>name</i>) BEEN ILL WITH FEVER OR MALARIA?	No2 DK8	2 ⇔ BF 1. 8 ⇔ BF1.
ML2. At any time during the illness, did (<i>name</i>) have blood taken from his/her finger or heel for testing?	Yes1 No2 DK8	
ML4. WAS (NAME) TAKEN TO A HEALTH FACILITY DURING THIS ILLNESS?	Yes1 No2 DK8	2 ⇔ML8 8⇔ML8
ML5. WAS (<i>name</i>) GIVEN OR ANY MEDICINE DESCRIBED FOR FEVER OR MALARIA AT THE HEALTH FACILITY?	Yes1 No2 DK8	2⇔ML8 8⇔ML8
ML6. WHAT MEDICINE WAS (<i>name</i>) GIVEN OR MEDICINE DESCRIBED? <i>Probe:</i> ANY OTHER MEDICINE?	Anti-malarials: SP/Fansidar tablet Chloroquine tablet B Chloroquine injection Chloroquine syrup D Amodiaquine tablet	
<i>Circle all medicines mentioned. Write brand name(s) of all medicines, if given.</i>	Amodiaquine injectionF Metacalfin tabletG Quinine pillsH Quinine injectionI Artemisinin-based combinationsJ Other medications:	
(Name)	Paracetamol/Panadol/Acetaminophen/ Action P Aspirin Q Ibuprofen R Other(<i>specify</i>) X DKZ	
ML6A. WHERE WAS THE MEDICINE OBTAINED?	Public sector: Govt. hospital	
ML7. WAS (<i>name</i>) GIVEN MEDICINE FOR THE FEVER OR MALARIA BEFORE BEING TAKEN TO THE HEALTH FACILITY?	Yes1 No2 DK8	1⇔ML9
ML8. WAS (<i>name</i>) GIVEN MEDICINE FOR FEVER OR MALARIA DURING THIS ILLNESS?	Yes1 No2 DK8	2⇔ BF1 8⇔ BF1
	Anti-malarials:	

ML9. WHAT MEDICINE WAS (name) GIVEN?	SP/Fansidar tabletA
	Chloroquine tablet B
Probe:	Chloroquine injectionC
ANY OTHER MEDICINE?	Chloroquine syrupD
	Amodiaquine tablet E
Circle all medicines mentioned. Write brand	Amodiaquine injectionF
name(s) of all medicines, if given.	Metacalfin tabletG
	Quinine pillsH
	Quinine injectionI
	Artemisinin-based combinationsJ
	Other medications:
(Name)	Paracetamol/Panadol/AcetaminophenP
	AspirinQ
	IbuprofenR
	Other(<i>specify</i>)X
	DKZ
ML10. Check ML6 & ML9: if Anti-malarial mention	ned (code A - J)?
\Box Yes. \Rightarrow Continue with ML11	
\Box No. \Rightarrow Go to BF	
	Same day0
ML11. HOW LONG AFTER THE FEVER STARTED DID	Next day1
(name) FIRST TAKE (name of anti-malarial from	2 days after the fever2
ML6 or ML9)?	3 days after the fever3
	4 or more days after the fever4
If multiple anti-malarials mentioned in ML6 or	
ML9,	DK8
Record how long after the fever started the first	
anti-malarial was given.	

BREASTFEEDING MODULE (CHILDREN UNDER	2 YEARS OF AGE)	BF
Check AGE2: Child aged under 2 years?		
$\Box Yes. \Rightarrow Continue with BF1$		
$\Box No. \Rightarrow Go to NEXT MODULE$		-
BF1. HAS (<i>name</i>) EVER BEEN BREASTFED?	Yes1	
DI T. TIAS (nume) EVER BEEN BREASTFED :	No2	2⇔BF2c
	DK8	8⇔BF2c
BF1A.HOW LONG AFTER BIRTH DID YOU FIRST PUT(<i>name</i>) TO BREAST	Immediately000 Hours1 Days2 DK, don't remenber	
<i>if less than one hour record "00" hours</i> <i>if less than 24 hours, record hours</i> <i>otherwise record days</i>		
	Yes1	
 BF1B. DID (<i>name</i>) RECEIVE ANY OTHER LIQUIDS OR SOLIDS BESIDES BREASTMILK IN THE FIRST 6 MONTHS? If the child age is less than 6 months, mention 	No2 DK8	
the child's age instead of 6 months		
BF2. IS HE/SHE STILL BEING BREASTFED?	Yes1 No2 DK8	1⇔BF2в
BF2A. AT WHAT AGE DID (<i>name</i>) STOP BEING BREASTFED?	Number of months	
BF2B. HAS (<i>name</i>) STARTED TO HAVE FOODS BESIDES BREAST FEEDING?	Yes1 No2 DK8	
		2⇔BF3
		8⇔BF3
BF2C. AT WHAT AGE DID (<i>name</i>) BEGIN TO HAVE ADDITIONAL FOODS?	Number of months	
I WOULD LIKE TO ASK YOU ABOUT LIQUIDS THAT (<i>nam</i> I AM INTERESTED IN WHETHER (<i>name</i>) HAD T	ne) MAY HAVE HAD YESTERDAY DURING THE DAY OR HE ITEM EVEN IF IT WAS COMBINED WITH OTHER FOO	
	Yes1	
BF3: DID (<i>name</i>) DRINK PLAIN WATER YESTERDAY, DURING THE DAY OR NIGHT?	No2	
	DK8	
BF4. DID (<i>name</i>) DRINK INFANT FORMULA YESTERDAY, DURING THE DAY OR NIGHT?	Yes1 No2	2⇔BF6
	DK8	8⇔BF6
BF5. HOW MANY TIMES DID (<i>name</i>) DRINK INFANT FORMULA?	Number of times	

	Voo	
BF6. DID (<i>name</i>) DRINK MILK, SUCH AS TINNED, POWDERED OR FRESH ANIMAL MILK YESTERDAY,	Yes1 No2	2⇔BF8
DURING THE DAY OR NIGHT?	DK8	8⇔BF8
BF7. How many times did (<i>name</i>) drink tinned, powdered or fresh animal milk?	Number of times	
BF8. DID (<i>name</i>) DRINK JUICE OR JUICE DRINKS YESTERDAY, DURING THE DAY OR NIGHT?	Yes1 No2	
<u> </u>	DK8 Yes1	
BF9. DID (<i>name</i>) DRINK SOUP YESTERDAY, DURING THE DAY OR NIGHT?	No2	
	DK8 Yes1	
BF10. DID (<i>name</i>) DRINK OR EAT VITAMIN OR MINERAL SUPPLEMENTS OR ANY MEDICINES	No2	
YESTERDAY, DURING THE DAY OR NIGHT?	DK8 Yes1	
BF11. DID (<i>name</i>) DRINK ORS (ORAL REHYDRATION SOLUTION) YESTERDAY, DURING THE DAY OR NIGHT?	No2	
	DK8	
BF12. DID (<i>name</i>) DRINK ANY OTHER LIQUIDS YESTERDAY, DURING THE DAY OR NIGHT?	Yes1 No2	
	DK8 Yes1	
BF13. DID (<i>name</i>) DRINK OR EAT YOGURT YESTERDAY, DURING THE DAY OR NIGHT?	No2	2⇔BF15
	DK8	8⇔BF15
BF14. How many times did (<i>name</i>) drink or eat yogurt yesterday, during the day or night?	Number of times	
BF15. DID (NAME) EAT THIN PORRIDGE YESTERDAY, DURING THE DAY OR NIGHT?	Yes1 No2	
	DK	
BF16. DID (<i>name</i>) EAT SOLID OR SEMI-SOLID (SOFT, MUSHY) FOOD YESTERDAY, DURING THE DAY OR NIGHT?	Yes1 No2	2⇒BF18
	DK8	8⇒BF18
BF17. HOW MANY TIMES DID (<i>name</i>) EAT SOLID OR SEMI-SOLID (SOFT, MUSHY) FOOD YESTERDAY, DURING THE DAY OR NIGHT?	Number of times	
BF18. YESTERDAY, DURING THE DAY OR NIGHT, DID (<i>name</i>) DRINK ANYTHING FROM A BOTTLE WITH A NIPPLE?	Yes1 No2	
	DK8	

IMMUNIZATION MODULE										IM
<i>This module to be administered to mothers of children</i> <i>If an immunization card is available, copy the dates in If</i> <i>recorded on the card. IM6-IM16 will be used to record</i> <i>when a card is not available.</i>	M300	t0 IN	130	3 for	each					
IM1. IS THERE A VACCINATION CARD FOR (<i>name</i>)? (<i>If yes</i>) May I see it?	Yes, seen1 Yes, not seen2 No3								2⇔IM6 3⇔IM6	
 IM3 (a) Copy dates for each vaccination from the card. (b) If the card shows only part of the date, record "98" in the column for the missing information. (c) Write '44' in day column if card shows that vaccination was given but no date recorded. (d) If a vaccination was not given, leave that line blank 										
	DAY			MONTH				YE		
IM3 00. BCG										
IM301. OPV0										
IM301A. OPV1										
IM301B. OPV2										
IM301c. OPV3										
IM302. DPT HB HIB1										
IM302A. DPT HB HIB2										
IM302 в DPT HB HIB 3										
IM303. Measles										
IM4. Check IM3. Are all vaccines (BCG to MEASLES) re □Yes ⇔Go to IM18 □No ⇔Continue with IM6	ecorde	ed?								
IM6. HAS (<i>name</i>) EVER RECEIVED ANY VACCINATIONS TO PREVENT HIM/HER FROM GETTING DISEASES	Yes 1									
(ROUTINE VACCINATION)?	_	2 	2⇔IM18 8⇔IM18							
IM7. HAS (<i>name</i>) EVER BEEN GIVEN A BCG VACCINATION AGAINST TUBERCULOSIS – THAT IS, AN INJECTION IN THE ARM?	Yes							2⇔IM 8 8⇔IM 8		
IM7A. HAS IT CAUSED A SCAR? IF YES: CAN I SEE IT?	Yes scar seen1 Yes scar not seen2 No3									
IM8. HAS (<i>name</i>) EVER BEEN GIVEN ANY "VACCINATION DROPS IN THE MOUTH" TO PROTECT HIM/HER FROM GETTING DISEASES – THAT IS, POLIO?	Yes						2⇔IM12a 8⇔IM12a			

	1	n – – – – – – – – – – – – – – – – – – –
IM9. HOW OLD WAS (<i>name</i>) WHEN THE FIRST DOSE	Just after birth (within two weeks) 1	
WAS GIVEN – JUST AFTER BIRTH (WITHIN TWO	Later	
WEEKS) OR LATER?		
	DK8	
IM10. HOW MANY TIMES HAS HE/SHE BEEN GIVEN		
THESE DROPS? COUNT ONLY ROUTINE	No. of times	
VACCINATION		
IM12A. HAS (<i>name</i>) EVER BEEN GIVEN "DPT HB HIB		
(PENTAVALENT)	Yes 1	
VACCINATION INJECTIONS" – THAT IS, AN INJECTION IN	No	2⇒IM16
THE THIGH – TO PREVENT HIM/HER FROM	NO	2-711110
	DK8	8⇒IM16
GETTING TETANUS, WHOOPING COUGH,		
DIPHTHERIA, HEPATITIS B, MENINGITIS?		
(SOMETIMES GIVEN AT THE SAME TIME AS POLIO)		
IM12B. HOW MANY TIMES HAS HE/SHE BEEN GIVEN	_	
DPT HB HIB VACCINATION INJECTIONS?		
	No. of times	
IM16. HAS (<i>name</i>) EVER RECEIVED A MEASLES	Yes 1	
INJECTION- THAT IS, A SHOT IN THE ARM AT THE		
AGE OF 9 MONTHS OR OLDER - TO PREVENT	No2	
HIM/HER FROM GETTING MEASLES?	DK8	
IM18. HAS (<i>name</i>) EVER RECEIVED A VITAMIN A	Yes1	
CAPSULE (SUPPLEMENT) LIKE THIS ONE?	163	
CAPSULE (SUPPLEMENT) LIKE THIS ONE?	No2	2⇔ IM18c
	NO2	
Show capsule or dispenser for different doses –		
100,000 IU for those 6-11 months old,		
200,000 IU for those 12-59 months old.	DK8	8⇔IM18c
IM18A. HOW MANY MONTHS AGO DID (<i>name</i>) TAKE	Less than 6 months ago1	
THE LAST CAPSULE?	More than 6 months ago2	
	DK	
IM18B. WHERE DID YOU GET THE LAST CAPSULE FOR	On routine visit to health facility	
THE (name)?	Sick child visit to health facility	
	National Immunization Day campaign3	
	Other(<i>specify</i>)	
	DK8	
IM18c Ask the mother whether (name)	Yes 1	
SUFFERING FROM ANY DIFFICULTIES IN SEEING AT		
NIGHT	No2	
	DK8	
1	0	

UF13. *Record the time*.

Hour and minutes

____:___

UF14. Is the respondent the mother or caretaker of another child age less than 5 years living in this household? Check the *HH* listing *HL*9

□ Yes. ⇒ Indicate to the respondent that you will need to measure the weight and height of the child later if the childaged between 6 to 59 months.

And the weight only for children < 6 month

Go to the next QUESTIONNAIRE FOR CHILDREN UNDER FIVE to be administered to the same respondent

□ No. ⇒ End the interview with this respondent by thanking him/her for his/her cooperation and tell her/him that you will need to measure the weight and height of the child.

Check to see if there are other woman's or under-5 questionnaires to be administered in this household.

Move to another woman's or under-5 questionnaire, or start making arrangements for anthropometric measurements

ANTHROPOMETRY MODULEANAfter questionnaires for all children under 5 are complete, the measurer weighs and measures each child aged 6-59 months,
And the weight only for children < 6 month</td>

Record weight and length/height below, taking care to record the measurements on the correct questionnaire for each child. Check the child's name and household line number (HL1) on the household listing before recording measurements.

AN1. Measurer's Name and identification code.	Name CODE	•				
AN2. Result of height/length and weight measurement	Either or both measured1					
	Child not present 2	2⇔AN6				
	Child or caretaker refused 3	3⇔AN6				
	Other (specify)6	6⇔AN6				
AN3.Child's weight.	Kilograms (kg)					
	WEIGHT not measured 99.9					
AN4.Child's length or height. Check age of child in AG2.	Length (cm) Lying downL					
\Box Child under 2 years old. \Rightarrow Measure length (lying down).	Height (cm) Standing up H					
\Box Child age 2 or more years. \Rightarrow Measure height (standing up).	Length/ Height not measured 9999.9					
AN5. Perform the oedema press test to both feet	Child has oedema					
to determine if the child has oedema and mark the result of the test.	Yes 1 No 2					
mark the result of the test.	Not present					
	Refused 4					
AN6. Is there another child in the household who is eligible for measurement?						

 \square Yes. \Rightarrow Record measurements for next child in his/her questionnaire.

 \square No. \Rightarrow End the interview with this household by thanking all participants for their cooperation. Gather together all questionnaires for this household and check that all identification numbers are inserted on each page. Tally on the Household Information Panel the number of interviews completed.

INTERVIEWER'S OBSERVATIONS

FIELD EDITOR'S OBSERVATIONS

SUPERVISOR'S OBSERVATIONS