

QUESTIONNAIRE FOR CHILDREN UNDER FIVE 2019 MICS



UNDER-FIVE CHILD INFORMATION PANEL	UF		
UF1. Cluster number:	UF2. Household number:		
UF3. Child's name and line number:	UF4 . Mother's / Caretaker's name and line number:		
NAME	NAME		
UF5. Interviewer's name and number:	UF6. Supervisor's name and number:		
NAME	NAME		
UF7 . Day / Month / Year of interview:	UF8. Record the time: HOURS : MINUTES		
// <u>2 0 1</u>	:		

Check respondent's age in HL6 in LIST OF HOUSEHOLD MEMBERS, HOUSEHOLD QUESTIONNAIRE: If age 15-17, verify that adult consent for interview is obtained (HH33 or HH39) or not necessary (HL20=90). If consent is needed and not obtained, the interview must not commence and '06' should be recorded in UF17. The respondent must be at least 15 years old. **UF9**. Check completed questionnaires in this household: YES, INTERVIEWED ALREADY1 1*⇒*UF10B Have you or another member of your team interviewed NO, FIRST INTERVIEW2 2 *⇒UF10A* this respondent for another questionnaire? UF10B. Now I would like to talk to you about UF10A. Hello, my name is (your name). We are from **ZIMSTAT.** We are conducting a survey about the situation (child's name from UF3)'s health and well-being of children, families and households. I would like to talk to in more detail. This interview will take about 30 you about (child's name from UF3)'s health and well-being. minutes. Again, all the information we obtain will This interview will take about 30 minutes. All the remain strictly confidential and anonymous. If information we obtain will remain strictly confidential and you wish not to answer a question or wish to stop the interview, please let me know. May I anonymous. If you wish not to answer a question or wish to stop the interview, please let me know. May I start start now? now? YES, PERMISSION IS GIVEN.....1 1 ⇒UNDER FIVE'S BACKGROUND Module NO, PERMISSION IS NOT GIVEN......2 2*⇒UF17*

UF17 . Result of interview for children under 5	COMPLETED01
	NOT AT HOME02
Codes refer to mother/caretaker.	REFUSED03
Discuss any result not completed with Supervisor.	PARTLY COMPLETED04
	INCAPACITATED
	(specify) 05
	NO ADULT CONSENT FOR MOTHER/
	CARETAKER AGE 15-1706
	OTHER (specify)96

UNDER-FIVE'S BACKGROUND		UB
UBO . Before I begin the interview, could		
you please bring (<i>name</i>)'s Birth		
Certificate, Child Health card, and any		
immunisation record from a private		
health provider? We will need to refer to		
those documents.		
UB1 . On what day, month and year was		
(<i>name</i>) born?	DATE OF BIRTH	
_ ,	DAY	
Probe:	DVDAV	
What is (his/her) birthday?	DK DAY98	
If the mother/caretaker knows the exact	MONTH	
date of birth, also record the day;		
otherwise, record '98' for day.	YEAR <u>2 0 1</u>	
Month and year <u>must</u> be recorded.		
UB2. How old is (<i>name</i>)?		
	AGE (IN COMPLETED YEARS)	
Probe:		
How old was (<i>name</i>) at (his/her) last		
birthday?		
Record age in completed years.		
Record 'O' if less than 1 year.		
If responses to UB1 and UB2 are		
inconsistent, probe further and correct.		
UB3. Check UB2: Child's age?	AGE 0, 1, OR 21	1 <i>⇒</i> UB9
J	AGE 3 OR 42	
UB4 . Check the respondent's line number	RESPONDENT IS THE SAME, UF4=HH471	
(UF4) and the respondent to the	RESPONDENT IS NOT THE SAME,	
HOUSEHOLD QUESTIONNAIRE (HH47):	UF4≠HH472	2 <i>⇒UB6</i>
UB5. Check ED10 in the EDUCATION	YES, ED10=01	1 <i>⇒UB8B</i>
MODULE in the HOUSEHOLD	NO, ED10≠0 OR BLANK2	2 <i>⇒</i> UB9
QUESTIONNAIRE: Is the child attending		
ECE in the current school year?		
UB6 . Has (<i>name</i>) ever attended any early	YES1	
childhood education programme, such as	NO2	2 <i>⇒UB9</i>
ECD?		
UB7 . At any time since January, did	YES1	1 <i>⇒UB8A</i>
(he/she) attend ECD?	NO2	2 <i>⇔UB9</i>

UB8A. Does (he/she) currently attend ECD? UB8B. You have mentioned that (<i>name</i>) has attended an early childhood education programme this school year. Does (he/she) currently attend this programme?	YES	
UB9. Is (<i>name</i>) covered by any health insurance?	YES	2 <i>⇔</i> End
UB10. What type of health insurance is (name) covered by? Record all mentioned.	MUTUAL HEALTH ORGANIZATION / COMMUNITY-BASED HEALTH INSURANCE	
	OTHER (specify)X	

BIRTH REGISTRATION		BR
BR1 . Does (<i>name</i>) have a birth certificate?	YES, SEEN1	1 <i>⇒</i> End
	YES, NOT SEEN2	2 <i>⇒</i> End
	NO3	
If yes, ask:		
May I see it?	DK8	
BR2. Has (<i>name</i>)'s birth been registered with	YES1	1 <i>⇒End</i>
the Registrar General's Office?	NO2	
	DK8	
BR3 . Do you know how to register (<i>name</i>)'s	YES1	
birth?	NO2	

EARLY CHILDHOOD DEVELOPMENT		EC
EC1. How many children's books or picture	NONE00	
books do you have for (<i>name</i>)?	NI IMPED OF CHILDREN'S BOOKS	
	NUMBER OF CHILDREN'S BOOKS <u>0</u>	
	TEN OR MORE BOOKS10	
EC2. I am interested in learning about the things		
that (<i>name</i>) plays with when (he/she) is at home.		
Does (he/she) play with:		
	Y N DK	
	, wen	
[A] Homemade toys, such as dolls, cars, or	HOMEMADE TOYS1 2 8	
[A] Homemade toys, such as dolls, cars, or other toys made at home?		
	TOYS FROM A SHOP 2 8	
[B] Toys from a shop or manufactured toys?		
	HOUSEHOLD OBJECTS	
[C] Household objects, such as bowls or pots,	OR OUTSIDE OBJECTS 2 8	
or objects found outside, such as sticks, rocks, animal shells or leaves?		
rocks, animal shells of leaves?		
EC3. Sometimes adults taking care of children		
have to leave the house to go shopping, wash clothes, or for other reasons and have to		
leave young children.		
On how many days in the past week was (<i>name</i>):	NUMBER OF DAYS LEFT ALONE FOR	
	MORE THAN AN HOUR	
[A] Left alone for more than an hour?	NUMBER OF DAYS LEFT WITH	
	ANOTHER CHILD FOR MORE	
[B] Left in the care of another child, that is,	THAN AN HOUR	
someone less than 10 years old, for more than an hour?		
15/AL / 1/A/ 15/A / 1/A		
If 'None' record '0'. If 'Don't know' record '8'.	AGE 0 OR 11	1 <i>⇒</i> End
EC4. Check UB2: Child's age?	AGE 2, 3 OR 4	1 ∨ EIIU

EC5. In the past 3 days, did you or any household member age 15 or over engage in any of the following activities with (<i>name</i>): If 'Yes', ask: Who engaged in this activity with (<i>name</i>)? A foster/step mother or father living in the household who engaged with the child should be coded as mother or father. Record all that apply.						
'No one' cannot be recorded if any household member age 15 and above engaged in activity with child.		MOTHER	FATHER	OTHER	NO ONE	
[A] Read books or looked at picture books with (<i>name</i>)?	READ BOOKS	А	В	Χ	Υ	
[B] Told stories to (name)?	TOLD STORIES	А	В	Χ	Υ	
[C] Sang songs to or with (<i>name</i>), including lullabies?	SANG SONGS	А	В	X	Υ	
[D] Took (<i>name</i>) outside the home?	TOOK OUTSIDE	Α	В	Х	Υ	
[E] Played with (name)?	PLAYED WITH	А	В	X	Υ	
[F] Named, counted, or drew things for or with (<i>name</i>)?	NAMED	А	В	X	Υ	
EC5G. Check UB2: Child's age?	AGE 2					1 <i>⇔</i> End
EC6. I would like to ask you some questions about the health and development of (<i>name</i>). Children do not all develop and learn at the same rate. For example, some walk earlier than others. These questions are related to several aspects of (<i>name</i>)'s development. Can (<i>name</i>) identify or name at least ten letters of the alphabet?	YES NO		•••••	•••••	2	

EC7 . Can (<i>name</i>) read at least four simple,	YES1	
popular words?	NO2	
	DK8	
EC8. Does (<i>name</i>) know the name and recognize	YES1	
the symbol of all numbers from 1 to 10?	NO2	
	DK8	
EC9. Can (<i>name</i>) pick up a small object with two	YES1	
	NO	
fingers, like a stick or a rock from the ground?	NO2	
	DK8	
EC10 . Is (<i>name</i>) sometimes too sick to play?	YES1	
	NO2	
	DK8	
EC11 . Does (<i>name</i>) follow simple directions on	YES1	
how to do something correctly?	NO2	
	DK8	
FC12 \W/\	VEC	
EC12. When given something to do, is (<i>name</i>)	YES	
able to do it independently?	NO2	
	DK8	
EC13. Does (<i>name</i>) get along well with other	YES1	
55. 6111		
	חע פ	
	UN8	
EC14 . Does (<i>name</i>) kick, bite, or hit other	YES1	
children or adults?	NO2	
	DK8	
F04F 0 /	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
EC15. Does (<i>name</i>) get distracted easily?		
	NO2	
	DK8	
, , , , , , , , , , , , , , , , , , , ,	NO 2 DK 8 YES 1 NO 2	

CHILD DISCIPLINE		UCD
UCD1. Check UB2: Child's age?	AGE 01	1 <i>⇒</i> End
	AGE 1, 2, 3 OR 42	
UCD2. Now I'd like to talk to you about something else.		
Adults use certain ways to teach children the right behaviour or to address a		
behaviour problem. I will read various methods that are used. Please tell me if you or any other adult in your household has used this method with (<i>name</i>) in the	YES NO	
past month:	TOOK AWAY PRIVILEGES 2	
[A] Took away privileges, forbade something (<i>name</i>) liked or did not		
allow (him/her) to leave the house.	EXPLAINED WRONG BEHAVIOR1 2	
[B] Explained why (<i>name</i>)'s behaviour	BEINVIOL	
was wrong.	SHOOK HIM/HER1 2	
[C] Shook (him/her).	SHOUTED, YELLED, SCREAMED1 2	
[D] Shouted, yelled at or screamed at (him/her).	GAVE SOMETHING ELSE TO DO	
[E] Gave (him/her) something else to do.	SPANKED, HIT, SLAPPED ON BOTTOM WITH BARE HAND1 2	
[F] Spanked, hit or slapped (him/her) on the bottom with bare hand.	HIT WITH BELT, HAIRBRUSH, STICK OR OTHER HARD	
[G] Hit (him/her) on the bottom or	OBJECT1 2	
elsewhere on the body with something	CALLED DUMB, LAZY OR	
like a belt, hairbrush, stick or other hard object.	ANOTHER NAME1 2	
[H] Called (him/her) dumb, lazy or	HIT / SLAPPED ON THE FACE, HEAD OR EARS	
another name like that.	HIT / SLAPPED ON HAND,	
[I] Hit or slapped (him/her) on the face, head or ears.	ARM OR LEG1 2	
[J] Hit or slapped (him/her) on the hand, arm, or leg.	BEAT UP, HIT OVER AND OVER AS HARD AS ONE COULD1 2	
[K] Beat (him/her) up, that is hit him/her over and over as hard as one could.	CHOKE OR BURN 2	
[L] Choke or burn (him/her) on purpose.		

UCD3. Check UF4: Is this respondent the mother or caretaker of any other children under age 5 or a child age 5-14 selected for the questionnaire for children age 5-17?	YES	2 ⇔UCD5
UCD4. Check UF4: Has this respondent already responded to the following question (UCD5 or FCD5) for another child?	YES	1 <i>⇔</i> End
UCD5. Do you believe that in order to bring up, raise, or educate a child properly, the child needs to be physically punished?	YES 1 NO 2 DK / NO OPINION 8	

CHILD FUNCTIONING		UCF
UCF1. Check UB2: Child's age?	AGE 0 OR 1	1 <i>⇔</i> End
UCF2. I would like to ask you some questions about difficulties (<i>name</i>) may have.	YES	
Does (<i>name</i>) wear glasses?		
UCF3. Does (<i>name</i>) use a hearing aid?	YES	
UCF4. Does (<i>name</i>) use any equipment or receive assistance for walking?	YES	
UCF5. In the following questions, I will ask you to answer by selecting one of four possible answers. For each question, would you say that (name) has: 1) no difficulty, 2) some difficulty, 3) a lot of difficulty, or 4) that (he/she) cannot at all. Repeat the categories during the individual questions whenever the respondent does not use an answer category: Remember the four possible answers: Would you say that (name) has: 1) no difficulty, 2) some difficulty, 3) a lot of difficulty, or 4) that (he/she) cannot at all?		
UCF6. Check UCF2: Child wears glasses?	YES, UCF2=1	1 ⇔UCF7A 2 ⇔UCF7B
UCF7A. When wearing (his/her) glasses, does (<i>name</i>) have difficulty seeing? UCF7B. Does (<i>name</i>) have difficulty seeing?	NO DIFFICULTY	
UCF8. Check UCF3: Child uses a hearing aid?	YES, UCF3=1	1 ⇒UCF9A 2 ⇒UCF9B

	T	
UCF9A. When using (his/her) hearing aid(s), does (<i>name</i>) have difficulty hearing sounds like peoples' voices or music? UCF9B. Does (<i>name</i>) have difficulty hearing sounds like peoples' voices or music?	NO DIFFICULTY	
UCF10. Check UCF4: Child uses equipment or receives assistance for walking?	YES, UCF4=1 1 NO, UCF4=2 2	1 ⇒ UCF11 2 ⇒ UCF13
UCF11. Without (his/her) equipment or assistance, does (<i>name</i>) have difficulty walking?	SOME DIFFICULTY	
UCF12. With (his/her) equipment or assistance, does (<i>name</i>) have difficulty walking?	NO DIFFICULTY	1 ⇒ UCF14 2 ⇒ UCF14 3 ⇒ UCF14 4 ⇒ UCF14
UCF13. Compared with children of the same age, does (<i>name</i>) have difficulty walking?	NO DIFFICULTY	
UCF14. Compared with children of the same age, does (<i>name</i>) have difficulty picking up small objects with (his/her) hand?	NO DIFFICULTY	
UCF15. Does (<i>name</i>) have difficulty understanding you?	NO DIFFICULTY	
UCF16. When (<i>name</i>) speaks, do you have difficulty understanding (him/her)?	NO DIFFICULTY	
UCF17. Compared with children of the same age, does (<i>name</i>) have difficulty learning things?	NO DIFFICULTY	

UCF18. Compared with children of the same age, does (<i>name</i>) have difficulty playing?	NO DIFFICULTY	
UCF19. The next question has five different options for answers. I am going to read these to you after the question. Compared with children of the same age, how much does (name) kick, bite or hit		
other children or adults? Would you say: not at all, less, the same, more or a lot more?	NOT AT ALL	

BREASTFEEDING AND DIETARY INTAKE		BD
BD1. Check UB2: Child's age?	AGE 0, 1, OR 2	2 <i>⇔</i> End
BD2. Has (<i>name</i>) ever been breastfed?	YES	2 <i>⇔</i> BD4
	DK	8 <i>⇒</i> BD4
BD3. Is (<i>name</i>) still being breastfed?	YES	
	DK8	
BD3A. Check UB2: Child's age?	AGE 0 OR 1	2 <i>⇔</i> End
BD4A. Yesterday, during the day or night, did (name) drink anything from a bottle or cup with a nipple, spout, or reusable straw?	YES	2 ⇔BD5 8 ⇔BD5
BD4B. Specifically, did (he/she) drink anything from a bottle with a nipple?	YES	
BD5. Did (<i>name</i>) <u>drink Oral Rehydration</u> <u>Solution (ORS)</u> yesterday, during the day or night?	YES	
BD6. Did (<i>name</i>) <u>drink or eat vitamin or</u> <u>mineral supplements or any medicines</u> yesterday, during the day or night?	YES	
BD7. Now I would like to ask you about all other liquids that (<i>name</i>) may have had yesterday during the day or the night. Please include liquids consumed outside of		
your home. Did (<i>name</i>) drink (<i>name of item</i>) yesterday during the day or the night:	YES NO DK	
[A] Plain water?	PLAIN WATER 1 2 8	
[B] Juice or juice drinks?	JUICE OR JUICE DRINKS 1 2 8	
[C] Clear broth/clear soup?	CLEAR BROTH 1 2 8	

[D] Infant formula, such as NAN, S26 or Lactogen?	INFANT FORMULA	1	2 公 BD7[E]	8 ☆ BD7[E]	
[D1] How many times did (<i>name</i>) drink infant formula? If 7 or more times, record '7'. If unknown, record '8'.	NUMBER OF TIMES DRANK INFANT FORMULA				
[E] Milk from animals, such as fresh, tinned, or powdered milk?	MILK	1	2 公 BD7[X]	8 ☆ BD7[X]	
[E1] How many times did (<i>name</i>) drink milk? If 7 or more times, record '7'. If unknown, record '8'.	NUMBER OF TIMES DRANK MILK				
[X] Any other liquids?	OTHER LIQUIDS	1	2 ₪ BD8	8 か BD8	
[X1] Record all other liquids mentioned.	(Specify)				
night. Please include foods consumed outside Think about when (<i>name</i>) woke up yesterday. If 'Yes' ask: Please tell me everything (<i>name</i>) ate Record answers using the food groups below. What did (<i>name</i>) do after that? Did (he/she) excepted this string of questions, recording in the position of the least that the string of the least thing.	Did (he/she) eat anything at th at that time. <i>Probe:</i> Anything e at anything at that time?	else?		t the	
For each food group not mentioned after completing the above ask:					
Just to make sure, did (<i>name</i>) eat (<i>food group items</i>) yesterday during the day or the night		YES	NO	DK	
[A] Yogurt made from animal milk?					
Note that liquid/drinking yogurt should be captured in BD7 [E] or BD7[X], depending on milk content.	YOGURT	1	2 分 BD8[B]	8 ⅓ BD8[B]	
[A1] How many times did (<i>name</i>) eat yogurt?If 7 or more times, record '7'.If unknown, record '8'.	NUMBER OF TIMES ATE YOGURT				

[B]	Any baby food, such as cerelac, cerevita, pronutro?	FORTIFIED BABY FOOD	1	2	8
[C]	Sadza, bread, rice, noodles, porridge, or other foods made from grains?	FOODS MADE FROM GRAINS	1	2	8
[D]	Pumpkin, carrots, squash, or sweet potatoes that are yellow or orange inside?	PUMPKIN, CARROTS, SQUASH, ETC.	1	2	8
[E]	White potatoes, white yams, cassava, or any other foods made from roots?	FOODS MADE FROM ROOTS	1	2	8
[F]	Any dark green, leafy vegetables, such as spinach, pumpkin or okra leaves, chomolia, covo?	DARK GREEN, LEAFY VEGETABLES	1	2	8
[G]	Ripe mangoes or ripe paw paw or ripe papayas?	RIPE MANGO, RIPE PAPAYA	1	2	8
[H]	Any other fruits or vegetables, such as bananas, apples, pineapples, oranges, cabbage?	OTHER FRUITS OR VEGETABLES	1	2	8
[۱]	Liver, kidney, heart or other organ meats?	ORGAN MEATS	1	2	8
[1]	Any other meat, such as beef, pork, lamb, goat, chicken, duck or sausages made from these meats?	OTHER MEATS	1	2	8
[K]	Eggs?	EGGS	1	2	8
[L]	Fish or shellfish, either fresh or dried?	FRESH OR DRIED FISH	1	2	8
[M] any	Beans, peas, lentils or nuts, including foods made from these?	FOODS MADE FROM BEANS, PEAS, NUTS, ETC.	1	2	8
[N]	Cheese or other food made from animal milk?	CHEESE OR OTHER FOOD MADE FROM MILK	1	2	8

[X] Other solid, semi-solid, or soft food?	OTHER SOLID, SEMI- 1 2 公 8 公 SOLID, OR SOFT FOOD BD9 BD9
[X1] Record all other solid, semi-solid, or soft food that do not fit food groups above.	(Specify)
BD9. How many times did (<i>name</i>) eat any solid, semi-solid or soft foods yesterday during the day or night?	NUMBER OF TIMES
If BD8[A] is 'Yes', ensure that the response here includes the number of times recorded for yogurt in BD8[A1].	DK8
If 7 or more times, record '7'.	

IMMUNISATION		IM
IM1. Check UB2: Child's age?	AGE 0, 1, OR 2	
	AGE 3 OR 4	2 <i>⇒</i> End
IM2. Do you have a Child Health Card,	YES, HAS ONLY CARD(S)1	1 <i>⇔</i> IM5
immunisation records from a private	YES, HAS ONLY OTHER	
health provider or any other	DOCUMENT 2	
document where (<i>name</i>)'s	YES, HAS CARD(S) AND OTHER	
vaccinations are written down?	DOCUMENT3	3 <i>⇔IM5</i>
	NO, HAS NO CARDS AND NO OTHER	
	DOCUMENT4	
IM3. Did you ever have a Child Health	YES1	
Card or immunisation records from a	NO2	
private health provider for (<i>name</i>)?		
IM4. Check IM2:	HAS ONLY OTHER DOCUMENT, IM2=21	
	HAS NO CARDS AND NO OTHER	
	DOCUMENT AVAILABLE, IM2=42	2 <i>⇒</i> IM11
IM5. May I see the card(s) (and/or)	YES, ONLY CARD(S) SEEN	
other document?	YES, ONLY OTHER DOCUMENT SEEN 2	
	YES, CARD(S) AND	
	OTHER DOCUMENT SEEN3	
	NO CARDS AND	
	NO OTHER DOCUMENT SEEN4	4 <i>⇔</i> IM11

IM6. (a) Copy dates for each vaccinate	ion from the			DATE O	F IMMU	JNISAT	ION			
	cuments. Write '44' in day column if documents show at vaccination was given but no date recorded.		DAY MONTH		YEAR					
BCG	BCG					2	0	1		
Polio (OPV) 1	OPV1					2	0	1		
Polio (OPV) 2	OPV2					2	0	1		
Polio (OPV) 3	OPV3					2	0	1		
Pentavalent (DTPHibHepB) 1	Penta1					2	0	1		
Pentavalent (DTPHibHepB) 2	Penta2					2	0	1		
Pentavalent (DTPHibHepB) 3	Penta3					2	0	1		
Pneumococcal (Conjugate) 1	PCV1					2	0	1		
Pneumococcal (Conjugate) 2	PCV2					2	0	1		
Pneumococcal (Conjugate) 3	PCV3					2	0	1		
Rotavirus 1	Rota1					2	0	1		
Rotavirus 2	Rota2					2	0	1		
Measles-Rubella 1	MR1					2	0	1		
Measles-Rubella 2	MR2					2	0	1		
DTP Booster 1	DTP Booster					2	0	1		
OPV Booster 1	OPV Booster					2	0	1		
IM7. Check IM6: Are all vaccines (BOOSTER) recorded?	BCG to OPV									1 <i>⇒</i> IM27B
IM8. Has (<i>name</i>) ever participated Vaccination Week Campaign?	d in the Africa									
		DK							8	
IM9. In addition to what is recorded on the document(s) you have shown me, did (<i>name</i>) receive any other vaccinations including		YES				2 <i>⇔ IM27B</i>				
vaccinations received during the Vaccination Week just mention		DK							8	8 <i>⊅ IM27B</i>

IM10. Go back to IM6 and probe for these		
vaccinations.		
vaccinations.		
Record '66' in the corresponding day column for		
each vaccine received.		<i>⇒</i> IM27B
		→ IIVIZ/D
For vaccinations <u>not</u> received record '00' in day		
column.		
When <u>finished</u> , go to IM27B.		
IM11 . Has (<i>name</i>) ever received any vaccinations to prevent (him/her) from getting diseases, including	YES1	
vaccinations received in a campaign,	NO2	
immunisation day or child health day?		
, , , , , , , , , , , , , , , , , , ,		
	DK8	
IM12. Has (<i>name</i>) ever participated in the Africa	YES	
Vaccination Week campaign?	NO2	
	DK8	
18412 Charles 18414 and 18412		1 <i>⇒</i> IM27B
IM13. Check IM11 and IM12:	ALL NO OR DK	1 → IIVIZ/B
INALA Lies / marred average assistant a DCC version at its	AT LEAST ONE TES	
IM14 . Has (<i>name</i>) ever received a BCG vaccination against tuberculosis – that is, an injection in the	YES1	
right arm or shoulder that usually causes a scar?	NO2	
,		
	DK8	
19446 11 ()	DK	
IM16 . Has (<i>name</i>) ever received any vaccination drops in the mouth to protect (him/her) from	YES1	
polio?	NO	2 <i>⇒</i> IM20
pene.		
Probe by indicating that the first drop is usually		0 =\1430
given at birth and later at the same time as	DK8	8 <i>⇒</i> IM20
injections to prevent other diseases.		
IM18. How many times were the polio drops		
received?	AULA INFO OF TIMES	
	NUMBER OF TIMES	
IM20. Has (<i>name</i>) ever received a Pentavalent	YES1	
vaccination – that is, an injection in the right thigh	NO 2	2 - 422
to prevent (him/her) from getting tetanus, whooping cough, diphtheria, Hepatitis B disease,	NO2	2 <i>⇒</i> IM22
and Haemophilus influenza type b?		
and the state of t	DK8	8 <i>≓</i> >IM22
Probe by indicating that Pentavalent vaccination is		
sometimes given at the same time as the polio		
drops.		

IM21 . How many times was the Pentavalent vaccine received?	NUMBER OF TIMES	
IM22. Has (<i>name</i>) ever received a Pneumococcal Conjugate vaccination – that is, an injection in the left thigh to prevent (him/her) from getting pneumococcal disease, including ear infections	YES	2 <i>⇔</i> IM24
and meningitis caused by pneumococcus?	DK8	8 <i>⇔</i> IM24
Probe by indicating that Pneumococcal Conjugate vaccination is sometimes given at the same time as the Pentavalent vaccination.		
IM23. How many times was the Pneumococcal vaccine received?	NUMBER OF TIMES	
IM24. Has (<i>name</i>) ever received a rotavirus vaccination – that is, liquid in the mouth to prevent diarrhoea?	YES	2 <i>⇔</i> IM26
Probe by indicating that rotavirus vaccination is sometimes given at the same time as the Pentavalent vaccination.	DK8	8 <i>⇔</i> IM26
IM25. How many times was the rotavirus vaccine received?	NUMBER OF TIMES	
IM26. Has (<i>name</i>) ever received an MR vaccine — that is, a shot in the left upper arm at the ages of 9 months and 18 months or older - to prevent (him/her) from getting measles and rubella?	YES	2 <i>⇔</i> IM27A
	DK8	8 <i>⊅IM27A</i>
IM26A. How many times was the MR vaccine received?	NUMBER OF TIMES	
IM27A. Has (<i>name</i>) ever received the DTP Booster – that is, an injection in the thigh at the age of 1 year or older - to boost (his/her) immunity against diphtheria and tetanus?	YES	
	DK8	

Probe by indicating that the first DTP booster is sometimes given at the same time as the second MR dose.		
IM27B. Did (<i>name</i>) receive Vitamin A Drops in the last 12 months – that is, drops from a blue or red capsule?	YES	2 <i>⇒</i> End
Probe by showing Vitamin A capsules For children with health card, check if Vitamin A was administered	DK8	8 <i>⇔</i> End
IM27C. How many times did name receive Vitamin A supplementation in last 12 months? For children with health card, copy information from card	NUMBER OF TIMES	

CARE OF ILLNESS		CA
CA1. In the last two weeks, has (<i>name</i>) had diarrhoea?	YES1	
CAL. III the last two weeks, has (<i>name</i>) had diamnoca:	NO	2 <i>5</i> >CA14
		2-7CA14
	DK8	8 <i>⇔CA14</i>
CA2 Chapt BD2: Is shild still broastfooding?		1 <i>⇒</i> CA3A
CA2. Check BD3: Is child still breastfeeding?	YES OR BLANK, BD3=1 OR BLANK	1
CA2A Lucrold librate larger have good (name) and	NO ON DK, 503–2 ON O2	Z PCASB
CA3A. I would like to know how much (<i>name</i>) was		
given to drink during the diarrhoea. This includes		
breast milk, Oral Rehydration Solution (ORS) and		
other liquids given with medicine.		
During the time (name) had diarrhood was (he/she)	MUCH LESS1	
During the time (<i>name</i>) had diarrhoea, was (he/she)		
given less than usual to drink, about the same	SOMEWHAT LESS	
amount, or more than usual?	ABOUT THE SAME	
	MORE4	
If 'less', probe:	NOTHING TO DRINK5	
Was (he/she) given much less than usual to drink, or		
somewhat less?	DK8	
CA3B. I would like to know how much (<i>name</i>) was		
given to drink during the diarrhoea. This includes		
Oral Rehydration Solution (ORS) and other liquids		
given with medicine.		
During the time (news) had dispulsed the (he /aha)		
During the time (<i>name</i>) had diarrhoea, was (he/she)		
given less than usual to drink, about the same		
amount, or more than usual?		
If 'less', probe:		
Was (he/she) given much less than usual to drink, or		
somewhat less?		
Somewhat 1633:		
CA4. During the time (<i>name</i>) had diarrhoea, was	MUCH I FSS	
(he/she) given less than usual to eat, about the	SOMEWHAT LESS	
	ABOUT THE SAME	
same amount, more than usual, or nothing to eat?	MORE	
	STOPPED FOOD	
If 'loss' probes	NEVER GAVE FOOD	
If 'less', probe:	NEVER GAVE FOOD/	
Was (he/she) given much less than usual to eat or	DV.	
somewhat less?	DK8	
CAE Diducular Line 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	VEC	
CA5. Did you seek any advice or treatment for the	YES	0 10:-
diarrhoea from any source?	NO2	2 <i>⇔CA7</i>
	DK8	8 <i>⇔CA7</i>
	ΔΚ	07CA/

CA6. Where did you seek advice or treatment?	PUBLIC MEDICAL SECTOR	
	GOVERNMENT HOSPITALA	
	GOVERNMENT HEALTH CENTRE/ CLINIC B	
Probe: Anywhere else?	COMMUNITY HEALTH WORKERD	
	MOBILE / OUTREACH CLINIC	
	COUNCIL FACILITYF	
Record all providers mentioned, but do <u>not</u> prompt	OTHER PUBLIC MEDICAL	
with any suggestions.	(<i>specify</i>) H	
, 33		
Probe to identify each type of provider.	PRIVATE MEDICAL SECTOR	
	PRIVATE HOSPITAL / CLINIC	
If unable to determine if public or private sector,	PRIVATE PHYSICIANJ	
write the name of the place and then temporarily	PRIVATE PHARMACYK	
record 'W' until you learn the appropriate category	COMMUNITY HEALTH WORKER	
for the response.	(NON-GOVERNMENT)L	
	MOBILE /OUTREACH CLINICM	
	OTHER PRIVATE MEDICAL	
	(specify)O	
(Name of place)		
(),	MISSION FACILITY	
	MISSION HOSPITALT	
	MISSION CLINICU	
	OTHER MISSION	
	(specify)V	
	DK PUBLIC OR PRIVATE OR MISSION W	
	OTHER SOURCE	
	RELATIVE / FRIEND	
	SHOP / MARKET / STREET Q	
	TRADITIONAL PRACTITIONERR	
	RELIGIOUS LEADER/PROPHET/PRIEST/ FAITH HEALERS	
	HEALER	
	OTUED (an asife)	
	OTHER (specify)X	
CA7. During the time (<i>name</i>) had diarrhoea, was		
(he/she) given:		
	Y N DK	
[A] A fluid made from a special packet called ORS?	FLUID FROM ORS PACKET 2 8	
[C] Zinc tablets or syrup?		
	ZINC TABLETS OR SYRUP 2 8	
[D] Sugar Salt Solution (SSS)?		
	SUGAR SALT SOLUTION1 2 8	

CA8. Check CA7[A]: Was child given any ORS?	YES, YES IN CA7[A]1	
	NO, 'NO' OR 'DK'	
	IN CA7[A]2	2 <i>⇒CA10</i>
CA9. Where did you get the (ORS mentioned in	PUBLIC MEDICAL SECTOR	
<i>CA7[A]</i>)?	GOVERNMENT HOSPITALA	
	GOVERNMENT HEALTH CENTRE/ CLINICB	
Probe to identify the type of source.	COMMUNITY HEALTH WORKERD	
	MOBILE / OUTREACH CLINICE	
If 'Already had at home', probe to learn if the source	COUNCIL FACILITY F	
is known.		
	OTHER PUBLIC MEDICAL	
If unable to determine whether public or private,	(<i>specify</i>) H	
write the name of the place and then temporarily		
record 'W' until you learn the appropriate category	PRIVATE MEDICAL SECTOR	
for the response.	PRIVATE HOSPITAL / CLINICI	
	PRIVATE PHYSICIANJ	
	PRIVATE PHARMACYK	
	COMMUNITY HEALTH WORKER	
(Name of place)	(NON-GOVERNMENT)L	
	MOBILE /OUTREACH CLINICM	
	OTHER PRIVATE MEDICAL	
	(specify) O	
	MISSION FACILITY	
	MISSION HOSPITALT	
	MISSION CLINICU	
	OTHER MISSION	
	(specify)V	
	DK PUBLIC OR PRIVATE OR MISSION W	
	OTHER SOURCE	
	RELATIVE / FRIENDP	
	SHOP / MARKET / STREETQ	
	TRADITIONAL PRACTITIONERR	
	RELIGIOUS LEADER/PROPHET/PRIEST/ FAITH	
	HEALERS	
	OTHER (specify)X	

CA10. Check CA7[C]: Was child given any zinc?	YES, CA7[C]=11	
	NO, CA7[C] ≠12	2 <i>≒</i> >CA12
CA11. Where did you get the zinc?	PUBLIC MEDICAL SECTOR	
	GOVERNMENT HOSPITALA	
	GOVERNMENT HEALTH CENTRE/ CLINICB	
Probe to identify the type of source.	COMMUNITY HEALTH WORKERD	
	MOBILE / OUTREACH CLINIC E	
If 'Already had at home', probe to learn if the source is known.	COUNCIL FACILITY F	
	OTHER PUBLIC MEDICAL	
If unable to determine whether public or private,	(<i>specify</i>) H	
write the name of the place and then temporarily		
record 'W' until you learn the appropriate category	PRIVATE MEDICAL SECTOR	
for the response.	PRIVATE HOSPITAL / CLINIC	
	PRIVATE PHYSICIANJ	
	PRIVATE PHARMACYK	
	COMMUNITY HEALTH WORKER	
(Name of place)	(NON-GOVERNMENT)L	
	MOBILE /OUTREACH CLINICM	
	OTHER PRIVATE MEDICAL	
	(<i>specify</i>) O	
	MISSION FACILITY	
	MISSION HOSPITALT	
	MISSION CLINICU	
	OTHER MISSION	
	(specify)V	
	DK PUBLIC OR PRIVATE OR MISSION W	
	OTHER SOURCE	
	RELATIVE / FRIENDP	
	SHOP / MARKET / STREETQ	
	TRADITIONAL PRACTITIONERR	
	RELIGIOUS LEADER/PROPHET/PRIEST/ FAITH	
	HEALERS	
	OTHER (specify)X	
CA12 . Was anything else given to treat the diarrhoea?	YES	
	NO2	2 <i>⇔CA14</i>
	DK8	8 <i>5</i> >CA14

ANTIBIOTIC	CA13. What else was given to treat the diarrhoea?	PILL OR SYRUP	
Probe: Anything else?			
Anything else? ANTIMORTILIT OR ZINC G UNKNOWN PILL OR SYRUP H		1	
Necord all treatments given. Write brand name(s) of all medicines mentioned. Name of brand		· · · · · · · · · · · · · · · · · · ·	
NIBECTION ANTIBIOTIC	Anything else?		
ANTIBIOTIC L NON-ANTIBIOTIC MUNKNOWN INTECTION N N N N N N N N N N N N N N N N N N		UNKNOWN PILL OR SYRUPH	
NON-ANTIBIOTIC	Record all treatments given. Write brand name(s) of	INJECTION	
CA14. At any time in the last two weeks, has (name) been ill with a fever? NO	all medicines mentioned.	ANTIBIOTICL	
INTRAVENOUS (IV)/ DRIP		NON-ANTIBIOTICM	
HOME REMEDY / HERBAL MEDICINE		UNKNOWN INJECTION N	
HERBAL MEDICINE	(Name of brand)	INTRAVENOUS (IV)/ DRIP O	
HERBAL MEDICINE		LIOME BEMEDY /	
CA14. At any time in the last two weeks, has (name) been ill with a fever? YES	(Name of brand)	1	
CA14. At any time in the last two weeks, has (name) been ill with a fever? YES	(Nume of brand)	HENDAL MEDICINE	
DK		OTHER (specify)X	
CA15. At any time during the illness, did (name) have blood taken from (his/her) finger or heel for testing? YES			
CA15. At any time during the illness, did (name) have blood taken from (his/her) finger or heel for testing? YES	been ill with a fever?	NO2	2 <i>⇔CA16</i>
Discription Discription		DK8	8 <i>⇔CA16</i>
CA15A. Was (name's) blood tested for malaria? YES	CA15. At any time during the illness, did (<i>name</i>) have	YES1	
CA15A. Was (name's) blood tested for malaria? YES	blood taken from (his/her) finger or heel for testing?	NO2	2 <i>⇔CA16</i>
CA15A. Was (name's) blood tested for malaria? YES			0 ACA16
CA15B. What were the results for the finger or heel prick malaria test? POSITIVE (MALARIA)			8 -> CA16
CA15B. What were the results for the finger or heel prick malaria test? POSITIVE (MALARIA)	CA15A. Was (<i>name's</i>) blood tested for malaria?		
CA15B. What were the results for the finger or heel prick malaria test? POSITIVE (MALARIA)		NO2	2⇒CA16
prick malaria test? NEGATIVE (NO MALARIA) 2 DK 8 CA16. At any time in the last two weeks, has (name) had an illness with a cough? YES 1 DK 8 CA17. At any time in the last two weeks, has (name) had fast, short, rapid breaths or difficulty breathing? YES 1 NO 2 2 ⇒CA19 DK 8 8 ⇒CA19 CA18. Was the fast or difficult breathing due to a problem in the chest or a blocked or runny nose? PROBLEM IN CHEST ONLY 1 1 ⇒CA20 BOTH 3 3 ⇒CA20 OTHER (specify) 6 6 ⇒CA20		DK8	8 ⇔ CA16
prick malaria test? NEGATIVE (NO MALARIA) 2 DK 8 CA16. At any time in the last two weeks, has (name) had an illness with a cough? YES 1 DK 8 CA17. At any time in the last two weeks, has (name) had fast, short, rapid breaths or difficulty breathing? YES 1 NO 2 2 ⇒CA19 DK 8 8 ⇒CA19 CA18. Was the fast or difficult breathing due to a problem in the chest or a blocked or runny nose? PROBLEM IN CHEST ONLY 1 1 ⇒CA20 BOTH 3 3 ⇒CA20 OTHER (specify) 6 6 ⇒CA20	CA15B What were the results for the finger or heel	POSITIVE (MALARIA)	
CA16. At any time in the last two weeks, has (name) had an illness with a cough? CA17. At any time in the last two weeks, has (name) had fast, short, rapid breaths or difficulty breathing? CA18. Was the fast or difficult breathing due to a problem in the chest or a blocked or runny nose? DK	_	, ,	
CA16. At any time in the last two weeks, has (name) had an illness with a cough? DK	prick marana test:	NEGATIVE (NO MALAMA)	
had an illness with a cough? NO		DK8	
CA17. At any time in the last two weeks, has ($name$) had fast, short, rapid breaths or difficulty breathing? DK	CA16. At any time in the last two weeks, has (<i>name</i>)	YES1	
CA17. At any time in the last two weeks, has (name) had fast, short, rapid breaths or difficulty breathing? DK	had an illness with a cough?	NO2	
had fast, short, rapid breaths or difficulty breathing? NO		DK8	
had fast, short, rapid breaths or difficulty breathing? NO	CA17. At any time in the last two weeks, has (<i>name</i>)	YES	
DK			2 <i>5</i> >CA19
CA18. Was the fast or difficult breathing due to a problem in the chest or a blocked or runny nose? PROBLEM IN CHEST ONLY	, , , ,		
problem in the chest or a blocked or runny nose? BLOCKED OR RUNNY NOSE ONLY		DK8	8 <i>⇔CA19</i>
BOTH	_		
OTHER (<i>specify</i>)6 6 <i>←>CA20</i>	problem in the chest or a blocked or runny nose?	BLOCKED OR RUNNY NOSE ONLY2	2 <i>⇔CA20</i>
		BOTH3	3 <i>⇔CA20</i>
		OTHER (<i>specify</i>)6	6 <i>⇔CA20</i>
			8 <i>⇔CA20</i>

CA30 CA22 CA22
CA22
CA22
CA22
i

CA22. At any time during the illness, was (<i>name</i>) given	YES1	
any medicine for the illness?	NO2	2 <i>⇔CA30</i>
	DK8	8 <i>5</i> >CA30
CA23. What medicine was (<i>name</i>) given?	ANTI-MALARIALS	
	ARTEMISININ COMBINATION THERAPY (ACT) /	
Probe:	COARTEMETHER / ASAQA	
Any other medicine?	SP / FANSIDARB	
	CHLOROQUINEC	
	AMODIAQUINED	
	QUININE	
Record all medicines given.	PILLSE	
	INJECTION/IVF	
If unable to determine type of medicine, write the	ARTESUNATE	
brand name and then temporarily record 'W' until	RECTALG	
you learn the appropriate category for the response.	INJECTION/IVH	
	PRIMAQUINEI	
	OTHER ANTI-MALARIAL	
	(specify)K	
(Name of brand)		
,	ANTIBIOTICS	
	AMOXICILLINL	
(Name of brand)	COTRIMOXAZOLEM	
,	OTHER ANTIBIOTIC	
	PILL/SYRUPN	
	OTHER ANTIBIOTIC	
	INJECTION/IVO	
	OTHER MEDICATIONS	
	PARACETAMOL/PANADOL/	
	ACETAMINOPHENR	
	ASPIRINS	
	IBUPROFENT	
	ONLY BRAND NAME RECORDED W	
	OTHER (specify)X	
	DK	
CA24. Check CA23: Antibiotics mentioned?	YES, ANTIBIOTICS MENTIONED,	
	CA23=L- O1	
	NO, ANTIBIOTICS NOT MENTIONED2	2 <i>⇔CA26</i>

CA25. Where did you get the (name of medicine from	PUBLIC MEDICAL SECTOR	
<i>CA23, codes L to O</i>)?	GOVERNMENT HOSPITALA	
	GOVERNMENT HEALTH CENTRE/ CLINICB	
Probe to identify the type of source.	COMMUNITY HEALTH WORKERD	
	MOBILE / OUTREACH CLINIC E	
If 'Already had at home', probe to learn if the source	COUNCIL FACILITY F	
is known.		
	OTHER PUBLIC MEDICAL	
If unable to determine whether public or private,	(<i>specify</i>) H	
write the name of the place and then temporarily		
record 'W' until you learn the appropriate category	PRIVATE MEDICAL SECTOR	
for the response.	PRIVATE HOSPITAL / CLINIC	
	PRIVATE PHYSICIANJ	
	PRIVATE PHARMACYK	
	COMMUNITY HEALTH WORKER	
(Name of place)	(NON-GOVERNMENT)L	
	MOBILE /OUTREACH CLINICM	
	OTHER PRIVATE MEDICAL	
	(specify) O	
	MISSION FACILITY	
	MISSION HOSPITALT	
	MISSION CLINIC	
	OTHER MISSION	
	(specify)V	
	(
	DK PUBLIC OR PRIVATE OR MISSION W	
	OTHER SOURCE	
	RELATIVE / FRIENDP	
	SHOP / MARKET / STREETQ	
	TRADITIONAL PRACTITIONERR	
	RELIGIOUS LEADER/PROPHET/PRIEST/ FAITH	
	HEALERS	
	OTHER (specify)X	
CA26. Check CA23: Anti-malarials mentioned?	YES, ANTI-MALARIALS MENTIONED, CA23=A-K 1	
	NO, ANTI-MALARIALS NOT	
	MENTIONED2	
		2 <i>⇔CA30</i>

CA27. Where did you get the (<i>name of medicine from</i>	PUBLIC MEDICAL SECTOR	
CA23, codes A to K)?	GOVERNMENT HOSPITALA	
	GOVERNMENT HEALTH CENTRE/ CLINICB	
	COMMUNITY HEALTH WORKERD	
Probe to identify the type of source.	MOBILE / OUTREACH CLINICE	
	COUNCIL FACILITY F	
If 'Already had at home', probe to learn if the source		
is known.	OTHER PUBLIC MEDICAL	
	(<i>specify</i>) H	
If unable to determine whether public or private,		
write the name of the place and then temporarily	PRIVATE MEDICAL SECTOR	
record 'X' until you learn the appropriate category	PRIVATE HOSPITAL / CLINIC	
for the response.	PRIVATE PHYSICIANJ	
	PRIVATE PHARMACYK	
	COMMUNITY HEALTH WORKER	
	(NON-GOVERNMENT)L	
(Name of place)	MOBILE /OUTREACH CLINICM	
	OTHER PRIVATE MEDICAL	
	(specify)O	
	MISSION FACILITY MISSION HOSPITALT	
	MISSION CLINICU	
	OTHER MISSION (specify)	
	(specify)	
	DK PUBLIC OR PRIVATE OR MISSION W	
	OTHER SOURCE	
	RELATIVE / FRIENDP	
	SHOP / MARKET / STREET	
	TRADITIONAL PRACTITIONERR	
	RELIGIOUS LEADER/PROPHET/PRIEST/ FAITH	
	HEALERS	
	OTHER (specify)X	
CA28. Check CA23: More than one antimalarial	YES, MULTIPLE ANTI-MALARIALS MENTIONED 1	
recorded in codes A to K?	NO, ONLY ONE ANTIMALARIAL MENTIONED 2	1 <i>⇔CA29A</i>
	,	
		2 <i>⇔</i> CA29B
CA29A. How long after the fever started did (<i>name</i>)	SAME DAY0	
first take the first of the (<i>name all anti-malarials</i>	NEXT DAY	
recorded in CA23, codes A to K)?	2 DAYS AFTER FEVER STARTED	
CLOOP III I G III G II I G II	3 OR MORE DAYS AFTER FEVER	
CA29B. How long after the fever started did (<i>name</i>)	STARTED3	
first take (<i>name of anti-malarial from CA23, codes A</i>		
to K)?	DK 8	

CA30. Check UB2: Child's age?	AGE 0, 1 OR 2	2 ⇒ End
CA31. The last time (<i>name</i>) passed stools, what was done to dispose of the stools?	CHILD USED TOILET / LATRINE	
	OTHER (<i>specify</i>)96 DK98	

UF11. Record the time.	HOURS AND MINUTES :	
UF12 . Language of the Questionnaire.	ENGLISH 1 SHONA 2 NDEBELE 3	
UF13. Language of the Interview.	ENGLISH 1 SHONA 2 NDEBELE 3 OTHER LANGUAGE 6	
UF14 . Native language of the Respondent.	ENGLISH 1 SHONA 2 NDEBELE 3 OTHER LANGUAGE 6	
UF15 . Was a translator used for any parts of this questionnaire?	YES, THE ENTIRE QUESTIONNAIRE	
UF16. Tell the respondent that you will need to measure the weight and height of the child before you leave the household and a colleague will come to lead the measurement. Issue the ANTHROPOMETRY MODULE FORM for this child and complete the Information Panel on that Form. Check columns HL10 and HL20 in LIST OF HOUSEHOLD MEMBERS, HOUSEHOLD QUESTIONNAIRE: Is the respondent the mother or caretaker of another child age 0-4 living in this household?		
 Yes ⇒ Go to UF17 on the UNDER-FIVE INFORMATION PANEL and record '01'. Then go to the next QUESTIONNAIRE FOR CHILDREN UNDER FIVE to be administered to the same respondent. No ⇒ Check HL6 and column HL20 in LIST OF HOUSEHOLD MEMBERS, HOUSEHOLD QUESTIONNAIRE: Is the respondent the mother or caretaker of a child age 5-17 selected for Questionnaire for Children Age 5-17 in this household? 		
 □ Yes ⇒ Go to UF17 on the UNDER-FIVE INFORMATION PANEL and record '01'. Then go to the QUESTIONNAIRE FOR CHILDREN AGE 5-17 to be administered to the same respondent. □ No ⇒ Go to UF17 on the UNDER-FIVE INFORMATION PANEL and record '01'. Then end the interview with this respondent by thanking her/him for her/his cooperation. Check to see if there are other questionnaires to be administered in this household. 		

INTERVIEWER'S OBSERVATIONS
SUPERVISOR'S OBSERVATIONS

ANTHROPOMETRY MODULE INFORMATION PANEL	AN
AN1 . Cluster number:	AN2. Household number:
AN3. Child's name and line number:	AN4. Child's age from UB2:
NAME	AGE (IN COMPLETED YEARS)
AN5. Mother's / Caretaker's name and line number:	AN6. Interviewer's name and number:
NAME	NAME

ANTHROPOMETRY		
AN7. Measurer's name and number:	NAME	
AN8. Record the result of weight measurement as read out by the Measurer:	KILOGRAMS (KG)	
Read the record back to the	CHILD NOT PRESENT	99.3 <i>⇔</i> AN13 99.4 <i>⇔</i> AN10
Measurer and also ensure that he/she verifies your record.	RESPONDENT REFUSED	99.5 <i>⇔AN10</i>
	OTHER (specify)99.6	99.6 <i>⇔</i> AN10
AN9. Was the child undressed to the minimum?	YES	
AN10. Check AN4: Child's age?	AGE 0 OR 11	1 <i>⇒</i> AN11A
	AGE 2, 3 OR 42	2 <i>⇔</i> AN11B
AN11A. The child is less than 2 years old and should be measured lying down. Record the result of length	LENGTH / HEIGHT (CM)	
measurement as read out by the	CHILD REFUSED999.4	999.4 <i>⇔</i> AN13
Measurer:	RESPONDENT REFUSED999.5	999.5 <i>⇔</i> AN13
Read the record back to the Measurer and also ensure that he/she verifies your record.	OTHER (specify)999.6	999.6 <i>⇔AN13</i>
AN11B. The child is at least 2 years old and should be measured standing up. Record the result of height measurement as read out by the Measurer:		
Read the record back to the Measurer and also ensure that he/she verifies your record.		

AN12. How was the child actually measured? Lying down or standing up?	LYING DOWN	
AN13. Today's date: Day / Month / Year: / / 2 0 1		
AN14. Is there another child under age 5 in the household who has not yet been measured?	YES	1 <i>⇒</i> Next Child
AN15. Thank the respondent for his/her cooperation and inform your Supervisor that the Measurer and you have completed all the measurements in this household.		

INTERVIEWER'S OBSERVATIONS FOR ANTHROPOMETRY MODULE		
AAFAGUPERIG ORGERYATIONIC FOR ANTUROPONIETRYA AORUU F		
MEASURER'S OBSERVATIONS FOR ANTHROPOMETRY MODULE		
SUPERVISOR'S OBSERVATIONS FOR ANTHROPOMETRY MODULE		